District I 1625 N. French Dr., Hobbs, NM 88240 District II

1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410

District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

Approval:

Printed Name/Title

## State of New Mexico **Energy Minerals and Natural Resources**

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office. For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

Santa	10, 141/1 07505						
	Tank Registration or Closure						
	ered by a "general plan"? Yes 🗹 No 🗌						
(WF5 COSURE) Type of action: Registration of a pit or below	w-grade tank Closure of a pit or below-grade tank						
Operator: BURLINGTON RESOURCES OIL & GAS CO Telephone:	e-mail address:						
Address: 801 CHERRY ST FORT WORTH, TX 76102							
Facility or well name: GRENIER #011 API #: 30-045-	$\frac{10763}{\text{U/L or Qtr/Qtr}} \qquad \frac{\text{F}}{\text{SEC}}$	<u>13</u> T <u>31N</u> R	<u>12W</u>				
County: SAN JUAN  Surface Owner: Federal ✓ State ☐ Private ☐ Indian ☐	47 Longitude -108.052	NAD: 1927 🗹 198	3 🗌				
<u>Pit</u>	Below-grade tank						
Type: Drilling Production Disposal	Volume: bbl Type of fluid:						
Workover Emergency	Construction Material:  Double-walled, with leak detection? Yes   If not, explain why not.						
Lined Unlined 🗹	Double-wailed, with leak detection: Tes (and Tribot, ex	piam why not.					
Liner Type: Synthetic Thickness mil Clay							
Pit Volume 90 bbl							
Depth to ground water (vertical distance from bottom of pit to seasonal high	Less than 50 feet	(20 points)	•				
water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points) (0 points)	<u>o</u>				
	100 feet or more	(0 points)					
Wellhead protection area: (Less than 200 feet from a private domestic water	Yes	(20 points)	0				
source, or less than 1000 feet from all other water sources.)	No	(0 points)	<u>0</u>				
Distance to surface water: (Horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)					
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet to 1,000 feet Greater than 1,000 feet	(10 points) (0 points)	<u>0</u>				
	Greater than 1,000 feet	(o points)					
	Ranking Score (TOTAL POINTS):		0				
	ationship to other equipment and tanks. (2) Indicate disposa						
onsite box if your are burying in place) onsite offsite If offsite, name action taken including remediation start date and end date. (4)Groundwater encou		eneral description of ren					
and attach sample results. (5)Attach soil sample results and a diagram of sample le		-	— <b>.</b>				
Additional Comments:	9101112	137					
Additional Comments.	(6) 00=	133					
	(5) OUT 20	05					
	ONET. 8						
	C Dist a	ow. A					
	En.						
	- CO21303	246					
I hereby certify that the information above is true and complete to the best of my tank has been/will be constructed or closed according to NMOCD guidelines	knowledge and belief. I further certify that the above the first in a general permit , or an (attached) alternative OC	• • _	]				
Date: 9/9/05	MIZJUK, FOR WES						
Printed Name/Title Mark Harvey for Williams Field Services Sig	enature Mil Holl, For Gr.						
Your certification and NMOCD approval of this application/closure does not relie or otherwise endanger public health or the environment. Nor does it relieve the o regulations.							

## **ADDENDUM TO OCD FORM C-144**

Operator: BURLINGTON RESOURCES OIL & GAS COMPANY LP **API:** 30-045-10763 Well Name: GRENIER #011 Meter: <u>34242</u> Facility Diagram: Sampling Diagram: X=Sample Collection Locations Pit Dimensions **Location of Pit Center** Pit ID 342421 Length 13 Ft. Latitude 36.90097 Width 13 Ft. Longitude -108.05228 Pit Type Depth 3 Ft. (NAD 1927) Glycol Dehydrator **Date Closure Started:** 2/21/03 **Date Closure Completed:** 2/21/03 **Closure Method: Bedrock Encountered?** Pushed In **Cubic Yards Excavated:** Vertical Extent of Equipment Reached? **Description Of Closure Action:** 

The pit was assessed and sampled in accordance with NMOCD guidelines. Based on assessment findings, the pit was backfilled.

Sample ID	Sample Date	Head Space	BTEX Total (mg/kg)	Benzene (mg/kg)	TPH DRO (mg/kg)	Purpose	Location	Depth	
145109MAY02	5/9/02		0	0	58	ASSESS		3	



Pace Analytical Services, Inc.

9608 Loiret Blvd. Lenexa, KS 66219

Phone: 913.599.5665 Fax: 913.599.1759

Lab Project Number: 6058969

Client Project ID: N.M. PIT ASSESSMENTS 2002

Lab Sample No: 605138114 Client Sample ID: 14519502 Project Sample Number: 6058969-003

Date Collected: 05/09/02 14:51

Matrix: Soil

trix: Soil Date Received: 05/17/02 09:30

Parameters	Results	Units	Report Limit	Analyzed	Ву	CAS No.	Qual RegLmt
GC Semivolatiles							
Total Extractable Hydrocarbons	Prep/Method:	OA2 / OA2					
Mineral Spirits	ND	mg/kg	11.	05/21/02 08:2	WAW 8		
Jet Fuel	ND	mg/kg	11.	05/21/02 08:2	WAW 8		
Kerosene	ND	mg/kg	11.	05/21/02 08:2	WAW 8		
Diesel Fuel	ND	mg/kg	11.	05/21/02 08:2	WAW 8	68334-30-5	
Fuel Oil	ND	mg/kg	11.	05/21/02 08:2	WAW 8	68334-30-5	
Motor 0il	ND	mg/kg	11.	05/21/02 08:2	WAW 85		
Total Petroleum Hydrocarbons	58.	mg/kg	11.	05/21/02 08:2	WAW 85		1
n-Tetracosane (S)	118	%		05/21/02 08:2	WAW 85	646-31-1	
p-Terphenyl (S)	117	%		05/21/02 08:2	WAW 85	92-94-4	
Date Extracted				05/20/02			
Organics Prep							
Percent Moisture	Method:		•				
Percent Moisture	7.3	%		05/21/02	MIM		
GC Volatiles							
Aromatic Volatile Organics	Prep/Method:	EPA 5030 M	edium Soil / E	PA 8021			
Benzene	ND	ug/kg	54.	05/22/02 22:3	33	71-43-2	
Ethylbenzene	ND	ug/kg	54.	05/22/02 22:3	33	100-41-4	•
Toluene	ND	ug/kg	54.	05/22/02 22:3	33	108-88-3	
Xylene (Total)	ND	ug/kg	130	05/22/02 22:3	33	1330-20-7	
a,a,a-Trifluorotoluene (S)	100	%		05/22/02 22:	33	98-08-8	

Date: 05/31/02

Page: 3

## **REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.

