

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Form C-141
Revised August 8, 2011

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit 1 Copy to appropriate District Office in
accordance with 19.15.29 NMAC.

Release Notification and Corrective Action

OPERATOR

Initial Report Final Report

Name of Company: BP	Contact: Jeff Peace
Address: 200 Energy Court, Farmington, NM 87401	Telephone No.: 505-326-9479
Facility Name: Atlantic LS 2A	Facility Type: Natural gas well
Surface Owner: Federal	Mineral Owner: Federal
API No. 3004522992	


LOCATION OF RELEASE

Unit Letter I	Section 24	Township 31N	Range 10W	Feet from the 1,520	North/South Line South	Feet from the 880	East/West Line East	County: San Juan
------------------	---------------	-----------------	--------------	------------------------	---------------------------	----------------------	------------------------	------------------

Latitude 36.88095 Longitude 107.83035

NATURE OF RELEASE

Type of Release: oil/condensate	Volume of Release: unknown	Volume Recovered: none
Source of Release: below grade tank – 95 bbl	Date and Hour of Occurrence: unknown	Date and Hour of Discovery: July 25, 2014; 12:20 PM
Was Immediate Notice Given? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Required	If YES, To Whom?	
By Whom?	Date and Hour	
Was a Watercourse Reached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, Volume Impacting the Watercourse.	



If a Watercourse was Impacted, Describe Fully.*

Describe Cause of Problem and Remedial Action Taken.* Sampling of the soil beneath the BGT was done during removal to ensure no soil impacts from the BGT. Soil analysis below the BGT at 4.5 depth resulted in TPH of 2,900 ppm by Method 418.1 and 840 ppm by Method 8015D, indicating a release occurred. Remediation was done by excavation of impacted soil.

Describe Area Affected and Cleanup Action Taken.* BGT was removed and the area underneath the BGT was sampled. The soil sample results showed a release had occurred. The impacted soil was excavated to a depth of six feet and subsequent samples of the excavation bottom and side walls resulted in TPH below 1,000 ppm, which is the cleanup standard for this site. Approximately 20 yards of impacted soil were transported to a landfarm for treatment. Remediation was completed on August 20, 2014. The excavated area was backfilled with clean soil and compacted. Attached is a remediation report that includes a summary, field report, photo, soil lab analysis, and final C-138.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Signature: <i>Jeff Peace</i>	OIL CONSERVATION DIVISION	
Printed Name: Jeff Peace	Approved by Environmental Specialist: <i>[Signature]</i>	
Title: Field Environmental Coordinator	Approval Date: <u>4/30/15</u>	Expiration Date:
E-mail Address: peace.jeffrey@bp.com	Conditions of Approval:	Attached <input type="checkbox"/>
Date: March 13, 2015	Phone: 505-326-9479	

* Attach Additional Sheets If Necessary

#NCS 1512129597

BP America: Atlantic LS 2A

(I) Sec 24 – T31N – R10W

San Juan County, New Mexico

Summary Record of Impact Remediation

July 25, 2014 Soils impacted with hydrocarbons encountered during removal of 95 barrel BGT during closure. BGT originally placed in 14' x 14' x 4' deep wood lined cellar. Crew removed BGT and wood cellar sidewalls prior to initial inspection by Blagg Engineering. NMOCD witnessed sampling of soils below BGT base.

Site Closure Standard Determined at 1,000 ppm TPH based on:

Horizontal Distance to Dry Wash = 955 feet (10 points)

Nearest Water Well > 1,000 feet (0 points)

Depth to Groundwater >100 feet (0 points)

Sample ID	Date/Time	Notes	TPH 418.1	TPH 8015B	BTEX 8021	Chloride
BGT 5-pt @ 4.5'	7/25/2014 @ 12:20	NMOCD Witnessed	2,900 mg/kg	840 mg/Kg	ND	ND

August 11, 2014 Begin remediation of site by excavation of impacts with backhoe.

August 12, 2014 Excavation size 18' x 18' x 6' deep. Entire excavation base on sandstone. Sample base and sidewalls for laboratory testing.

Sample ID	Date/Time	Notes	TPH 8015B	BTEX 8021	Chloride
Base 5-pt @ - 6'	8/12/2014 @ 13:22	Sandstone	25.2 mg/Kg	ND	ND
Side Wall 4- pt 3'-5.5'	8/12/2014 @ 13:38	No Staining	373 mg/Kg	ND	ND

August 20, 2014 Receive laboratory test reports. TPH below closure standards. Backfilling authorized. Total soils hauled to landfarm approximately 30 CY.

CLIENT:

BP

BLAGG ENGINEERING, INC.
P.O. BOX 87, BLOOMFIELD, NM 87413
(505) 632-1199

API #: 30-045-22992

TANK ID
(if applicable):

FIELD REPORT:

(circle one): BGT CONFIRMATION RELEASE INVESTIGATION / OTHER:

PAGE #: 1 of 1

SITE INFORMATION:

SITE NAME: ATLANTIC LS 2A

DATE STARTED: 7/25/14

QUAD/UNIT: I SEC: 24 TWP: 31N RING: 10W PM: NM CNTY: SJ ST: NM

DATE FINISHED: 7/25/14

1/4 - 1/4 FOOTAGE:

LEASE TYPE: FEDERAL / STATE / FEE / INDIAN

ENVIRONMENTAL

LEASE #: NMNM 013682

PROD. FORMATION:

CONTRACTOR: CROSSFIRE (QUINTANA)

SPECIALIST(S): JCB

REFERENCE POINT:

WELL HEAD (W.H.) GPS COORD.: 36.88090 x 107.83038

GL ELEV.: 6608

1) 95 BGT

GPS COORD.: 36.88095 x 107.83035

DISTANCE/BEARING FROM W.H.: 54' N65E

2)

GPS COORD.:

DISTANCE/BEARING FROM W.H.:

3)

GPS COORD.:

DISTANCE/BEARING FROM W.H.:

4)

GPS COORD.:

DISTANCE/BEARING FROM W.H.:

SAMPLING DATA:

CHAIN OF CUSTODY RECORD(S) # OR LAB USED: HAU

OVM
READING
(ppm)
5.0

1) SAMPLE ID: 5-pt @ 4 1/2'

SAMPLE DATE: 7/25/14

SAMPLE TIME: 1220

LAB ANALYSIS: TPH/BTEX/CL

2) SAMPLE ID:

SAMPLE DATE:

SAMPLE TIME:

LAB ANALYSIS:

3) SAMPLE ID:

SAMPLE DATE:

SAMPLE TIME:

LAB ANALYSIS:

4) SAMPLE ID:

SAMPLE DATE:

SAMPLE TIME:

LAB ANALYSIS:

SOIL DESCRIPTION:

SOIL TYPE: SAND / SILTY SAND / SILT / SILTY CLAY / CLAY / GRAVEL / OTHER BEDROCK SANDSTONE

SOIL COLOR:

PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC

COHESION (ALL OTHERS): NON COHESIVE / SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVE

DENSITY (COHESIVE CLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD

CONSISTENCY (NON COHESIVE SOILS): LOOSE / FIRM / DENSE / VERY DENSE

HC ODOR DETECTED: YES / NO EXPLANATION - MINOR

MOISTURE: DRY / SLIGHTLY MOIST / MOIST / WET / SATURATED / SUPER SATURATED

SAMPLE TYPE: GRAB / COMPOSITE - # OF PTS. 5

ANY AREAS DISPLAYING WETNESS: YES / NO EXPLANATION -

DISCOLORATION/STAINING OBSERVED: YES / NO EXPLANATION - GRAY/BLACK

SITE OBSERVATIONS:

LOST INTEGRITY OF EQUIPMENT: YES / NO EXPLANATION - POSSIBLE OVERFLOWS

APPARENT EVIDENCE OF A RELEASE OBSERVED AND/OR OCCURRED: YES / NO EXPLANATION:

EQUIPMENT SET OVER RECLAIMED AREA: YES / NO EXPLANATION -

OTHER:

SOIL IMPACT DIMENSION ESTIMATION: 20 ft X 20 ft X 2 ft EXCAVATION ESTIMATION (Cubic Yards): 30 ±

DEPTH TO GROUNDWATER: >100 NEAREST WATER SOURCE: >100 NEAREST SURFACE WATER: 955' NMCD TPH CLOSURE STD: 1,000 ppm

SITE SKETCH

BGT Located: off / on site

PLOT PLAN circle: attached

OVM CALIB. READ. = 51.8 ppm RF = 0.52

OVM CALIB. GAS = 100 ppm

TIME 0600 @ DATE 7/25/14



MISCELL. NOTES

WO: N15523718

PO #: 4300252213

PK: -

PJ #: -

Permit date(s):

OCD Appr. date(s):

Tank ID: OVM = Organic Vapor Meter ppm = parts per million

A BGT Sidewalls Visible: Y / N

BGT Sidewalls Visible: Y / N

BGT Sidewalls Visible: Y / N

Magnetic declination: 10° E

NOTES: BGT = BELOW-GRADE TANK; E.D. = EXCAVATION DEPRESSION; B.G. = BELOW GRADE; B = BELOW; T.H. = TEST HOLE; - = APPROX.; W.H. = WELL HEAD; T.B. = TANK BOTTOM; PBGT = PREVIOUS BELOW-GRADE TANK LOCATION; SPD = SAMPLE POINT DESIGNATION; R.W. = RETAINING WALL; NA - NOT APPLICABLE OR NOT AVAILABLE; SW - SINGLE WALL; DW - DOUBLE WALL; SB - SINGLE BOTTOM; DB - DOUBLE BOTTOM.

NOTES: _____ ONSITE: 7/25/2014





Blagg Engineering PO Box 87 Bloomfield NM, 87413	Project Name: Atlantic LS 2A Project Number: 94034-0011 Project Manager: Jeff Blagg	Reported: 20-Aug-14 16:18
--	---	------------------------------

Analytical Report for Samples

Client Sample ID	Lab Sample ID	Matrix	Sampled	Received	Container
Base 5-pt @ 6'	P408042-01A	Soil	08/12/14	08/12/14	Glass Jar, 4 oz.
Sidewall 4-pt @ 3'-5 1/2'	P408042-02A	Soil	08/12/14	08/12/14	Glass Jar, 4 oz.

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.



Blagg Engineering PO Box 87 Bloomfield NM, 87413	Project Name: Atlantic LS 2A Project Number: 94034-0011 Project Manager: Jeff Blagg	Reported: 20-Aug-14 16:18
--	---	------------------------------

Base 5-pt @ 6'
P408042-01 (Solid)

Analyte	Result	Reporting			Dilution	Batch	Prepared	Analyzed	Method	Notes
		Limit	Units							
Volatile Organics by EPA 8021										
Benzene	ND	0.05	mg/kg	1	1433025	08/14/14	08/20/14	EPA 8021B		
Toluene	ND	0.05	mg/kg	1	1433025	08/14/14	08/20/14	EPA 8021B		
Ethylbenzene	ND	0.05	mg/kg	1	1433025	08/14/14	08/20/14	EPA 8021B		
p,m-Xylene	ND	0.10	mg/kg	1	1433025	08/14/14	08/20/14	EPA 8021B		
o-Xylene	ND	0.05	mg/kg	1	1433025	08/14/14	08/20/14	EPA 8021B		
Total Xylenes	ND	0.05	mg/kg	1	1433025	08/14/14	08/20/14	EPA 8021B		
Total BTEX	ND	0.05	mg/kg	1	1433025	08/14/14	08/20/14	EPA 8021B		
<i>Surrogate: Bromochlorobenzene</i>		95.1 %		50-150	1433025	08/14/14	08/20/14	EPA 8021B		
<i>Surrogate: 1,3-Dichlorobenzene</i>		86.1 %		50-150	1433025	08/14/14	08/20/14	EPA 8021B		
Nonhalogenated Organics by 8015										
Gasoline Range Organics (C6-C10)	ND	5.00	mg/kg	1	1433025	08/14/14	08/20/14	EPA 8015D		
Diesel Range Organics (C10-C28)	25.2	24.9	mg/kg	1	1433022	08/14/14	08/20/14	EPA 8015D		
<i>Surrogate: Benzo[a]pyrene</i>		109 %		50-200	1433022	08/14/14	08/20/14	EPA 8015D		
Cation/Anion Analysis										
Chloride	ND	9.98	mg/kg	1	1433024	08/14/14	08/14/14	EPA 300.0		

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.



Blagg Engineering PO Box 87 Bloomfield NM, 87413	Project Name: Atlantic LS 2A Project Number: 94034-0011 Project Manager: Jeff Blagg	Reported: 20-Aug-14 16:18
--	---	------------------------------

Sidewall 4-pt @ 3'-5 1/2'
P408042-02 (Solid)

Analyte	Result	Reporting		Dilution	Batch	Prepared	Analyzed	Method	Notes	
		Limit	Units							
Volatile Organics by EPA 8021										
Benzene	ND	0.05	mg/kg	1	1433025	08/14/14	08/20/14	EPA 8021B		
Toluene	ND	0.05	mg/kg	1	1433025	08/14/14	08/20/14	EPA 8021B		
Ethylbenzene	ND	0.05	mg/kg	1	1433025	08/14/14	08/20/14	EPA 8021B		
p,m-Xylene	ND	0.10	mg/kg	1	1433025	08/14/14	08/20/14	EPA 8021B		
o-Xylene	ND	0.05	mg/kg	1	1433025	08/14/14	08/20/14	EPA 8021B		
Total Xylenes	ND	0.05	mg/kg	1	1433025	08/14/14	08/20/14	EPA 8021B		
Total BTEX	ND	0.05	mg/kg	1	1433025	08/14/14	08/20/14	EPA 8021B		
<i>Surrogate: Bromochlorobenzene</i>		88.8 %			1433025	08/14/14	08/20/14	EPA 8021B		
<i>Surrogate: 1,3-Dichlorobenzene</i>		90.5 %			1433025	08/14/14	08/20/14	EPA 8021B		
Nonhalogenated Organics by 8015										
Gasoline Range Organics (C6-C10)	ND	4.99	mg/kg	1	1433025	08/14/14	08/20/14	EPA 8015D		
Diesel Range Organics (C10-C28)	373	29.9	mg/kg	1	1433022	08/14/14	08/20/14	EPA 8015D		
<i>Surrogate: Benzo[a]pyrene</i>		114 %			1433022	08/14/14	08/20/14	EPA 8015D		
Cation/Anion Analysis										
Chloride	ND	9.89	mg/kg	1	1433024	08/14/14	08/14/14	EPA 300.0		

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.



Blagg Engineering PO Box 87 Bloomfield NM, 87413	Project Name: Atlantic LS 2A Project Number: 94034-0011 Project Manager: Jeff Blagg	Reported: 20-Aug-14 16:18
--	---	------------------------------

Volatile Organics by EPA 8021 - Quality Control
Envirotech Analytical Laboratory

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 1433025 - Purge and Trap EPA 5030A

Blank (1433025-BLK1)			Prepared: 14-Aug-14 Analyzed: 15-Aug-14							
Benzene	ND	0.05	mg/kg							
Toluene	ND	0.05	"							
Ethylbenzene	ND	0.05	"							
p,m-Xylene	ND	0.10	"							
o-Xylene	ND	0.05	"							
Total Xylenes	ND	0.05	"							
Total BTEX	ND	0.05	"							
Surrogate: 1,3-Dichlorobenzene	50.2		ug/L	50.0		100	50-150			
Surrogate: Bromochlorobenzene	50.0		"	50.0		100	50-150			

Duplicate (1433025-DUP1)			Source: P408041-01		Prepared: 14-Aug-14 Analyzed: 15-Aug-14					
Benzene	ND	0.05	mg/kg		ND					30
Toluene	ND	0.05	"		ND					30
Ethylbenzene	ND	0.05	"		ND					30
p,m-Xylene	ND	0.10	"		ND					30
o-Xylene	ND	0.05	"		ND					30
Surrogate: 1,3-Dichlorobenzene	50.9		ug/L	50.0		102	50-150			
Surrogate: Bromochlorobenzene	51.1		"	50.0		102	50-150			

Matrix Spike (1433025-MS1)			Source: P408041-01		Prepared: 14-Aug-14 Analyzed: 15-Aug-14					
Benzene	49.9		ug/L	50.0	ND	99.8	39-150			
Toluene	50.6		"	50.0	ND	101	46-148			
Ethylbenzene	48.7		"	50.0	ND	97.5	32-160			
p,m-Xylene	97.9		"	100	ND	97.9	46-148			
o-Xylene	48.9		"	50.0	ND	97.9	46-148			
Surrogate: 1,3-Dichlorobenzene	50.5		"	50.0		101	50-150			
Surrogate: Bromochlorobenzene	50.1		"	50.0		100	50-150			

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.



Blagg Engineering PO Box 87 Bloomfield NM, 87413	Project Name: Atlantic LS 2A Project Number: 94034-0011 Project Manager: Jeff Blagg	Reported: 20-Aug-14 16:18
--	---	------------------------------

Nonhalogenated Organics by 8015 - Quality Control
Envirotech Analytical Laboratory

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 1433022 - DRO Extraction EPA 3550M										
Blank (1433022-BLK1) Prepared & Analyzed: 14-Aug-14										
Diesel Range Organics (C10-C28)	ND	25.0	mg/kg							
Surrogate: Benzo[a]pyrene	16.9		"	20.0		84.5	50-200			
LCS (1433022-BS1) Prepared & Analyzed: 14-Aug-14										
Diesel Range Organics (C10-C28)	574	25.0	mg/kg	499		115	38-132			
Surrogate: Benzo[a]pyrene	19.9		"	20.0		99.5	50-200			
Matrix Spike (1433022-MS1) Source: P408053-01 Prepared: 14-Aug-14 Analyzed: 15-Aug-14										
Diesel Range Organics (C10-C28)	9110	349	mg/kg	499	9020	19.2	38-132			SPK1
Surrogate: Benzo[a]pyrene	16.3		"	20.0		81.9	50-200			
Matrix Spike Dup (1433022-MSD1) Source: P408053-01 Prepared: 14-Aug-14 Analyzed: 15-Aug-14										
Diesel Range Organics (C10-C28)	9220	349	mg/kg	498	9020	40.1	38-132	1.14	20	
Surrogate: Benzo[a]pyrene	16.6		"	19.9		83.5	50-200			

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.



Blagg Engineering PO Box 87 Bloomfield NM, 87413	Project Name: Atlantic LS 2A Project Number: 94034-0011 Project Manager: Jeff Blagg	Reported: 20-Aug-14 16:18
--	---	------------------------------

Nonhalogenated Organics by 8015 - Quality Control

Envirotech Analytical Laboratory

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 1433025 - Purge and Trap EPA 5030A										
Blank (1433025-BLK1)					Prepared: 14-Aug-14 Analyzed: 15-Aug-14					
Gasoline Range Organics (C6-C10)	ND	4.99	mg/kg							
Duplicate (1433025-DUP1)					Source: P408041-01 Prepared: 14-Aug-14 Analyzed: 15-Aug-14					
Gasoline Range Organics (C6-C10)	ND	4.99	mg/kg		ND				30	
Matrix Spike (1433025-MS1)					Source: P408041-01 Prepared: 14-Aug-14 Analyzed: 15-Aug-14					
Gasoline Range Organics (C6-C10)	0.46		mg/L	0.450	ND	103	75-125			

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.



Blagg Engineering PO Box 87 Bloomfield NM, 87413	Project Name: Atlantic LS 2A Project Number: 94034-0011 Project Manager: Jeff Blagg	Reported: 20-Aug-14 16:18
--	---	------------------------------

Cation/Anion Analysis - Quality Control
Envirotech Analytical Laboratory

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 1433024 - Anion Extraction EPA 300.0

Blank (1433024-BLK1)				Prepared & Analyzed: 14-Aug-14						
Chloride	ND	9.87	mg/kg							
LCS (1433024-BS1)				Prepared & Analyzed: 14-Aug-14						
Chloride	485	9.97	mg/kg	499		97.4	90-110			
Matrix Spike (1433024-MS1)				Source: P408042-01		Prepared & Analyzed: 14-Aug-14				
Chloride	488	9.96	mg/kg	498	ND	98.0	80-120			
Matrix Spike Dup (1433024-MSD1)				Source: P408042-01		Prepared & Analyzed: 14-Aug-14				
Chloride	490	9.98	mg/kg	499	ND	98.3	80-120	0.513	20	

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

CHAIN OF CUSTODY RECORD

17313

Client: BP/Blagg	Project Name / Location: ATLANTIC LS ZA	ANALYSIS / PARAMETERS											
Email results to: jeffcblagg@AOL.COM peace.jeffrey@BP.COM	Sampler Name: J. Blagg	TPH (Method 8015)	BTEX (Method 8021)	VOC (Method 8260)	RCRA 8 Metals	Cation / Anion	RCI	TCLP with H/P	CO Table 910-1	TPH (418.1)	CHLORIDE	Sample Cool	Sample Intact
Client Phone No.: 505-320-1183	Client No.: 94034-0011												

Sample No./ Identification	Sample Date	Sample Time	Lab No.	No./Volume of Containers	Preservative			TPH (Method 8015)	BTEX (Method 8021)	VOC (Method 8260)	RCRA 8 Metals	Cation / Anion	RCI	TCLP with H/P	CO Table 910-1	TPH (418.1)	CHLORIDE	Sample Cool	Sample Intact	
					HNO ₃	HCl														
BASE 5-pt @ 6'	8/12/14	1322	P408042-01	1 x 402				X	X								X		✓	✓
SIDEWALL 4-pt @ 3'-5 1/2'	"	1338	P408042-02	"				X	X								X		✓	✓
BILL Blagg Engineering																				

Relinquished by: (Signature) Jeff Blagg	Date 8/12/14	Time 1543	Received by: (Signature) <i>[Signature]</i>	Date 8/12/14	Time 1543
Relinquished by: (Signature)			Received by: (Signature)		

Sample Matrix
 Soil Solid Sludge Aqueous Other

Sample(s) dropped off after hours to secure drop off area.



1.1 3.0

5795 US Highway 64 • Farmington, NM 87401 • 505-632-0615 • Three Springs • 65 Mercado Street, Suite 115, Durango, CO 81301 • laboratory@envirotech-inc.com

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
20 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Form C-138
Revised August 1, 2011

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

*Surface Waste Management Facility Operator
and Generator shall maintain and make this
documentation available for Division inspection.

REQUEST FOR APPROVAL TO ACCEPT SOLID WASTE

1. Generator Name and Address: BP America Production Co. 200 Energy Ct. Farmington, NM 87401
2. Originating Site: Atlantic LS 2A
3. Location of Material (Street Address, City, State or ULSTR): QRT/QRT: NE/SE Unit: I Section: 24 T31N R10W
4. Source and Description of Waste: hydrocarbon impacted soil from historical release on location Estimated Volume <u>20</u> yd ³ / bbls Known Volume (to be entered by the operator at the end of the haul) <u>20</u> (yd) / bbls
5. GENERATOR CERTIFICATION STATEMENT OF WASTE STATUS I, <u>Courtney Cochran</u> <u>[Signature]</u> representative or authorized agent for <u>BP America Production Company</u> do hereby certify that according to the Resource Conservation and Recovery Act (RCRA) and the US Environmental Protection Agency's July regulatory determination, the above described waste is: (Check the appropriate classification) <input checked="" type="checkbox"/> RCRA Exempt: Oil field wastes generated from oil and gas exploration and production operations and are not mixed with exempt waste. <u>Operator Use Only: Waste Acceptance Frequency</u> <input type="checkbox"/> Monthly <input type="checkbox"/> Weekly <input type="checkbox"/> Per Load <input type="checkbox"/> RCRA Non-Exempt: Oil field waste which is non-hazardous that does not exceed the minimum standards for waste hazardous characteristics established in RCRA regulations, 40 CFR 261.21-261.24, or listed hazardous waste as defined in 40 CFR, part 261, subpart D, as amended. The following documentation is attached to demonstrate the above-described waste is non-hazardous. (List the appropriate items) <input type="checkbox"/> MSDS Information <input type="checkbox"/> RCRA Hazardous Waste Analysis <input checked="" type="checkbox"/> Process Knowledge <input type="checkbox"/> Other (Provide description in Box) GENERATOR 19.15.36.15 WASTE TESTING CERTIFICATION STATEMENT FOR LANDFARMS <u>Courtney Cochran</u> <u>[Signature]</u> , representative for <u>BP America Production Company</u> authorize IEI to complete the required testing/sign the Generator Waste Testing Certification. I, <u>[Signature]</u> representative for <u>IEI</u> do hereby certify that representative samples of the oil field waste have been subjected to the paint filter test and tested for chloride content and that the samples have been found to conform to the specific requirements applicable to landfarms pursuant to Section 15 of 19.15.36 NMAC. The results of the representative samples are attached to demonstrate the above-described waste conform to the requirements of Section 15 of 19.15.36 NMAC.
5. Transporter: <u>Crossfire</u>

QUANTITY
9
8
7
6
5
4
3
2
1

OCD Permitted Surface Waste Management Facility

Name and Facility Permit #: BP America (Amoco Crouch Mesa Landfarm) NM-02-003

Address of Facility: #49 CR 3150 Aztec, NM.

Method of Treatment and/or Disposal:

- Evaporation Injection Treating Plant Landfarm Landfill Other

C1-4124
PH-8

Waste Acceptance Status:

APPROVED

DENIED (Must Be Maintained As Permanent Record)

PRINT NAME: L. Machado

TITLE: Admin. Specialist DATE: 8-12-14

SIGNATURE: [Signature]

TELEPHONE NO.: 505-632-1782