

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

RECEIVED

FORM APPROVED
OMB NO. 1004-0135
Expires: July 31, 2010

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.

5. Lease Serial No.
NMSF080213

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

SUBMIT IN TRIPLICATE - Other instructions on reverse side

Farmington Field Office
Bureau of Land Management

1. Type of Well

☐ Oil Well ☐ Gas Well ☒ Other: COAL BED METHANE8. Well Name and No.
RINCON UNIT 2902. Name of Operator
CHEVRON MIDCONTINENT, LPContact: APRIL E POHL
E-Mail: april.pohl@chevron.com9. API Well No.
30-039-24752-00-S13a. Address
332 ROAD 3100
AZTEC, NM 874103b. Phone No. (include area code)
Ph: 505.333.194110. Field and Pool, or Exploratory
BASIN FRUITLAND COAL

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Sec 33 T27N R7W SWSW 0794FSL 0881FWL
36.524140 N Lat, 107.586300 W Lon

11. County or Parish, and State

RIO ARRIBA COUNTY, NM

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input checked="" type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

CHEVRON MIDCONTINENT LP RESPECTFULLY REQUESTS AN EXTENSION OF THE APPROVED TA DATE OF 9/25/2013 PER SUNDRY 3160-5 FILED AND APPROVED BY STEVE MASON OF THE BLM.

AS ECONOMICS FOR THIS WELL HAVE NOT IMPROVED AND BUDGET RESTRAINTS ARE IN PLACE, CHEVRON MIDCONTINENT LP WILL PA THE WELL IN THE FOLLOWING MANNER:

NOTIFY BLM 48 HOURS PRIOR TO BEGINNING PROCEDURE.
MIRU WORKOVER RIG
TEST BOP'S
POOH WITH TUBING AND LAY DOWN
RIH WITH BIT AND SCRAPER ON WORKSTRING TO TOP PERF @ 2765'
CLEANOUT IF REQUIRED

BLM'S APPROVAL OR ACCEPTANCE OF THIS ACTION DOES NOT RELIEVE THE LESSEE AND OPERATOR FROM OBTAINING ANY OTHER AUTHORIZATION REQUIRED FOR OPERATIONS ON FEDERAL AND INDIAN LANDS

OIL CONS. DIV DIST. 3

14. I hereby certify that the foregoing is true and correct.

Electronic Submission #305450 verified by the BLM Well Information System
For CHEVRON MIDCONTINENT, LP, sent to the Farmington
Committed to AFMSS for processing by TROY SALYERS on 07/02/2015 (15TLS0295SE)

JUL 10 2015

Name (Printed/Typed) APRIL E POHL

Title REGULATORY SPECIALIST

Signature (Electronic Submission)

Date 06/18/2015

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By TROY SALYERS

Title PETROLEUM ENGINEER

Date 07/02/2015

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office Farmington

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED **

NMOCD Av

3

Additional data for EC transaction #305450 that would not fit on the form

32. Additional remarks, continued

POOH

PU 4-1/2" CIBP AND SET @ 2700'

TOH AND LAY DOWN WORKSTRING

PRESSURE TEST CASING TO 500 PSI.

RDMO

UPON COMPLETION OF THE PA, SURFACE RECLAMATION WILL BEGIN.

PLEASE SEE ATTACHED WELLBORE DIAGRAM.

01/24/87 JHNU LAMARCO AT



Rincon 290
Rio Arriba County, New Mexico
PROPOSED WELLBORE DIAGRAM

API: 30-039-24752
Legals: Sec 33- T 27N - R 7W
Field: Basin - Fruitland Coal

Geologic Tops:
Fruitland Coal: 2765'
Pictured Cliffs: 2900'

KB 13'
GL Elev 6689'
KB Elev 6702'

Spud: 8/9/90

Spud: 8/9/90

Surface Casing:
8-5/8" 20# X-42 STC 8rd csg set @ 362' in 12-1/4" hole
Cmt 300 sks class "B"
Circ 110 sks to surface

DV tool @ 2513'

CIBP @ 2700'

Fruitland Perfs:
2765-72', 2788-93', 2862-70', 2876-94' (168 holes)
Frac 24,000 gal 30# XLB gel, 240M# 20-40 Arizona, 929,900 SCF N2
DH rate=46-37 BPM, 70Q foam, 2-8 PPG
ISIP=1045#, 5 min= 965#, 10 min=940#, 15 min=935#, 30 min=935#

Production Casing:
4-1/2" 11.6# J-55 & K-55 8rd csg set @ 2950' in 7-7/8" hole
Cmt in 2 stages
Stage 1: Cmt 125 sks class "H"; circ 12 sks to surface
Stage 2: Cmt 450 sks 65:35:6, followed by 50 sks B neat; circ 80 sks to surface

PBTD = 2946'
TD = 2950'

Prepared by: Jamie Elkington
Date: 9/20/2013

Revised by:
Date: