District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III

1000 Rio Brazos Road, Aztec, NM 87410

1220 S. St. Francis Dr., Santa Fe, NM 87505

4,

District IV

State of New Mexico Energy Minerals and Natural Resources

Form C-144 June 1, 2004

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office. For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure


	ered by a "general plan"? Yes 💌 No 🗆						
Type of action: Registration of a pit or below	v-grade tank						
Operator: <u>BURLINGTON RESOURCES OIL & GAS CO</u> Telephone:	e-mail address:						
Address: 801 CHERRY ST FORT WORTH, TX 76102	N/I 0./0. G GEG	7 T 26N R 8W					
•	ility or well name: NEWSOM B #006 API #: 30-045-05938 U/L or Qtr/Qtr G SEC						
County: SAN JUAN Surface Owner: Federal ✓ State ☐ Private ☐ Indian ☐	NAD: 1927 ☑ 1983 □						
<u>Pit</u>	Below-grade tank						
Type: Drilling ☐ Production ✔ Disposal ☐	Volume: bbl Type of fluid: Construction Material:						
Workover Emergency	Double-walled, with leak detection? Yes If not, explain why not.						
Lined Unlined 🗹		F					
Liner Type: Synthetic Thickness mil Clay Pit Volume 120 bbl							
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) <u>0</u> (0 points)					
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)							
Distance to surface water: (Horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet to 1,000 feet Greater than 1,000 feet	(20 points) (10 points) <u>0</u> (0 points)					
	Ranking Score (TOTAL POINTS):	<u>0</u>					
If this is a pit closure: (1)Attach a diagram of the facility showing the pit's releases to sif your are burying in place) onsite offsite. If offsite, name action taken including remediation start date and end date. (4)Groundwater encourand attach sample results. (5)Attach soil sample results and a diagram of sample locational Comments:	ntered: No V Yes If yes, show depth below grocations and excavations 9 10 11 12	eneral description of remedial ound surface ft. Meter: 36042					
	OCT 2005 PARTON CONS. DIV. DIST. 3						
I hereby certify that the information above is true and complete to the best of my k tank has been/will be constructed or closed according to NMOCD guidelines	mowledge and belief. I further certify that the above-describe a general permit , a general permit , or an (attached) alternative OC.						
Date:9/18/05	1						
D' 4 131	gnature MI Zon G, For WPS						
Your certification and NMOCD approval of this application/closure does not relie or otherwise endanger public health or the environment. Nor does it relieve the opregulations.							
Approval:		OCT 1 2 2005					
Printed Name/Title Printed Name/Title Sign:	ature Deny Lott	Date:					

ADDENDUM TO OCD FORM C-144


Operator: BURLINGTON RESOURCES OIL & GAS COMPANY LP

Well Name: NEWSOM B #006

Sampling Diagram:



Facility Diagram:



Pit Dimensions

Length 15 Ft.

Width 15 Ft.

Depth 3 Ft. **Location of Pit Center**

Latitude 36.50403

Longitude -107.71999

(NAD 1927)

Pit ID

API 30-045-05938

Meter: 36042

360421

Pit Type

Other

Date Closure Started: 9/8/04

Closure Method:

Pushed In

Date Closure Completed: 9/8/04

Bedrock Encountered?

Cubic Yards Excavated:

Vertical Extent of Equipment Reached ? \Box

Description Of Closure Action:

The pit was assessed and sampled in accordance with NMOCD guidelines. Based on assessment findings, the pit was backfilled.

Pit Closure Sampling:

Sample ID

Sample Date

Head Space

BTEX Total (mg/kg) Benzene (mg/kg)

TPH DRO (mg/kg)

Purpose

Location

Depth

101420FEB04

2/20/04

0.299

ASSESS Flr

3



Pace Analytical Services, Inc.

9608 Loiret Blvd. Lenexa, KS 66219

Phone: 913.599.5665 Fax: 913.599.1759

Lab Project Number: 6079526

Client Project ID: NM Pit Program

Solid results are reported on a dry weight basis

Lab Sample No: 606847085 Project Sample Number: 6079526-001 Date Collected: 02/20/04 10:14

Client Sample ID: 101420FEB04 Matrix: Soil Date Received: 02/24/04 09:30

Citett Sample ID. 1014201 EDUT	J*		Matrix. 3011				Date Received. 02/24/04 09:30			
Parameters	Results	Units	Report Limit	DF	_Analyzed	Ву	_ CAS No.	Qual	RegLmt	
GC Semivolatiles									· 	
Total Extractable Hydrocarbons	Prep/Method:	OA2 / OA2								
Mineral Spirits	ND	mg/kg	11.	1.1	02/26/04 04:06	MAM				
Jet Fuel	ND	mg/kg	11.	1.1	02/26/04 04:06	MAM				
Kerosene	ND	mg/kg	11.	1.1	02/26/04 04:06	MAM				
Diesel Fuel	ND	mg/kg	11.	1.1	02/26/04 04:06	MAM	68334-30-5			
Fuel 0il	ND	mg/kg	11.	1.1	02/26/04 04:06	MAM	68334-30-5			
Motor 0i1	ND	mg/kg	11.	1.1	02/26/04 04:06	MAM				
n-Tetracosane (S)	105	%		1.0	02/26/04 04:06	MAM	646-31-1			
p-Terphenyl (S)	107	*		1.0	02/26/04 04:06	MAM	92-94-4			
Date Extracted	02/25/04		4		02/25/04					
Organics Prep										
Percent Moisture	Method: SM 2	540G			•					
Percent Moisture	12.5	%		1.0	02/25/04	DPB				
GC Volatiles										
Aromatic Volatile Organics	Prep/Method:	EPA 5030 M	edium Soil / El	PA 8021				,		
Benzene	ND	ug/kg	57.		02/27/04 01:17		71-43-2			
Ethylbenzene	ND	ug/kg	57.	1.1	02/27/04 01:17		100-41-4			
Toluene	79.	ug/kg	57.	1.1	02/27/04 01:17	•	108-88-3			
Xylene (Total)	220	ug/kg	140	1.1	02/27/04 01:17	,	1330-20-7			
a,a,a-Trifluorotoluene (S)	96	%		1.0	02/27/04 01:17	•	98-08-8		•	

Date: 03/02/04

Page: 1 of 18

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.

