

Submit 3 Copies To Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
May 27, 2004

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-045-23117
5. Indicate Type of Lease STATE ☐ FEE ☒
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name Garrett D
8. Well Number 1
9. OGRID Number 131994
10. Pool name or Wildcat Otero Chacra

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well ☐ Gas Well ☒ Other	
2. Name of Operator Four Star Oil & Gas Company	
3. Address of Operator 11111 S. Wilcrest Houston, Texas 77099	
4. Well Location Unit Letter <u>F</u> : <u>1480</u> feet from the <u>North</u> line and <u>1680</u> feet from the <u>West</u> line Section <u>13</u> Township <u>29N</u> Range <u>11W</u> NMPM San Juan County	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 5640' GR.	
Pit or Below-grade Tank Application ☐ or Closure ☐	
Pit type _____ Depth to Groundwater _____ Distance from nearest fresh water well _____ Distance from nearest surface water _____	
Pit Liner Thickness: _____ mil Below-Grade Tank: Volume _____ bbls; Construction Material _____	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Per the attached procedure Four Star Oil & Gas Company proposes to plug and abandon the referenced well.



I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐, a general permit ☐ or an (attached) alternative OCD-approved plan ☐.

SIGNATURE Kenneth W. Jackson TITLE Regulatory Specialist DATE 10-12-2005

Type or print name Kenneth W. Jackson
For State Use Only

E-mail address: kewj@chevrontexaco.com Telephone No. 281-561-4991

APPROVED BY: H. Villanueva TITLE DEPUTY OIL & GAS INSPECTOR, DIST. 3 DATE OCT 14 2005
Conditions of Approval (if any):

PLUG AND ABANDONMENT PROCEDURE

GARRETT D #1
OTERO CHACRA
SEC. 13, T29N, R11W
SAN JUAN COUNTY, NM

NOTE: ALL CEMENT VOLUMES USE 100% EXCESS OUTSIDE PIPE AND 50% EXCESS INSIDE PIPE. THE STABILIZING WELLBORE FLUID WILL BE 8.34 PPG, SUFFICIENT TO BALANCE ALL EXPOSED FORMATION PRESSURES.

1. INSTALL AND TEST RIG ANCHORS. PREPARE BLOW PIT. COMPLY WITH ALL NMOCD AND FOUR STAR OIL & GAS COMPANY REGULATIONS.

2. MOL AND RU. CONDUCT SAFETY MEETING WITH ALL PERSONNEL ON LOCATION. NU RELIEF LINE. BLOW DOWN WELL, AND KILL WITH H2O IF NECESSARY. ND WELLHEAD AND NU BOP

3. TOOH W/ 1-1/2" TUBING. RIH W/ GUAGE RING TO 2970'. SET CIBP @ 2960'.

4. RIH W/2 3/8" TUBING & TAG CIBP @ 2960'. LOAD HOLE & PRESS TEST TO 500 PSI. ✓

5. PLUG #1 (CHACRA) 2960'-2910'. 8 SX. POOH TO 1960'. ✓

6. PLUG #2 (PC FRUITLAND) 1960'-¹⁵⁸⁰~~1440~~. 20 SX. POOH TO 1050'.

7. PLUG #3 (KIRTLAND) ^{+030 Alamo}~~1050-950~~. 12 SX. POOH TO 333'. 815'-590'

8. PLUG #4 (330'-SURFACE) 27 SX. ✓

ND BOP & RD FLOOR. DIG CELLAR AND CUT OFF WELLHEAD. TOP OFF CASING STRINGS AS NEEDED. RD AND MOL. CUT OFF ANCHORS AND INSTALL DRY HOLE MARKER.

PROPOSED WELL BORE DIAGRAM
GARRETT D 1

8 5/8" CSNG SET @ 280. CMNT W/276 SX.
CIRC TO SURFACE.

PLUG #3: 330'-SURFACE: 27 SX.

815-690

PLUG #3: KIRTLAND: ~~250'-259'~~ 12 SX.

+ ojo Alamo

1960-1580

PLUG #2: PC FRUITLAND: ~~1960'-1968'~~ 20 SX.

3077' 4 1/2" CSNG IN 7 7/8" HOLE
CMNT TO SURFACE

PERFS, 3000'-3014'

✓
PLUG #1: CHACRA: 2960'-2910': CIBP @ 2960'
8 SX ON TOP OF CIBP.

< 3077 >

WellView Reports - Schematic - Current

Well Name: Garrett D 1

Surface Legal Location	Field Name	Area	State/Province	Spud Date	Current Well Status
Sec 13-29N-11W	Bloomfield Chacra	Blanco Wash	New Mexico	8/16/1978	
KB Elevation (ft)	Ground Elevation (ft)	Casing Flange Elevation (ft)	KB-Grnd Distance (ft)	KB-Casing Flange Distance (ft)	Plug Back Total Depth (ft)
5824.00	5814.00		10.00		3,038.0

Original Hole: 8/28/1978 (KB-Grd: 19.8ft)

