1301 W. Grand Avenue, Artesia, NM 88210 District III

1000 Rio Brazos Road, Aztec, NM 87410 District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office. For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank cov	ered by a "general plan"? Yes 🗹 No 🗌							
(WF3 CLOSURE) Type of action: Registration of a pit or below	w-grade tank Closure of a pit or below-grade tank	✓						
Operator: CONOCOPHILLIPS COMPANY Telephone:	e-mail address:							
Address: PO BOX 2197 HOUSTON, TX 77252								
Facility or well name: SAN JUAN 30 5 UNIT #034 API #: 30-039-07778 U/L or Qtr/Qtr A SEC 27 T 30N R								
County: RIO ARRIBA Latitude 36.78822 Longitude -107.33912 NAD: 1927 ✓ 1 Surface Owner: Federal ✓ State ☐ Private ☐ Indian ☐								
<u>Pit</u>	Below-grade tank							
Type: Drilling Production Disposal	Volume: bbl Type of fluid:							
Workover	Construction Material: Double-walled, with leak detection? Yes If not, explain why not.							
Lined Unlined 🗹	Double-waited, with leak detection: 1 es in not, explain why not.							
Liner Type: Synthetic Thickness mil Clay Pit Volume 120 bbl								
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) <u>0</u> (0 points) <u>0</u>						
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) <u>0</u>						
Distance to surface water: (Horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet to 1,000 feet Greater than 1,000 feet	(20 points) (10 points) <u>0</u> (0 points)						
	Ranking Score (TOTAL POINTS):	<u>0</u>						
If this is a pit closure: (1)Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite offsite If offsite, name of facility action taken including remediation start date and end date. (4)Groundwater encountered: No V Yes If yes, show depth below ground surface ft. and attach sample results. (5)Attach soil sample results and a diagram of sample locations and excavations.								
Additional Comments:								
I hereby certify that the information above is true and complete to the best of my tank has been/will be constructed or closed according to NMOCD guidelines		· · -						
Date:9/9/05 Printed Name/Title Mark Harvey for Williams Field Services Signature Signatur	gnature, For wes							
Your certification and NMOCD approval of this application/closure does not relieve the operator of liablility should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.								
Approval: Printed Name/Title OFFUTY UIL & GAS INSTECTOR, OIST. 61 Sign	nature Denny Fount	OCT 12 2005						

ADDENDUM TO OCD FORM C-144


Operator: CONOCOPHILLIPS COMPANY

Well Name: SAN JUAN 30 5 UNIT #034


API: 30-039-07778

Meter: 72978

Facility Diagram:



Sampling Diagram:



Pit Dimensions

15 Ft. Length

Width 15 Ft.

Depth 3 Ft. **Location of Pit Center**

Latitude 36.78825

Longitude -107.33891

(NAD 1927)

Pit ID

729781

Pit Type

Unknown

Date Closure Started: 2/12/03

Closure Method:

Pushed In

Date Closure Completed: 2/12/03

Bedrock Encountered?

Cubic Yards Excavated:

Vertical Extent of Equipment Reached?

Description Of Closure Action:

The pit was assessed and sampled in accordance with NMOCD guidelines. Based on assessment findings, the pit was backfilled.

Pit Closure Sampling:

Sample ID

Sample Date

Head Space

BTEX Total (mg/kg)

Benzene (mg/kg)

TPH DRO (mg/kg) Purpose

Location

Depth

154411JUL02 7/11/02 250 ASSESS



Pace Analytical Services, Inc.

9608 Loiret Blvd. Lenexa, KS 66219

Phone: 913.599.5665 Fax: 913.599.1759

Lab Project Number: 6060926

Client Project ID: N.M. Pits Assessments

Lab Sample No: 605283118 Proje

Project Sample Number: 6060926-005

Date Collected: 07/11/02 15:44

358	Sense Co.								_,
Client Sample ID: 154411JUL02				Matrix: Soil			Date Received	d: 07/1	8/02 09:0
Parameters	Results	<u> Units</u>	Report Limit	_DF	Analyzed	Ву	CAS No.	Qual	RegLmt
GC Semivolatiles									•
Total Extractable Hydrocarbons	Prep/Method:	OA2 / OA2							
Mineral Spirits	ND	mg/kg	12.	1.1	07/29/02 05:50	MIM (
Jet Fuel	ND	mg/kg	12.	1.1	07/29/02 05:50	MIM (
Kerosene	ND	mg/kg	12.	1.1	07/29/02 05:50	MIM (
Diesel Fuel	250	mg/kg	12.	1.1	07/29/02 05:50	MIM (68334-30-5		
Fuel 011	ND	mg/kg	12.	1.1	07/29/02 05:50	MIM (68334-30-5		•
Motor 0il	ND	mg/kg	12.	1.1	07/29/02 05:50	MIM (
n-Tetracosane (S)	102	*		1.0	07/29/02 05:50	MIM (646-31-1		
p-Terphenyl (S)	99	%		1.0	07/29/02 05:50	MIM (92-94-4		
Date Extracted					07/24/02				
Organics Prep									
Percent Moisture	Method:								
Percent Moisture	13.6	*		1.0	07/24/02	MAM			
GC Volatiles									
Aromatic Volatile Organics	Prep/Method:	EPA 5030 M	ledium Soil / El	PA 802	1				
Benzene	ND	ug/kg	57.	1.1	07/24/02 21:30	6	71-43-2		
Ethylbenzene	ND	ug/kg	57.	1.1	07/24/02 21:30	6	100-41-4		
Toluene	ND	ug/kg	57.	1.1	07/24/02 21:30	6	108-88-3		
Xylene (Total)	ND	ug/kg	140	1.1	07/24/02 21:3	6	1330-20-7		
a,a,a-Trifluorotoluene (S)	94	*		1.0	07/24/02 21:3	6	98-08-8		

Date: 07/31/02

Page: 5

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.

