1220 S. St. Francis Dr., Santa Fe, NM 87505

District IV

## State of New Mexico Energy Minerals and Natural Resources

June 1, 2004 For drilling and production facilities, submit to

Form C-144

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit tappropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

# Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes V No							
(WFS COSURE) Type of action: Registration of a pit or below	v-grade tank Closure of a pit or below-grade tank	✓					
Operator: WILLIAMS PRODUCTION COMPANY, LLC Telephone:	e-mail address:						
Address: ONE WILLIAMS CENTER TULSA, OK 74101							
Facility or well name: ROSA UNIT #009 API #: 30-039-	$\frac{07975}{\text{U/L or Qtr/Qtr}} \qquad \frac{\text{K}}{\text{K}} \qquad \text{SEC}$	<u>11</u> T <u>31N</u> R <u>6W</u>					
County: RIO ARRIBA Latitude 36.911	88 Longitude <u>-107.43554</u>	NAD: 1927 🗹 1983 🗌					
Surface Owner: Federal 🗹 State 📗 Private 🔲 Indian 🗌							
Pit Type:	Below-grade tank  Volume: bbl Type of fluid:						
Type: Drilling Production Disposal	Volume: bbl Type of fluid:  Construction Material:						
Workover Emergency	Double-walled, with leak detection? Yes If not, ex	plain why not.					
Lined Unlined							
Liner Type: Synthetic Thickness mil Clay							
Pit Volume 231 bbl							
Depth to ground water (vertical distance from bottom of pit to seasonal high	Less than 50 feet	(20 points)					
water elevation of ground water.)	50 feet or more, but less than 100 feet 100 feet or more	(10 points) $0$					
	100 100 100 100 100 100 100 100 100 100	(o pomo)					
Wellhead protection area: (Less than 200 feet from a private domestic water	Yes	(20 points)					
source, or less than 1000 feet from all other water sources.)	No .	$(0 \text{ points})$ $\underline{0}$					
Distance to surface water: (Horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)					
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet to 1,000 feet Greater than 1,000 feet	(10 points) $\underline{0}$ (0 points)					
	Ranking Score (TOTAL POINTS):	<u>0</u>					
	ationship to other equipment and tanks. (2) Indicate disposa	-					
onsite box if your are burying in place) onsite offsite If offsite, name of facility							
and attach sample results. (5)Attach soil sample results and a diagram of sample locations and excavations.							
Additional Comments:							
Additional Comments:							
Additional Comments:							
	- Comment	J. 2					
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the information above is true and complete to the best of my knowledge and belief.							
tank has been/will be constructed or closed according to NMOCD guidelines	, a general permit , or an (attached) alternative OC	D-approved plan					
Date:9/9/05	MIZING, FOR WPS						
Printed Name/Title Mark Harvey for Williams Field Services Signature							
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.							
regulations.							
Approval:	110 1117	OCT 12 2005					
Printed Name/Title SPUTY CIL & GAS INSPECTOR, DIST. (2) Signs	ature levry fourt	Date:					

### **ADDENDUM TO OCD FORM C-144**


Operator: WILLIAMS PRODUCTION COMPANY, LLC

Well Name: ROSA UNIT #009


API: 30-039-07975

Meter: 71778

#### **Facility Diagram:**



#### Sampling Diagram:



**Pit Dimensions** 

Length 18 Ft.

Width 18 Ft.

Depth 4 Ft. **Location of Pit Center** 

Latitude 36.91185

Longitude -107.43544

(NAD 1927)

Pit ID

717781

Pit Type

Separator

Date Closure Started: 2/7/03

**Closure Method:** 

Pushed In

**Date Closure Completed:** 2/7/03

**Bedrock Encountered?** 

Cubic Yards Excavated:

Vertical Extent of Equipment Reached?

### **Description Of Closure Action:**

The pit was assessed and sampled in accordance with NMOCD guidelines. Based on assessment findings, the pit was backfilled.

#### Pit Closure Sampling:

Sample ID

Sample Date

Head **BTEX** Space Total

(mg/kg)

Benzene (mg/kg)

TPH DRO (mg/kg) Purpose

Location

124006JUN02

6/6/02

33

ASSESS

Depth



Pace Analytical Services, Inc.

9608 Loiret Blvd. Lenexa, KS 66219

Phone: 913.599.5665

Fax: 913.599.1759

Lab Project Number: 6059685

Client Project ID: NM PIT ASSESSMENTS

605193101 Lab Sample No:

Project Sample Number: 6059685-007

Date Collected: 06/06/02 12:40

Date Received: 06/13/02 09:15

Client Sample ID: 12406JUNE02		Matrix: Soil			Date Received: 06/13/02 (		
<u>Parameters</u>		Units	Report Limit	Analyzed	Ву	CAS No.	Qual RegLmt
GC Semivolatiles							•
Total Extractable Hydrocarbons	Prep/Method:	OA2 / OA2				•	
Mineral Spirits	ND	mg/kg	11.	06/19/02 07:08	WAW	•	
Jet Fuel	ND	mg/kg	11.	06/19/02 07:08	WAW.		
Kerosene	NĐ	mg/kg	11.	06/19/02 07:08	WAW		
Diesel Fuel	33.	mg/kg	11.	06/19/02 07:08	WAW	68334-30-5	
Fuel 011	` ND	mg/kg	11.	06/19/02 07:08	WAW	68334-30-5	
Motor Oil	ND	mg/kg	11.	06/19/02 07:08	WAW		
n-Tetracosane (S)	102	*		06/19/02 07:08	WAW	646-31-1	
p-Terphenyl (S)	85	*		06/19/02 07:08	WAW	92-94-4	
Date Extracted				06/13/02			
Organics Prep							
Percent Moisture	Method:			•			
Percent Moisture	11.7	*		06/14/02	MIM		
GC Volatiles							
Aromatic Volatile Organics	Prep/Method:	EPA 5030 N	4edium Soil / E	PA 8021			
Benzene	ND	ug/kg	56.	06/14/02 02:14	SHF	71-43-2	
Ethylbenzene	ND	ug/kg	56.	06/14/02 02:14	SHF	100-41-4	
Toluene	ND	ug/kg	56.	06/14/02 02:14	SHF	108-88-3	
Xylene (Total)	ND	ug/kg	140	06/14/02 02:14	SHF	1330-20-7	
a,a,a-Trifluorotoluene (S)	100	*		06/14/02 02:14	SHF	98-08-8	

Date: 06/20/02

Page: 7

# REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.

