District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410

1220 S. St. Francis Dr., Santa Fe, NM 87505

District IV

State of New Mexico Energy Minerals and Natural Resources

Form C-144 June 1, 2004

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office. For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure


	ered by a "general plan"? Yes ♥ No □						
(WFS CLOSURE) Type of action: Registration of a pit or below	r-grade tank Closure of a pit or below-grade tank	<u> </u>					
Operator: CONOCOPHILLIPS COMPANY Telephone: e-mail address:							
Address: PO BOX 2197 HOUSTON, TX 77252							
Facility or well name: <u>SAN JUAN 29 6 UNIT #080</u> API #: <u>30-039-08077</u> U/L or Qtr/Qtr <u>G</u> SEC <u>24</u> T <u>29N</u> R <u>6W</u>							
County: RIO ARRIBA Surface Owner: Federal ✓ State ☐ Private ☐ Indian ☐	NAD: 1927 ☑ 1983 ☐						
<u>Pit</u>	Below-grade tank						
Type: Drilling Production Disposal	Volume: bbl Type of fluid:						
Workover	Construction Material: Double-walled, with leak detection? Yes If not, explain why not.						
Lined Unlined 🗹	Double-waneu, with leak detection? Tes unot, explain why not.						
Liner Type: Synthetic Thickness mil Clay Pit Volume 120 bbl							
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) <u>0</u> (0 points)					
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) (0 points) <u>0</u>					
Distance to surface water: (Horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet to 1,000 feet Greater than 1,000 feet	(20 points) (10 points) (0 points)					
	Ranking Score (TOTAL POINTS):	<u>0</u>					
If this is a pit closure: (1)Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite ✓ offsite ☐ If offsite, name of facility ☐ . (3)Attach a general description of remedial action taken including remediation start date and end date. (4)Groundwater encountered: No ✓ Yes ☐ If yes, show depth below ground surface ☐ ft. and attach sample results. (5)Attach soil sample results and a diagram of sample locations and excavations. Additional Comments: Meter: 86549							
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further that the above-described pit or below-grade							
tank has been/will be constructed or closed according to NMOCD guidelines, a general permit, or an (attached) alternative OCD-approved plan							
Date:9/27/05 Printed Name/Title Mark Harvey for Williams Field Services Signature							
Your certification and NMOCD approval of this application/closure does not relieve the operator of liablility should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.							
Approval: Printed Name/Title Transport Can It GAS INSPECTOR, DIST. 69 Simulation of the Control of the Contro							

ADDENDUM TO OCD FORM C-144


Operator: CONOCOPHILLIPS COMPANY API 30-039-08077

Well Name: SAN JUAN 29 6 UNIT #080 Meter: 86549

Facility Diagram:



Sampling Diagram:



Pit Dimensions

Length 15 Ft.

Width 15 Ft.

Depth 3 Ft. **Location of Pit Center**

Latitude 36.71382

Longitude -107.41101

(NAD 1927)

Pit ID

865491

Pit Type

Glycol Dehydrator

Date Closure Started: 4/23/03

Closure Method:

Pushed In

Date Closure Completed: 4/23/03

Bedrock Encountered?

Cubic Yards Excavated:

Vertical Extent of Equipment Reached ? \Box

Description Of Closure Action:

The pit was assessed and sampled in accordance with NMOCD guidelines. Based on assessment findings, the pit was backfilled.

Pit Closure Sampling:

Sample ID

Sample Date

BTEX Head Total Space

(mg/kg)

Benzene (mg/kg) TPH DRO

(mg/kg)

Purpose

Location

Depth

110721JUN02 6/21/02 1500 ASSESS



Pace Analytical Services, Inc.

9608 Loiret Blvd. Lenexa, KS 66219

Phone: 913.599.5665 Fax: 913.599.1759

Lab Project Number: 6060215

07/02/02 13:34 SHF 460-00-4

Client Project ID: N.M. Pits Assessments

Lab Sample No: 605229152 Project Sample Number: 6060215-015 Date Collected: 06/21/02 11:07 2 09:20

Client Sample ID: 110721JUN02				Matrix: Soil		Date Received: 06/27/02	
Parameters	Results	Units	Report Limit	Analyzed	Ву	CAS No.	Qual RegLmt
GC Semivolatiles							
Total Extractable Hydrocarbons	Prep/Method:	: OA2 / OA2					
Mineral Spirits	ND	mg/kg	11.	07/03/02 20:38	WAW		
Jet Fuel	ND	mg/kg	11.	07/03/02 20:38	WAW		
Kerosene	· ND	mg/kg	11.	07/03/02 20:38	WAW		
Diesel Fuel	1500	mg/kg	11.	07/03/02 20:38	WAW	68334-30-5	
Fuel Oil	ND	mg/kg	11.	07/03/02 20:38	WAW	68334-30-5	
Motor Oil	ND	mg/kg	11.	07/03/02 20:38	WAW		
n-Tetracosane (S)	131	*		07/03/02 20:38	WAW	646-31-1	
p-Terphenyl (S)	128	*		07/03/02 20:38	WAW	92-94-4	
Date Extracted				07/02/02			
Organics Prep			÷				
Percent Moisture	Method:						
Percent Moisture	5.8	%		07/03/02	MIM		
GC Volatiles					•		
TPH Gas/BTEX	Prep/Method	: TPH GRO/BT	EX / EPA 8021/	'0A1			
Gasoline Range Hydrocarbons	ND	ug/kg	5200	07/02/02 13:34	SHF		
Benzene	ND	ug/kg	52.	07/02/02 13:34	SHF	71-43-2	
Toluene	ND	ug/kg	52.	07/02/02 13:34	SHF	108-88-3	
Ethylbenzene	ND	ug/kg	52.	07/02/02 13:34	SHF	100-41-4	
Xylene (Total)	ND	ug/kg	140	07/02/02 13:34	SHF	1330-20-7	
a,a,a-Trifluorotoluene (S)	104	%		07/02/02 13:34	SHF	98-08-8	

Date: 07/05/02

4-Bromofluorobenzene (S)

Page: 15

REPORT OF LABORATORY ANALYSIS