1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Form C-144 June 1, 2004

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office. For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ✓ No ☐								
(WFS CLOSJRE) Type of action: Registration of a pit or below	v-grade tank Closure of a pit or below-grade tank	☑						
Operator: CONOCOPHILLIPS COMPANY Telephone:	e-mail address:							
Address: PO BOX 2197 HOUSTON, TX 77252								
Facility or well name: SAN JUAN 29 6 UNIT #104 API #: 30-039-	20490 U/L or Qtr/Qtr <u>N</u> SEC	<u>14</u> T <u>29N</u> R <u>6W</u>						
County: RIO ARRIBA Latitude 36.721 Surface Owner: Federal ✓ State ☐ Private ☐ Indian ☐	Longitude -107.43635	NAD: 1927 ☑ 1983 □						
<u>Pit</u>	Below-grade tank							
Type: Drilling Production Disposal	Volume: bbl Type of fluid:							
Workover	Construction Material: Double-walled, with leak detection? Yes If not, explain why not.							
Lined 🗌 Unlined 🗹	Double-wanted, with leak detection: 1es 🗀 II not, explain							
Liner Type: Synthetic Thickness mil Clay Pit Volume 641 bbl								
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	(20 points) (10 points) (0 points)							
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) (0 points) <u>0</u>						
Distance to surface water: (Horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet to 1,000 feet Greater than 1,000 feet	(20 points) (10 points) <u>0</u> (0 points)						
	Ranking Score (TOTAL POINTS):	<u>0</u>						
If this is a pit closure: (1)Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite on onsit								
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines, a general permit, or an (attached) alternative OCD-approved plan								
Date:9/27/05	gnature Mr ZJub, For WPS	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,						
Your certification and NMOCD approval of this application/closure does not relieve the operator of liablility should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.								
Approval: Printed Name/Title DEPUTY OIL & GAS INSPECTOR, DIST. 61 Signal	ature Deiny Leans							



605229020

Lab Sample No:

Pace Analytical Services, Inc.

9608 Loiret Blvd. Lenexa, KS 66219

Phone: 913.599.5665 Fax: 913.599.1759

Lab Project Number: 6060215

Client Project ID: N.M. Pits Assessments

Project Sample Number: 6060215-002

Date Collected: 06/24/02 14:19 eived: 06/27/02 09:20

Client Sample ID: 141924JUN02				Matrix: Soil	Date Received: 06/27/02			
Parameters	Results	Units	Report Limit	Analyzed	Ву	CAS No.	Qua1_	RegLmt
GC Semivolatiles								
Total Extractable Hydrocarbons	Prep/Method:	0A2 / 0A2		•				
Mineral Spirits	ND	mg/kg	11.	07/03/02 21:36	WAW			
Jet Fuel	ND	mg/kg	11.	07/03/02 21:36	WAW	•		
Kerosene	ND	mg/kg	11.	07/03/02 21:36	WAW			
Diesel Fuel	ND	mg/kg	11.	07/03/02 21:36	WAW	68334-30-5		
Fuel Oil	· ND	mg/kg	11.	07/03/02 21:36	WAW	68334-30-5		
Motor Oil	ND	mg/kg	11.	07/03/02 21:36	WAW			
n-Tetracosane (S)	119	*		07/03/02 21:36	WAW	646-31-1		
p-Terphenyl (S)	99	*		07/03/02 21:36	WAW	92-94-4		
Date Extracted		,		07/02/02				
Organics Prep								
Percent Moisture	Method:							
Percent Moisture	7.2	*		07/03/02	MIM			
GC Volatiles								
TPH Gas/BTEX	Prep/Method:	TPH GRO/BT	EX / EPA 8021/	0A1				
Gasoline Range Hydrocarbons	ND	ug/kg	5300	07/02/02 14:05	SHF			
Benzene	ND	ug/kg	53.	07/02/02 14:05	SHF	71-43-2		
Toluene	ND	ug/kg	53.	07/02/02 14:05	SHF	108-88-3		
Ethylbenzene	ND	ug/kg	53.	07/02/02 14:05	SHF	100-41-4		
Xylene (Total)	ND	ug/kg	140	07/02/02 14:05	SHF	1330-20-7		
a,a,a-Trifluorotoluene (S)	103	*		07/02/02 14:05	SHF	98-08-8		
4-Bromofluorobenzene (S)	99	*		07/02/02 14:05	SHF	460-00-4		

Date: 07/05/02

Page: 2

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.

ADDENDUM TO OCD FORM C-144


Operator: CONOCOPHILLIPS COMPANY

Well Name: SAN JUAN 29 6 UNIT #104


API 30-039-20490

Meter: 86671

Facility Diagram:



Sampling Diagram:



Pit Dimensions

Length 30 Ft.

Width

 $\underline{30}$ Ft.

Depth $\underline{4}$ Ft.

Location of Pit Center

Latitude

36.7213

Longitude -107.43633

(NAD 1927)

Pit ID

866711

Pit Type

Glycol Dehydrator

Date Closure Started: 4/24/03

Closure Method:

Pushed In

Date Closure Completed: 4/24/03

Bedrock Encountered?

Cubic Yards Excavated:

Vertical Extent of Equipment Reached ? \Box

Description Of Closure Action:

The pit was assessed and sampled in accordance with NMOCD guidelines. Based on assessment findings, the pit was backfilled.

Pit Closure Sampling:

Sample ID

Sample Date

:

Head Space

BTEX Total (mg/kg) Benzene (mg/kg)

TPH DRO (mg/kg) Purpose

Location

Depth

141924JUN02

6/24/02

_

0

0

ASSESS

2