District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III

1000 Rio Brazos Road, Aztec, NM 87410

1220 S. St. Francis Dr., Santa Fe, NM 87505

District IV

State of New Mexico Energy Minerals and Natural Resources

Form C-144 June 1, 2004

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office. For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank cov	ered by a "general plan"? Yes ☑ No ☐						
(WFS CLOSJAE) Type of action: Registration of a pit or below	v-grade tank Closure of a pit or below-grade tank	✓					
Operator: CONOCOPHILLIPS COMPANY Telephone:	e-mail address:						
Address: PO BOX 2197 HOUSTON, TX 77252							
Facility or well name: SAN JUAN 29 6 UNIT #010A API #: 30-039-	21119 U/L or Qtr/Qtr P SEC	<u>2</u> T <u>29N</u> R <u>6W</u>					
County: RIO ARRIBA Latitude 36.745 Surface Owner: Federal ☐ State ✔ Private ☐ Indian ☐	NAD: 1927 ☑ 1983 ☐						
<u>Pit</u>	Below-grade tank						
Type: Drilling Production Disposal	Volume: bbl Type of fluid:						
Workover	Construction Material:						
Double-walled, with leak detection? Yes If not, explain why not.							
Liner Type: Synthetic Thickness mil Clay							
Pit Volume 120 bbl							
Double and describe the second	Laurahan 50 feet	(20 maints)					
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet	(20 points) (10 points) <u>0</u>					
	100 feet or more	(0 points)					
Wellhead protection area: (Less than 200 feet from a private domestic water	Yes	(20 points)					
source, or less than 1000 feet from all other water sources.)	No	(0 points) <u>0</u>					
	T 1 200 C	(20 :)					
Distance to surface water: (Horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet to 1,000 feet	(20 points) (10 points) <u>0</u>					
	Greater than 1,000 feet	(0 points)					
	Ranking Score (TOTAL POINTS):	<u>0</u>					
	ationship to other equipment and tanks. (2) Indicate disposal	location: (check the					
onsite box if your are burying in place) onsite 🗹 offsite 🗌 If offsite, name		eneral description of remedial					
action taken including remediation start date and end date. (4)Groundwater encourand attach sample results. (5)Attach soil sample results and a diagram of sample lo	· · · · · · · · · · · · · · · · · · ·	round surface ft.					
	@ 10 11 p						
Additional Comments:	OCT 2005 ONE ON.	Meter: <u>86843</u>					
I hereby certify that the information above is true and complete to the best of my leank has been/will be constructed or closed according to NMOCD guidelines	knowledge and belief. I further that the above-describe a general permit , or an (attached) alternative OC						
Date:9/27/05							
	gnature, For WPS						
Your certification and NMOCD approval of this application/closure does not relie or otherwise endanger public health or the environment. Nor does it relieve the or regulations.							
Approval:							
Printed Name/Title DEPUTY ON & GAS INSPECTOR, DIST. (3)	January Level Level	- DOCT 12 20					

ADDENDUM TO OCD FORM C-144


Operator: CONOCOPHILLIPS COMPANY

Well Name: SAN JUAN 29 6 UNIT #010A


API 30-039-21119

Meter: <u>86843</u>

Facility Diagram:



Sampling Diagram:



Pit Dimensions

Length 15 Ft.

Width $\underline{15}$ Ft.

Depth <u>3</u> Ft.

Location of Pit Center

Latitude 3

36.74957

Longitude -107.42666

(NAD 1927)

Pit ID

<u>868431</u>

Pit Type

Glycol Dehydrator

Date Closure Started: 12/10/03

Closure Method:

Pushed In

Date Closure Completed: <u>12/10/03</u>

Bedrock Encountered?

Cubic Yards Excavated:

Vertical Extent of Equipment Reached?

Description Of Closure Action:

The pit was assessed and sampled in accordance with NMOCD guidelines. Based on assessment findings, the pit was backfilled.

Pit Closure Sampling:

Sample ID

Sample Date

Head Space BTEX Total (mg/kg)

Benzene (mg/kg)

TPH DRO

(mg/kg)

Purpose

Location

Depth

145724SEP03

9/24/03

03||

애

0

ASSESS

Flr

Γ



Pace Analytical Services, Inc.

9608 Loiret Blvd. Lenexa, KS 66219

Phone: 913.599.5665 Fax: 913.599.1759

Lab Project Number: 6074992

Client Project ID: New Mexico Pit Program

Lab Sample No: 606455483 Project Sample Number: 6074992-002 Date Collected: 09/24/03 14:57

Client Sample ID: 145724SEP03			Matrix: Soil			١	Date Received: 09/26/03 08:55			
Parameters	Results_	Units	Report Limit	DF	Analyzed	Bv	CAS No.	Oua1	RegLmt	
GC Semivolatiles	-									
Total Extractable Hydrocarbons	Prep/Method:	OA2 / OA2								
Mineral Spirits	ND	mg/kg	12.	1.2 09	9/30/03 21:37	RMN1				
Jet Fuel	ND	mg/kg	12.	1.2 09	9/30/03 21:37	RMN1				
Kerosene	ND	mg/kg	12.	1.2 09	9/30/03 21:37	RMN1				
Diesel Fuel	ND	mg/kg	12.	1.2 09	9/30/03 21:37	RMN1	68334-30-5			
Fuel Oil	ND	mg/kg	12.	1.2 09	9/30/03 21:37	RMN1	68334-30-5			
Motor 0il	ND	mg/kg	12.	1.2 09	9/30/03 21:37	RMN1				
n-Tetracosane (S)	127 .	%		1.0 09	9/30/03 21:37	RMN1	646-31-1			
p-Terphenyl (S)	106	%		1.0 09	9/30/03 21:37	RMN1	92-94-4			
Date Extracted	09/29/03			09	9/29/03					
Organics Prep									•	
Percent Moisture	Method: SM 2	540G					•			
Percent Moisture	17.1	%		1.0 09	9/27/03	JLC1				
GC Volatiles										
Aromatic Volatile Organics	Prep/Method:	EPA 5030 M	edium Soil / El	PA 8021						
Benzene	ND	ug/kg	60.	1.2 10	0/01/03 19:06	SHF	71-43-2			
Ethylbenzene	ND	ug/kg.	60.	1.2 10	0/01/03 19:06	SHF	100-41-4		•	
Toluene	ND	ug/kg	60.	1.2 10	0/01/03 19:06	SHF	108-88-3			
Xylene (Total)	ND	ug/kg	150	1.2 1	0/01/03 19:06	SHF	1330-20-7			
a,a,a-Trifluorotoluene (S)	98	%		1.0 10	0/01/03 19:06	SHF	98-08-8			

Date: 10/03/03

Page: 2 of 8

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.

