

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

RECEIVED

FORM APPROVED  
OMB No. 1004-0137  
Expires: March 31, 2007

AUG 20 2015

**SUNDRY NOTICES AND REPORTS ON WELLS**  
**Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.**

**SUBMIT IN TRIPLICATE – Other instructions on page 2.**

1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other		5. Lease Serial No. SF-078767
2. Name of Operator WPX Energy Production, LLC		6. If Indian, Allottee or Tribe Name
3a. Address PO Box 640 Aztec, NM 87410	3b. Phone No. (include area code) 505-333-1808	7. If Unit of CA/Agreement, Name and/or No. NMNM 78407E
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) SHL: 972' FNL & 510' FWL, Sec 19, T31N, R5W BHL: 1943' FNL & 73' FWL, Sec 24 T31N, R6W		8. Well Name and No. Rosa Unit #643H
		9. API Well No. 30-039-31317
		10. Field and Pool or Exploratory Area Basin Mancos
		11. Country or Parish, State Rio Arriba, NM

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	<b>Intermediate Casing</b>
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomple horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recomple in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.)

8/4/15-8/8/15– MIRU AWS AD1000– note: 9-5/8" surface previously set @ 321' (TD 325') by MoTe on 7/27/15.

8/9/15-S/M & install test plug, press test pipe & blind rams, choke manifold valves, IBOP, choke & kill line valves, 4" TIW valve 250# low 5 min each, 5000# high 10 min each. Annular @ 2500# high tested good & recorded on antelope services chart. Pull test plug & tested surface casing against blind rams 1500psi, for 30 minutes tested good and recorded on antelope services charted.

8/10/15-8/11/15- Rig Repair

8/12/15 – 8/15/15- DRILL 8-3/4" INTERMEDIATE HOLE

8/16/15 - TD 8-3/4" intermediate hole @ 6453' (TVD 6367').

8/17/15- Run 147jts 7", 23#, N-80, 8RD casing set @ 6443', FC @ 6396'.

Halliburton cmt 7" csg w/ chem. flush@ 8.5# (10bbbls mud flush + 40bbbls chem. spacer) followed by spacer cmt @ 11.5# (20bbbls/52sx of Elastiseal scavenger) followed by N2 foamed lead @ 13# (270.4bbbls/1040sx of Elastiseal system) followed by Tail @ 13.5 (23.2bbbls/100sx of Halcem system). Displaced w/ 8.6 Drill mud (220bbbls) & fresh water (32bbbls) = 251.5bbbls total. Landed plug @ 1100psi take up to 1600psi and hold 5 min. Floats held-1.5bbbls back on bleed off. Plug down 08:00hrs only 30bbbls of chem. wash to surface/ no cement to surface. (80% Excess). Pumped down backside a bullhead cap of 300sx/63bbbls 15.8# Halcem system cement.

Notified and received verbal approval from Ray Espinosa (BLM) & Brandon Powell (NMOCD) to proceed with drilling operations & Run a CBL prior to completion activities.

Pressure Tested 7" casing against annular 1500psi held for 30mins. – Good test. (Recorded).

14. I hereby certify that the foregoing is true and correct. Name (Printed/Typed) Marie E. Jaramillo		Title Permit Tech
Signature <i>Marie E. Jaramillo</i>		Date 8/20/15

**THIS SPACE FOR FEDERAL OR STATE OFFICE USE**

Approved by	Title	Date
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Office	

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.