Form 3160-3 (April 2004)

FORM APPROV	/ED
OMB No. 1004-0	137
Expires March 31	2007

UNITED ST	ATES			Expires March 31	, 2007
DEPARTMENT OF	THE INTER	RIOR	5. L	ease Serial No.	,
BUREAU OF LAND	1	MDA 701-98-0013, Tract 2			
₹ ७			6. 1	f Indian, Allottee or Tribe Name	
APPLICATION FOR PERMIT	TO DRILL	OR DEEPEN		Jicarilla Apache Natio	
AFLIOATION				f Unit or CA Agreement, Name	
1a. Type of Work OXX DRILL REENT	rep		1	Onic of CA Agreement, Name	anu No.
1a. Type of Work REENT	IEN			ease Name and Well No.	·
War Wall Officer	Vicinal	a Zana []			10
1b. Type of Well Oil Well X Gas Well Other	XSingl		one	Jicarilla 29-02-28	13
1 2 2	cmaybee@b	•	9. /	API Well No. 36-039-2	9421
Black Hills Gas Resources, Inc.		Chuck Maybee			
3a. Address 350 Indiana Street, Suite 400	ľ	3b. Phone No. (include area co	ode) 10.	Field and Pool, or Exploratory	
Golden CO 80401		720-210-1300		East Blanco Pictured	Cliffs
4. Location of Well (Report location clearly and in accordance with any State Req			11.	. Sec., T., R., M., or Blk. and Su	rvey or Area
At surface 115' FNL 2,195' FEL	-	NW /4 NE /4		Sec. 28 T 29N	R 2W
Lat: 36° 42' 09"	Long: 107°	02' 48"		B	
14. Distance in miles and direction from nearest town or post office. *			12.	County or parish	13. State
Well is located approximately 57 miles east of Bloomfie	eld, New Me	dico.		Rio Arriba	New Mexico
15. Distance from proposed location to nearest Unit= n/a	16. No. of acres is	n lease	17. Spacing	g Unit dedicated to this well	·
property of lease line, ft. (Also nearest Drig, unit	1/	0,240.0	160	NE/4	
line, if any) Lease= ±115'		<u> </u>		- 14 14	
18. Distance from proposed location to nearest Jic well, drilling, completed or applied for, on this	19. Proposed dep		1	A Bond No. on file	
lease, ft. ± 2,400 ' 29-02-28 2		4,000' TVD	1312	2888 	
21. Elevations (Show whether DF, KDB, RT, GL, etc.)	22. Approximate	date work will start *	23	. Estimated duration	
7,158 ' GR	Febru	ary 8, 2005		45-60 days drlg +	completion
	24. Attach	nments			
The following, completed in accordance with the requirements of O	nshore Oil and	Gas Order No. 1. shall be	e attached	to this form:	
Well plat certified by a registered surveyor.	1			ons unless covered by an	evietina hond
Weil plat certified by a registered surveyor. 2. A Drilling Plan.	ļ	on file (see Item		•	existing bond
A Surface Use Plan (if the location is on National Force	est	5. Operator certific		,	
System Lands, the SUPO shall be filed with the appro		•		nformation and/or plans as	may be
Forest Service Office).	ļ	required by the	authorize	d officer.	
25. Signature	Name (Prin	ted/Typed)		Date	
			2 000 4	1 '	7 2005
Kardy & Schneebeck	Kau	hy L. Schneebeck, 30	33.820.44	480 January	7, 2005
Title Permit Agent for Black Hills Gas Resource	es. Inc.				
Approved by (Signature)	Name (Prin	tod/Timed)	 	in	
Approved by (Signature)	Name (Fill	near (ypea)		Date	/_
Allen to un) [10/26/	185
Title Title	Office				
1 AFM		FZ		•	
Application approval does not warrant or certify that the applicant holds legal or	equitable title to the	ose rights in the subject lease	which	tentitle the applicant to conduc	ct operations
thereon.		K	324757	027283	•
Conditiona of approval, if any, are attached.				A CV	
Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for fictitious, or fraudulent statements or representations as to any matter within its j	or any person know arisdiction	wingly and willfully to take to	any definating	nertide agency on the United Sta	stes any false,
The state of the s		E O	y ECE	5005	
		<u>(</u>	COAL		
•			CHONO	00.	

NMOCD

DRILLING OPERATIONS AUTHORIZED ARE SUBJECT TO COMPLIANCE WITH ATTACHED "GENERAL REQUIREMENTS".

DISTRICT I 1625 N. French Dr., Hobbs, N.M. 88240

State of New Mexico Energy, Minerals & Natural Resources Department

Form C-102 Revised August 15, 2000

DISTRICT II 811 South First, Artesia, N.M. 88210

DISTRICT III 1000 Rio Brazos Rd., Aztec, N.M. 87410 OIL CONSERVATION DIVISION 2040 South Pacheco Santa Fe, NM 87505

WELL LOCATION AND ACREAGE DEDICATION PLAT

Submit to Appropriate District Office State Lease - 4 Copies Fee Lease - 3 Copies

☐ AMENDED REPORT

DISTRICT IV 2040 South Pacheco, Santa Fe, NM 87606

¹ API Number ² Pool Code			I	⁹ Pool Name								
30-039	1-29	421	7:	2400		E. Blanco/Pictured Cliffs						
⁴ Property Co		 			⁵ Prop	perty l	Varne			° Well Number		
24245	30499				JICARILL							13 `
OGRID No.					745 01° 299	rate 1	COMPANY				0 1	devation
013925	Į	Black	Hills	Gast	MALLON (COMPANY					7158'
013925	1	D 14(C)	· ilili	ous	10							
					¹⁰ Surfa	ace	Location					
UL or lot no.	Section	Township	Range	Lot làn	Feet from	the	North/South line	Fee	et from the	East	West line	County
В	28	29-N	2-W		115		NORTH	2	195	EA	ST	RIO ARRIBA
			11 Botto	m Hole	Locatio	on I	f Different Fro	m S	Surface			
UL or lot no.	Section	Township	Range	Lot Idn	Feet from		North/South line		et from the	East	/West line	County
					, i			}			•	
ne Dedicated Acres	9		Joint or I	nfill	²⁴ Consolida	ation C	ode	"Ord	er No.			<u> </u>
		1			}							,
160 acres	/ NE/	4										
NO ALLOW.	ABLE W	ILL BE AS	SIGNED	TO TH	S COMPI	LETIC	ON UNTIL ALL	INTE	RESTS F	LAVE B	EEN CO	NSOLIDATED
16							EN APPROVED				•	
FD MRK'D STONE		S 96 7	6007 W	T		=1		9				
W/ P&C # 8894	1	5273.3	9' (M)	1	<u> </u>		2195'	7/	17 0	PERAT	OR CE	RTIFICATION
			• -	<u>ω</u>		- 1.	en words amous A	111	I hereby o	ertify that	the informat	ion contained herein
	1			=		- 15	FD MRK'D STONE // W/ P&C # 8894	174	is true an	i complete	to the best o	f my knowledge and
	İ	LAT. 36-42	2_0Q N (NAD 83)		-	.,		belief.			
	i	LONG. 107			3)	1						
	1				·	- 1			work	198	charel	eed.
	1			1 1		- 1	•		Signatur	7 02 000	chneile	<u>ce</u>
		,										
•	}			1:1		- 1		-	Kathy		meebec	K.
	1					1			Printed			
								3		Agent	for E	lack Hills
	1					- 1		1 11	Title			
	1							79.99	Januar	v 6. 2	2005	
	- 1					1	· 	1	Date			
				28				-ro				
	1			e e		1		*				
		*						8	18 ST	JRVEY	OR CE	RTIFICATION
	1					1		- 1 1	I hereby our	tify that th	e well locati	on shown on this pl
	1					1		00-04	was platted	from field	notes of acts	sal surveys made by
						- 1		8	me or under		and t	hat the same is tru
	1					ļ		z	and copyright	VW FF	ECHON	
						ł		ļ	1	WWE	124	004
				+		+			har to		(3)	
						- 1		- 1		1148	للسلالة	Surveyor:
	į					1		1	121	7	ノガ	U S
		•						- ((3)		-13	7
						1		1	1	AND THE	ALC:	4
	1					l		1		MARES	-	/
						}	FD MRK'D STO	DNE		1	4831	A
	1					1	W/P&c # 8		Certificate		·····	

District II
1625 N. French Dr., Hobbs, NM 88240
District III
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.


For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes No Type of action: Registration of a pit or below-grade tank Closure of a pit or below-grade tank						
Operator: Black Hills Gas Resources, Inc. Address: 300 Indiana St, Suite 400, Golden, CO 80401 36	Telephone: <u>720-210-1300</u> e-mail addre	ess: <u>cmaybee@bhep.com</u>				
Facility or well name: <u>Jicarilla 29-02-28 13</u> API #: <u>Pending</u> U/L or Qtr/Qtr <u>NW NE</u> Sec <u>28</u> T <u>29N R 2W</u>						
County: Rio Arriba Latitude 36° 42' 09" Longitude 107° 02' 48"						
Pit	Below-grade tank					
Type: Drilling ⊠ Production ☐ Disposal ☐	Volume:bbl Type of fluid:					
Workover Emergency	Construction material:					
Lined Unlined	Double-walled, with leak detection? Yes If not,	explain why not.				
Liner type: Synthetic ☐ Thickness mil Clay ☒						
Pit Volume <u>±17,811</u> bbl						
	Less than 50 feet	(20 points)				
Depth to ground water (vertical distance from bottom of pit to seasonal	50 feet or more, but less than 100 feet	(10 points)				
high water elevation of ground water.)	100 feet or more	(0 points)				
	100 leet of more					
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)				
water source, or less than 1000 feet from all other water sources.)	No.	(0 points)				
	Less than 200 feet	(20 points)				
Distance to surface water: (horizontal distance to all wetlands, playas,	200 feet or more, but less than 1000 feet	(10 points)				
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	(0 points)				
	Ranking Score (Total Points)	0 points				
f this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if						
your are burying in place) onsite 🔲 offsite 🔲 If offsite, name of facility	. (3) Attach a general de	escription of remedial action taken including				
remediation start date and end date. (4) Groundwater encountered: No 🔲 Y	es If yes, show depth below ground surface	ft. and attach sample results. (5)				
Attach soil sample results and a diagram of sample locations and excavations	S					
Additional Comments:						
I hereby certify that the information above is true and complete to the best has been/will be constructed or closed according to NMOCD guideline Date:01/07/05						
Printed Name/Title Kathy L. Schneebeck / Permit Agent for Black Hills C	Gas Resources Signature X	L'Schnebeck				
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.						
		<u> </u>				
Approval:	1 V/11	OCT 28 2005				
Printed Name/Title	Signature	Date:				



WELL PAD CROSS-SECTIONAL DIAGRAM

COMPANY: MALLON OIL COMPANY

	LEASE:	JICARILLA 29-0	2-28 No. 13		·
	FOOTAGE:	115' FNL	2195' FEL		
	SEC.:28	, TWN:29-	N RNG	: <u>2-W</u>	, NMPM
	ELEVATION:	7158'			
			,	NOTE:	
			•	DAGGETT ENTERPRISES UNDERGROUND UTILITIE	INC. IS NOT LIABLE FOR ES OR PIPELINES. NEW MEXICO
		•	·	EXCAVATION OR CONS	ES OR PIPELINES. NEW MEXICO IFIED 48 HOURS PRIOR TO TRUCTION.
ELEV. A-A'			C/L		
7180				_	7
7170					-
7160					1
7150					-
7140					1
7130					1
7120					1
ELEV. B-B'			C/L		-
7180]
7170					1
7160					
7150				<u> </u>	1
7140				 	1
7130				 	4
7120				 	d .
·		 			, (<u>(</u>
			C/L	<u> </u>	
7180					IS 68, 11 is 68, 11 is 68, 11 is 68, 11 is 60, 328-14831 070768
7170					WELL PAD DIAGRAM WELL PAD DIAGRAM Enterprises, and Oil Fleid Ser 508 - Furnington, NM 326-1772 - Fox (505) 32 AEXICO LS. 14831 AEXICO LS. 14831 AMEXICO LS. 14831 AMEXICO LS. 14831 AMEXICO LS. 14831 AMEXICO LS. 14831
7160			Hillian		Enter PAD and Oil 172 - Senter Canada
7150					PPLS WELL PAD DIAGRAM, BOTTON
7140				 	MN307PL8 WELL PAD DIAGRAM Daggett Enterprises, Inc. Surveying and Oil Fleid Services P. 0. Box 15088 · Farmington, NM 87401 Phone (505) 226-177 · Fox (505) 226-6019 NEW MEXICO L.S. 14831 GANTE MN307GE
7130				 	1 2 1 3
7120				<u> </u>	REF. DWG.

Black Hills Gas Resources, Inc. Jicarilla 29-02-28 13 115' FNL 2,195' FEL (NW/4 NE/4) Sec. 28 T29N R2W

Rio Arriba County, New Mexico Lease: MDA 701-98-0013, Tract 2

DRILLING PROGRAM

This Application for Permit to Drill (APD) was initiated under the NOS process as stated in Onshore Order No. 1 and supporting Bureau of Land Management (BLM) documents. This NOS process includes an onsite meeting which was held on August 24, 2004, as determined by BLM, Bureau of Indian Affairs (BIA) and Jicarilla Oil & Gas Administration (JOGA), and at which time the specific concerns of Black Hills Gas Resources, Inc. (Black Hills), BLM, BIA and JOGA were discussed.

BLACK HILLS RESPECTFULLY REQUESTS THAT ALL INFORMATION REGARDING THIS WELL BE KEPT CONFIDENTIAL.

SURFACE FORMATION - San Jose

GROUND ELEVATION - 7,158'

ESTIMATED FORMATION TOPS - (Water, oil, gas and/or other mineral-bearing formations)

San Jose	Surface	Sandstone, shales & siltstones
Nacimiento	1,977	Sandstone, shales & siltstones
Ojo Alamo	3,185'	Sandstone, shales & siltstones
Fruitland	3,611'	Sandstone, shales & siltstones
Pictured Cliffs	3,700'	Sandstone, shales & siltstones
Lewis	3,808'	Sandstone, shales & siltstones

TOTAL DEPTH 4,000'

Estimated depths of anticipated fresh water, oil, or gas:

Tertiary

San Jose	surface	Gas
Nacimiento	1,977'	Gas
Ojo Alamo	3,185'	Gas
Fruitland	3,611'	Gas
Pictured Cliffs	3,700'	Gas

CASING PROGRAM

Depth	Hole Diameter	Casing Diameter	Casing Weight and Grade	Cement
0'-250'	12-1/4"	8-5/8"	J-55 24# ST&C New	To surface (±175 sxs Class B)
0' - T.D.	7-7/8"	5-1/2"	J-55 15.5# LT&C New	TD to surface (±630 sxs lite or 65:35 poz and ±270 sxs 50:50 poz)*

^{*} Actual cement volume to be determined by caliper log.

Yields:

Class B yield = $1.18 \text{ ft}^3/\text{sx}$

65:35 Poz yield = $1.62 \text{ ft}^3/\text{sx}$ 50:50 Poz yield = $1.26 \text{ ft}^3/\text{sx}$

All fresh water and prospectively valuable minerals encountered during drilling, will be recorded by depth and protected.

PRESSURE CONTROL

BOPs and choke manifold will be installed and pressure tested before drilling out under surface casing (subsequent pressure test will be performed whenever pressure seals are broken), and then will be checked daily as to mechanical operating condition. BOP's will be pressure tested at least once every 30 days. Ram type preventors and related pressure control equipment will be pressure tested to 1,000 psi. Annular type preventor will be pressure tested to 50% of the rated working pressure, not to exceed 1,000 psi. All casing strings will be pressure tested to 0.22 psi/ft. or 1,000 psi, whichever is greater, not to exceed 70% of internal yield.

BOP to be either double gate rams or an annular preventor as per Onshore Order No. 2.

Statement on Accumulator System and Location of Hydraulic Controls

The drilling rig has not yet been selected for this well. Selection will take place after approval of this application. Manual and/or hydraulic controls will be in compliance with Onshore Order No. 2 for 2M systems.

A remote accumulator will be used. Pressures, capacities, location of remote hydraulic and manual controls will be identified at the time of the BLM supervised BOP test.

MUD PROGRAM

0' - 250' Fresh water – M.W. 8.5 ppg, Vis 30-33
250' - TD Fresh water - Low solids non-dispersed
M.W. 8.5 – 9.2 ppg
Vis – 28 – 50 sec
W.L. 15cc or less

Sufficient mud materials to maintain mud properties, control lost circulation and to contain "kick" will be available at wellsite.

AUXILIARY EQUIPMENT

- A) A Kelly cock will be kept in the drill string at all times
- B) Inside BOP or stab-in valve (available on rig floor)
- C) Mud monitoring will be visually observed

LOGGING, CORING, TESTING PROGRAM

A) Logging:

DIL- CNL-FDC-GR - TD - BSC (GR to surface)

Sonic (BSC to TD)

B) Coring:

None

C) Testing: Possible DST – None anticipated. Drill stem tests may be run on shows of interest

ABNORMAL CONDITIONS

A) Pressures:

No abnormal conditions are anticipated

Bottom hole pressure gradient - 0.31 psi/ft

B) Temperatures:

No abnormal conditions are anticipated

C) H_2S :

None anticipated

- D)

Estimated bottomhole pressure: 1,240 psi

ANTICIPATED START DATE

February 8, 2005

COMPLETION

The location pad will be of sufficient size to accommodate all completion activities and equipment. A string of 2-3/8" J-55 4.7#/ft tubing will be run for a flowing string. A Sundry Notice will be submitted with a revised completion program if warranted.

2-M SYSTEM Black Hills Gas Resources, Inc.

ANNULAR PREVENTOR MAY BE SUBSTITUTED FOR DOUBLE GATE PREVENTORS BOP PRESSURE TEST TO 1,000 PS!

