District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410

1220 S. St. Francis Dr., Santa Fe, NM 87505

District IV

State of New Mexico Energy Minerals and Natural Resources

Form C-144 June 1, 2004

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office. For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is not or below-grade tank covered by a "general plan"? Ves V No

WFS Closure Type of action: Registration of a pit or below	y-grade tank Closure of a pit or below-grade tank	✓					
Operator: CONOCOPHILLIPS COMPANY Telephone:	e-mail address:						
Address: PO BOX 2197 HOUSTON, TX 77252							
Facility or well name: SAN JUAN 29 6 UNIT #053A API #: 30-039-	21086 U/L or Qtr/Qtr <u>O</u> SEC	<u>31</u> T <u>29N</u> R <u>6W</u>					
County: RIO ARRIBA Latitude 36 40.4	628 N Longitude 107 30.044 W	NAD: 1927 🗹 1983 🗌					
Surface Owner: Federal ✓ State □ Private □ Indian □							
Pit Type: Drilling Production Disposal	Below-grade tank Volume: bbl Type of fluid:						
	Construction Material:						
Workover Emergency	Double-walled, with leak detection? Yes 🔳 If not, explain why not.						
Lined Unlined 🗹							
Liner Type: Synthetic Thickness mil Clay							
Pit Volume 80 bbl							
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet	(20 points) (10 points)					
water elevation of ground water.)	100 feet or more	(0 points) 0					
		40.					
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) $\underline{0}$					
Distance to surface water: (Horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet to 1,000 feet	(20 points) (10 points) <u>0</u>					
	Greater than 1,000 feet	(0 points)					
	Ranking Score (TOTAL POINTS):	<u>0</u>					
	ationship to other equipment and tanks. (2) Indicate disposal	location: (check the					
onsite box if your are burying in place) onsite 🗹 offsite 🗌 If offsite, name of facility (3)Attach a general description of remedial							
action taken including remediation start date and end date. (4)Groundwater encountered: No V yes providenth below ground surface ft. and attach sample results. (5)Attach soil sample results and a diagram of sample locations and excavations.							
							
Additional Comments:	OCT 2005	Meter: <u>86833</u>					
Additional Comments: OCT 2005 RECIEIVED OIL CONS. DIV. Meter: 86833							
	C' DIST. 2						
ECESSIS EL MELLE							
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines, a general permit, or an (attached) alternative OCD-approved plan							
Date: 9/28/05 Mr Zhuf, For WPS							
Printed Name/Title Mark Harvey for Williams Field Services Signature							
Your certification and NMOCD approval of this application/closure does not relieve the operator of liablility should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.							
Approval: Printed Name/Title Printed Name/Title Printed Name/Title Approval: Signature Signature Signature							
Printed Name/Title Signature Signature Date:							

ADDENDUM TO OCD FORM C-144


Operator: CONOCOPHILLIPS COMPANY

Well Name: SAN JUAN 29 6 UNIT #053A


API 30-039-21086

Meter: 86833

Facility Diagram:



Sampling Diagram:



Pit Dimensions

30 Ft. Length

Width 15 Ft.

1 Ft. Depth

Location of Pit Center

Latitude 36 40.623 N

Longitude <u>07 30.047 W</u>

(NAD 1927)

Pit ID

868331

Pit Type

Glycol Dehydrator

Date Closure Started: 10/26/04

Closure Method:

Pushed In

Date Closure Completed: 10/26/04

Bedrock Encountered?

Cubic Yards Excavated:

Vertical Extent of Equipment Reached ? \Box

Description Of Closure Action:

The pit was assessed and sampled in accordance with NMOCD guidelines. Based on assessment findings, the pit was backfilled.

Pit Closure Sampling:

Sample ID

Sample Date

Head Space

BTEX Total (mg/kg)

Benzene (mg/kg)

TPH DRO (mg/kg) Purpose

Location

Depth

1.5

115723OCT04 10/23/04 ASSESS Flr 100



Pace Analytical Services, Inc. 9608 Loiret Blvd. Lenexa, KS 66219

> Phone: 913.599.5665 Fax: 913.599.1759

Lab Project Number: 6088241 Client Project ID: NM Pits

607610177 Lab Sample No: Project Sample Number: 6088241-007 Date Collected: 10/23/04 11:57

Client Sample ID: 1157230CT04			Matrix: Soil			Date Received: 10/26/04 08:55			
Parameters	Results	Units	Report Limit	DF	Analyzed	Ву	CAS No.	Qual	RegLmt
GC Semivolatiles									
Total Extractable Hydrocarbons	Prep/Method:	: OA2 / OA2							
Mineral Spirits	ND	mg/kg	11.	1.1	11/01/04 11:30	RMN1			
Jet Fuel	ND	mg/kg	11.	1.1	11/01/04 11:30	RMN1			
Kerosene	ND	mg/kg	11.	1.1	11/01/04 11:30	RMN1			
Diesel Fuel	ND	mg/kg	11.	1.1	11/01/04 11:30	RMN1	68334-30-5		
Fuel 011	ND	mg/kg	11.	1.1	11/01/04 11:30	RMN1	68334-30-5		
Motor 0il	100	mg/kg	11.	1.1	11/01/04 11:30	RMN1			
n-Tetracosane (S)	122	*		1.0	11/01/04 11:30	RMN1	646-31-1		
p-Terphenyl (S)	126	*		1.0	11/01/04 11:30	RMN1	92-94-4		
Date Extracted	10/28/04				10/28/04				
Organics Prep									-
Percent Moisture	Method: SM 2	2540G							
Percent Moisture	14.0	×		1.0	10/28/04	ALJ1			
GC Volatiles									
Aromatic Volatile Organics	Prep/Method:	: EPA 5030 M	ledium Soil / El	PA 8021					
Benzene	ND	ug/kg	58.		11/02/04 14:28	}	71-43-2		
Ethylbenzene	ND	ug/kg (58.	1.2	11/02/04 14:28	}	100-41-4		
Toluene	ND	ug/kg	58.		11/02/04 14:28		108-88-3		
Xylene (Total)	ND	ug/kg	150		11/02/04 14:28		1330-20-7		•
a,a,a-Trifluorotoluene (S)	97	%			11/02/04 14:28		98-08-8		

Date: 11/03/04

Page: 6 of 33

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.

