#### District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

# State of New Mexico Energy Minerals and Natural Resources

Form C-144 June 1, 2004

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office. For downstream facilities, submit to Santa Fe office

# Pit or Below-Grade Tank Registration or Closure

ls pit or below-grade tank covered by a "general plan"? Yes ✓ No □							
Type of action: Registration of a pit or below	v-grade tank Closure of a pit or below-grade tank	<u> </u>					
Operator: CONOCOPHILLIPS COMPANY Telephone:	e-mail address:						
Address: PO BOX 2197 HOUSTON, TX 77252							
Facility or well name: SAN JUAN 29 6 UNIT #029A API #: 30-039-	$\frac{21118}{\text{U/L or Qtr/Qtr}} \qquad \qquad \text{SEC}$	<u>3</u> T <u>29N</u> R <u>6W</u>					
County: RIO ARRIBA Latitude 36.756 Surface Owner: Federal ☐ State ☐ Private ✔ Indian ☐	593 Longitude -107.45427	NAD: 1927 <b>☑</b> 1983 ☐					
<u>Pit</u>	Below-grade tank						
Type: Drilling Production Disposal	Volume: bbl Type of fluid:						
Workover	Construction Material:  Double-walled, with leak detection? Yes If not, explain why not.						
Lined Unlined 🗹	Double-walled, with leak detection: 105 = 11 liot, ox	piam why not.					
Liner Type: Synthetic Thickness mil Clay							
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) <u>10</u> (0 points)					
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) (0 points) <u>0</u>					
Distance to surface water: (Horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet to 1,000 feet Greater than 1,000 feet	(20 points) (10 points) <u>10</u> (0 points)					
	Ranking Score (TOTAL POINTS):	<u>20</u>					
If this is a pit closure: (1)Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite onsit							
Additional Comments:  OCT 2005  RECONS. DIV. DIST. 8							
I hereby certify that the information above is true and complete to the best of my k							
tank has been/will be constructed or closed according to NMOCD guidelines, a general permit, or an (attached) alternative OCD-approved plan							
Date: 9/28/05  Printed Name/Title No. 1 V. C. W. II. First No. 1 V. C. W. II. C. W. II							
Printed Name/Title Mark Harvey for Williams Field Services Signature							
Your certification and NMOCD approval of this application/closure does not relieve the operator of liablility should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.							
Approval:  Printed Name/Title  Printed Name/Title  Sign:	ature Denny Ferry	2 OCT 1 2 200					

### **ADDENDUM TO OCD FORM C-144**

Operator: CONOCOPHILLIPS COMPANY		<b>API</b> 30-039-21118				
Well Name: SAN JUAN 29 6 UNIT #029A		<b>Meter:</b> <u>86868</u>				
Facility Diagram:		Sampling Diagram:				
		X=Sample Collection Locations				
Pit Dimensions	Location of Pit Center	Pit ID				
Length <u>25</u> Ft.	Latitude <u>36.75657</u>	<u>868681</u>				
Width <u>25</u> Ft.	Longitude <u>-107.45424</u>	<u>Pit Type</u>				
Depth <u>3</u> Ft.	(NAD 1927)	<u>Separator</u>				
Date Closure Started: 7/6/04		Date Closure Completed: 7/6/04				
Closure Method: Pushed In		Bedrock Encountered ?				
		Cubic Yards Excavated:				
		Vertical Extent of Equipment Reached?				
Description Of Closure Action: The pit was assessed and sampled in accordance w	rith NMOCD guidelines. Based on	assessment findings, the pit was backfilled.				
Pit Closure Sampling:						
Sample ID Sample Head BTEX Benze Date Space Total (mg/l (mg/kg)		on Depth				
121815NOV02 11/15/02 0	0 0 ASSESS	3				



Pace Analytical Services, Inc.

9608 Loiret Blvd. Lenexa, KS 66219

Phone: 913.599.5665 Fax: 913.599.1759

Lab Project Number: 6064930

Client Project ID: PHILLIPS PIT PROGRAM

Lab Sample No: 605613645

Project Sample Number: 6064930-003

Number: 6064930-003

1.0 11/22/02 20:35 SHF 98-08-8

Date Collected: 11/15/02 12:18

Date Received: 11/19/02 09:00

Client Sample ID: 121815NOV02	,		Matrix: Soil			Date Received: 11/19/02 09:00			
Parameters	Results	Units	Report Limit	DF Ana	lyzed B	y CAS No.	Qua1	RegLmt	
GC Semivolatiles								•	
Total Extractable Hydrocarbons	Prep/Method:	0A2 / 0A2	2					•	
Mineral Spirits	ND	mg/kg	12.	1.2 11/22/0	2 14:11 MI	М			
Jet Fuel	ND	mg/kg	12.	1.2 11/22/0	2 14:11 MI	М			
Kerosene	ND	mg/kg	12.	1.2 11/22/0	2 14:11 MI	М			
Diesel Fuel	ND	mg/kg	12.	1.2 11/22/0	2 14:11 MI	M 68334-30-5			
Fuel Oil	ND	mg/kg	12.	1.2 11/22/0	2 14:11 MI	M 68334-30-5			
Motor 0il	ND	mg/kg	12.	1.2 11/22/0	2 14:11 MI	M			
n-Tetracosane (S)	98	. %		1.0 11/22/0	2 14:11 MI	M 646-31-1			
p-Terphenyl (S)	100	%		1.0 11/22/0	2 14:11 MI	M 92-94-4			
Date Extracted	11/21/02			11/21/0	2				
Organics Prep									
Percent Moisture	Method:								
Percent Moisture	14.6	%		1.0 11/22/0	2 MA	M			
GC Volatiles									
Aromatic Volatile Organics	Prep/Method:	EPA 5030	Medium Soil / E	PA 8021					
Benzene	ND	ug/kg	58.	1.2 11/22/0	2 20:35 SH	IF 71-43-2			
Ethylbenzene	ND	ug/kg	58.	1.2 11/22/0	2 20:35 SH	IF 100-41-4			
Toluene	ND	ug/kg	58.	1.2 11/22/0	2 20:35 SH	IF 108-88-3			
Xylene (Total)	ND	ug/kg	150	1.2 11/22/0	2 20:35 SH	IF 1330-20-7			

Date: 11/26/02

a,a,a-Trifluorotoluene (S)

90

Page: 3 of 42

# **REPORT OF LABORATORY ANALYSIS**