1220 S. St. Francis Dr., Santa Fe, NM 87505

District IV

State of New Mexico Energy Minerals and Natural Resources

Form C-144 June 1, 2004

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office. For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank cover type of action: Registration of a pit or below	ered by a "general plan"? Yes 🗹 No 🗀	☑						
Operator: CONOCOPHILLIPS COMPANY Telephone:	e-mail address:							
Address: PO BOX 2197 HOUSTON, TX 77252 Facility or well name: SAN JUAN 29 5 UNIT #004A API #: 30-039-21339 U/L or Qtr/Qtr C SEC 6 T 29N R 5W								
Facility or well name: SAN JUAN 29 5 UNIT #004A API #: 30-039-2 County: RIO ARRIBA Latitude 36.759		6 T <u>29N</u> R <u>5W</u> NAD: 1927 ☑ 1983 □						
Surface Owner: Federal ✓ State ☐ Private ☐ Indian ☐	Longitude -107.40209	NAD. 1727 @ 1705 [
Pit Type: Drilling ☐ Production ✓ Disposal ☐	Below-grade tank Volume: bbl Type of fluid:							
Workover	Construction Material:							
Lined Unlined 🗹	Double-walled, with leak detection? Yes If not, ex	, explain why not.						
Liner Type: Synthetic Thickness mil Clay								
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) (0 points)						
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) (0 points) <u>0</u>						
Distance to surface water: (Horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet to 1,000 feet Greater than 1,000 feet	(20 points) (10 points) <u>0</u> (0 points)						
	Ranking Score (TOTAL POINTS):	<u>0</u>						
If this is a pit closure: (1)Attach a diagram of the facility showing the pit's relationsite box if your are burying in place) onsite ✓ offsite ☐ If offsite, name action taken including remediation start date and end date. (4)Groundwater encour and attach sample results. (5)Attach soil sample results and a diagram of sample lo	ntered: No Ves Las Ship representation of the state of th	eneral description of remedial						
Additional Comments: OCT 2005 RECEIVED CONS. DIV. DIST. 3								
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines, a general permit, or an (attached) alternative OCD-approved plan								
Date: 9/28/05 Printed Name/Title Mark Harvey for Williams Field Services Sig	inature Mr Hors, FOR WPS							
Your certification and NMOCD approval of this application/closure does not relieve or otherwise endanger public health or the environment. Nor does it relieve the op regulations.	ve the operator of liablility should the contents of the pit or ta							
Approval: Printed Name/Title Signa	ature Deny Jaw	OCT 1 2 2005						

ADDENDUM TO OCD FORM C-144


Operator: CONOCOPHILLIPS COMPANY

Well Name: SAN JUAN 29 5 UNIT #004A


API <u>30-039-21339</u>

Meter: 86976

Facility Diagram:



Sampling Diagram:



Pit Dimensions

Length $\underline{27}$ Ft.

Width $\underline{15}$ Ft.

Depth 3 Ft.

Location of Pit Center

Latitude <u>36.75971</u>

Longitude <u>-10740274</u>

(NAD 1927)

Pit ID

<u>869761</u>

Pit Type

Other

Date Closure Started: 6/16/04

Closure Method:

Pushed In

Date Closure Completed: <u>6/25/04</u>

Bedrock Encountered?

Cubic Yards Excavated:

Vertical Extent of Equipment Reached ? \Box

Description Of Closure Action:

The pit was assessed and sampled in accordance with NMOCD guidelines. Based on assessment findings, the pit was backfilled.

Pit Closure Sampling:

Sample ID

Sample Date Head Space BTEX Total (mg/kg)

Benzene (mg/kg)

TPH DRO (mg/kg) Purpose

Location

Depth

100515MAY04

5/15/04

0

0

ASSESS

Flr

3.5



Pace Analytical Services, Inc. 9608 Loiret Blvd. Lenexa, KS 66219

> Phone: 913.599.5665 Fax: 913.599.1759

Lab Project Number: 6082624

Client Project ID: N.M. Pit Program

Lab Sample No: 607121183 Client Samole ID: 100515MAY04 Project Sample Number: 6082624-002

Date Collected: 05/15/04 10:05

Client Sample ID: 100515MAY04			Matrix: Soil			Date Received: 05/18/04 09:0				
Parameters	Results	Units	Report Limit	DF	Anal	yzed	Ву	CAS No.	Qual	RegLmt
GC Semivolatiles										
Total Extractable Hydrocarbons	Prep/Method:	0A2 / 0A2								
Mineral Spirits	ND	mg/kg	11.	1.1	05/22/04	04:11	DCKI			
Jet Fuel	ND	mg/kg	11.	1.1	05/22/04	04:11	DCKI			
Kerosene	ND	mg/kg	11.	1.1	05/22/04	04:11	DCKI			
Diesel Fuel	ND	mg/kg	11.	1.1	05/22/04	04:11	DCKI	68334-30-5		
Fuel 0il	ND	mg/kg	11.	1.1	05/22/04	04:11	DCKI	68334-30-5		
Motor 0il	ND	mg/kg	11.	1.1	05/22/04	04:11	DCKI			
n-Tetracosane (S)	71	X .		1.0	05/22/04	04:11	DCKI	646-31-1		
p-Terphenyl (S)	110	X		1.0	05/22/04	04:11	DCKI	92-94-4		
Date Extracted	05/21/04				05/21/04					
Organics Prep										
Percent Moisture	Method: SM 2	540G								
Percent Moisture	9.3	*		1.0	05/21/04		DPB			
GC Volatiles										
Aromatic Volatile Organics	Prep/Method:	EPA 5030 M	Medium Soil / EF	A 8021	Ĺ					
Benzene	ND	ug/kg	55.		05/20/04	18:27	ARF	71-43-2		
Ethylbenzene	ND	ug/kg	55.	1.1	05/20/04	18:27	ARF	100-41-4		
Toluene	ND	ug/kg	55.	1.1	05/20/04	18:27	ARF	108-88-3		
Xylene (Total)	ND	ug/kg	140	1.1	05/20/04	18:27	ARF	1330-20-7		
a,a,a-Trifluorotoluene (S)	94	*		1.0	05/20/04	18.27	ARF	98-08-8		

Date: 05/28/04

Page: 2 of 41

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.

