District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Form C-144 June 1, 2004

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure


Is pit or below-grade tank covered by a "general plan"? Yes M No			
Type of action: Registration of a pit or below	r-grade tank Closure of a pit or below-grade tank	<u> </u>	
Operator: BURLINGTON RESOURCES OIL & GAS CO Telephone: e-mail address:			
Address: 801 CHERRY ST FORT WORTH, TX 76102			
Facility or well name: REESE MESA #003 API #: 30-045-2	$\frac{\text{21261}}{\text{U/L or Qtr/Qtr}} \qquad \frac{\text{H}}{\text{SEC}}$	<u>13</u> T <u>32N</u> R <u>8W</u>	
County: <u>SAN JUAN</u> Surface Owner: Federal ✓ State ☐ Private ☐ Indian ☐	08 Longitude <u>-107.62112</u>	NAD: 1927 ☑ 1983 □	
Pit Below-grade tank			
Type: Drilling ☐ Production ☑ Disposal ☐	Volume: bbl Type of fluid:		
Workover	Construction Material:	* *4	
Lined Unlined 🗹	Double-walled, with leak detection? Yes 🖳 If not, exp	plain why not.	
Liner Type: Synthetic Thickness mil Clay			
Pit Volume 223 bbl			
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) <u>0</u> (0 points)	
		(0 p)	
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) (0 points) <u>0</u>	
Distance to surface water: (Horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet to 1,000 feet Greater than 1,000 feet	(20 points) (10 points) <u>0</u> (0 points)	
	Ranking Score (TOTAL POINTS):	<u>0</u>	
If this is a pit closure: (1)Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite offsite if offsite, name of facility including remediation start date and end date. (4)Groundwater encountered: No very Yes if yes, show depth below ground surface if. and attach sample results. (5)Attach soil sample results and a diagram of sample locations and excavations.			
Additional Comments: Meter: 86716 OCT 2005 OONS DIV.			
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further the above-described pit or below-grade			
tank has been/will be constructed or closed according to NMOCD guidelines, a general permit, or an (attached) alternative OCD-approved plan			
Date: 9/28/05 M1 2 For wes			
Printed Name/Title Mark Harvey for Williams Field Services Signature			
Your certification and NMOCD approval of this application/closure does not relieve the operator of liablility should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.			
Approval: CEPUTY OIL & GAS INSPECTOR, DIST. (28 Printed Name/Title Signa	ature Denny French	OCT 1 2 200	

ADDENDUM TO OCD FORM C-144


Operator: <u>BURLINGTON RESOURCES OIL & GAS COMPANY LP</u> **API** <u>30-045-21261</u>

Well Name: REESE MESA #003 Meter: 86716

Facility Diagram:



Sampling Diagram:



Pit Dimensions

Length 25 Ft.

Width <u>20</u> Ft.

Depth 2.5 Ft.

Location of Pit Center

Latitude <u>36.98402</u>

Longitude <u>-107.62077</u>

(NAD 1927)

Pit ID

<u>867161</u>

Pit Type

Calcium Salt Tower

Date Closure Started: 9/28/04

Closure Method:

Pushed In

Date Closure Completed: 9/28/04

Bedrock Encountered?

Cubic Yards Excavated:

Vertical Extent of Equipment Reached ? \Box

Description Of Closure Action:

The pit was assessed and sampled in accordance with NMOCD guidelines. Based on assessment findings, the pit was backfilled.

Pit Closure Sampling:

Sample ID

Sample Date Head Space BTEX Total Benzene (mg/kg)

TPH DRO (mg/kg) Purpose

Location

Depth

135016MAY04

5/16/04

0

ASSESS

Flr

3.5



Pace Analytical Services, Inc. 9608 Loiret Blvd. Lenexa, KS 66219

> Phone: 913.599.5665 Fax: 913.599.1759

Lab Project Number: 6082624

Client Project ID: N.M. Pit Program

Total Extractable Hydrocarbons Prep/Method: OA2 / OA2	/18/04 09:05
Total Extractable Hydrocarbons Prep/Method: OA2 / OA2	1 Poglmt
Total Extractable Hydrocarbons Mineral Spirits ND mg/kg 12. Jet Fuel ND mg/kg 12. Let Fuel ND Mg/kg 12. ND Mg/kg 12. ND ND Ng/kg 12. ND ND ND Ng/kg 12. ND ND NG ND ND Ng/kg 12. ND ND NG ND ND NG ND NG ND ND NG ND ND NG ND NG ND ND ND NG ND ND ND NG ND ND ND NG ND ND ND NG ND	I KEYLIKE
Mineral Spirits ND mg/kg 12. 1.2 05/26/04 00:24 DCKI Jet Fuel ND mg/kg 12. 1.2 05/26/04 00:24 DCKI Kerosene ND mg/kg 12. 1.2 05/26/04 00:24 DCKI Diesel Fuel ND mg/kg 12. 1.2 05/26/04 00:24 DCKI Diesel Fuel ND mg/kg 12. 1.2 05/26/04 00:24 DCKI 68334-30-5 Fuel 0il ND mg/kg 12. 1.2 05/26/04 00:24 DCKI 68334-30-5 Motor 0il ND mg/kg 12. 1.2 05/26/04 00:24 DCKI 68334-30-5 Motor 0il ND mg/kg 12. 1.2 05/26/04 00:24 DCKI n-Tetracosane (S) 64	
Jet Fuel ND mg/kg 12. 1.2 05/26/04 00:24 DCKI Kerosene ND mg/kg 12. 1.2 05/26/04 00:24 DCKI Diesel Fuel ND mg/kg 12. 1.2 05/26/04 00:24 DCKI 68334-30-5 Fuel 0il ND mg/kg 12. 1.2 05/26/04 00:24 DCKI 68334-30-5 Motor 0il ND mg/kg 12. 1.2 05/26/04 00:24 DCKI n-Tetracosane (S) 64 % 1.0 05/26/04 00:24 DCKI 646-31-1 p-Terphenyl (S) 105 % 1.0 05/26/04 00:24 DCKI 92-94-4 Date Extracted 05/21/04 05/21/04	
Kerosene ND mg/kg 12. 1.2 05/26/04 00:24 DCKI Diesel Fuel ND mg/kg 12. 1.2 05/26/04 00:24 DCKI 68334-30-5 Fuel 0il ND mg/kg 12. 1.2 05/26/04 00:24 DCKI 68334-30-5 Motor 0il ND mg/kg 12. 1.2 05/26/04 00:24 DCKI n-Tetracosane (S) 64 % 1.0 05/26/04 00:24 DCKI 646-31-1 p-Terphenyl (S) 105 % 1.0 05/26/04 00:24 DCKI 92-94-4 Date Extracted 05/21/04 05/21/04 Organics Prep	
Diesel Fuel	
Fuel 0il ND mg/kg 12. 1.2 05/26/04 00:24 DCKI 68334-30-5 Motor 0il ND mg/kg 12. 1.2 05/26/04 00:24 DCKI n-Tetracosane (S) 64	
Motor 0il ND mg/kg 12. 1.2 05/26/04 00:24 DCKI n-Tetracosane (S) 64 % 1.0 05/26/04 00:24 DCKI 646-31-1 p-Terphenyl (S) 105 % 1.0 05/26/04 00:24 DCKI 92-94-4 Date Extracted 05/21/04 05/21/04 Organics Prep	
n-Tetracosane (S) 64	
p-Terphenyl (S) 105 % 1.0 05/26/04 00:24 DCKI 92-94-4 Date Extracted 05/21/04 05/21/04 Organics Prep	
Date Extracted 05/21/04 05/21/04 Organics Prep	
Organics Prep	
-	
·	
Percent Moisture Method: SM 2540G	
Percent Moisture 17.9 % 1.0 05/21/04 DPB	
GC Volatiles	
Aromatic Volatile Organics Prep/Method: EPA 5030 Medium Soil / EPA 8021	
Benzene ND ug/kg 60. 1.2 05/24/04 15:48 ARF 71-43-2	
Ethylbenzene ND ug/kg 60. 1.2 05/24/04 15:48 ARF 100-41-4	
Toluene 100 ug/kg 60. 1.2 05/24/04 15:48 ARF 108-88-3	
Xylene (Total) 260 ug/kg 150 1.2 05/24/04 15:48 ARF 1330-20-7	
a,a,a-Trifluorotoluene (S) 98 % 1.0 05/24/04 15:48 ARF 98-08-8	

Date: 05/28/04

Page: 31 of 41

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.

