District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III

1000 Rio Brazos Road, Aztec, NM 87410

1220 S. St. Francis Dr., Santa Fe, NM 87505

District IV

State of New Mexico Energy Minerals and Natural Resources

Form C-144 June 1, 2004

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office. For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank cover type of action: Registration of a pit or below	ered by a "general plan"? Yes Mo No Uv-grade tank Closure of a pit or below-grade tank	✓					
	e-mail address:						
Operator: CONOCOPHILLIPS COMPANY Telephone: Address: PO BOX 2197 HOUSTON, TX 77252	e-man address.						
Facility or well name: <u>SAN JUAN 29 6 UNIT #077</u> API #: <u>30-039-</u>	<u>07581</u> U/L or Qtr/Qtr <u>H</u> SEC	<u>22</u> T <u>29N</u> R <u>6W</u>					
County: RIO ARRIBA Latitude 36.713 Surface Owner: Federal ✓ State ☐ Private ☐ Indian ☐	ν	NAD: 1927 ☑ 1983 □					
Pit Type: Drilling Production ✓ Disposal Workover Emergency Lined Unlined Liner Type: Synthetic Thickness mil Clay Pit Volume 53 bbl	Below-grade tank Volume: bbl Type of fluid: Construction Material: Double-walled, with leak detection? Yes If not, explain why not.						
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) <u>0</u> (0 points)					
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) (0 points) <u>0</u>					
Distance to surface water: (Horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet to 1,000 feet Greater than 1,000 feet	(20 points) (10 points) (0 points)					
	Ranking Score (TOTAL POINTS):	<u>10</u>					
If this is a pit closure: (1)Attach a diagram of the facility showing the pit's relationsite box if your are burying in place) onsite ✓ offsite ☐ If offsite, name action taken including remediation start date and end date. (4)Groundwater encour and attach sample results. (5)Attach soil sample results and a diagram of sample lo	ntered: No 🗹 Yes 🗌 If yes, show depth below gr	l location: (check the general description of remedial cound surface ft.					
Additional Comments: OCT 2005 PECEIVED OIL CONS. DIV. DIST. 3							
I hereby certify that the information above is true and complete to the best of my k tank has been/will be constructed or closed according to NMOCD guidelines	nowledge and belief. Order certify his he above-describe	ed pit or below-grade					
Date: 9/28/05 Printed Name/Title Mark Harvey for Williams Field Services Sig	enature MI 2 G, FOR WES						
Your certification and NMOCD approval of this application/closure does not relie or otherwise endanger public health or the environment. Nor does it relieve the op regulations.	we the operator of liablility should the contents of the pit or to erator of its responsibility for compliance with any other federator	ank contaminate ground water eral, state, or local laws and/or					
Approval: OSFUTY OR & GAS INSPECTOR, DIST. 61 Printed Name/Title Signa	ature Deny Jeury	OCT 1 2 200					

ADDENDUM TO OCD FORM C-144

Operator: CONOCOPHILLIPS COMPANY


Well Name: SAN JUAN 29 6 UNIT #077

API 30-039-07581


Meter: 86507

Facility Diagram:

2



Sampling Diagram:



Pit Dimensions

Length 10 Ft.

Width 10 Ft.

Depth 3 Ft.

Location of Pit Center

Latitude <u>36.71333</u>

Longitude -107.44443

(NAD 1927)

Pit ID

<u>865071</u>

Pit Type

Glycol Dehydrator

Date Closure Started: 5/26/04

Closure Method:

Pushed In

Date Closure Completed: 5/26/04

Bedrock Encountered?

Cubic Yards Excavated:

Vertical Extent of Equipment Reached ? \Box

Description Of Closure Action:

The pit was assessed and sampled in accordance with NMOCD guidelines. Based on assessment findings, the pit was backfilled.

Pit Closure Sampling:

Sample ID

Sample Date Head Space

BTEX Total

(mg/kg)

Benzene (mg/kg)

TPH DRO (mg/kg) Purpose

Location I

Depth

114812FEB04 2/12/04 0 0 0 ASSESS Flr



Pace Analytical Services, Inc. 9608 Loiret Blvd. Lenexa, KS 66219

> Phone: 913.599.5665 Fax: 913.599.1759

Lab Project Number: 6079348

Client Project ID: N.M. Pit Program

Lab Sample No:

606833630

Project Sample Number: 6079348-003

Date Collected: 02/12/04 11:48

	FILE SET		10000 campie mamber 1 corso to coo			Date 0011000001 02/12/01 11/1				
Client Sample ID: 114812FEB04			Matrix: Soil				Date Received: 02/18/04 09:0			
Parameters	Results	Units	Report Limit	_DF	Analy	zed	Ву	CAS No.	Qual RegLmt	
GC Semivolatiles										
Total Extractable Hydrocarbons	Prep/Method:	OA2 / OA2								
Mineral Spirits	ND	mg/kg	11.	1.1	02/23/04	11:45	RMN1			
Jet Fuel	ND	mg/kg	11.	1.1	02/23/04	11:45	RMN1			
Kerosene	ND	mg/kg	11.	1.1	02/23/04	11:45	RMN1			
Diesel Fuel	ND	mg/kg	11.	1.1	02/23/04	11:45	RMN1	68334-30-5		
Fuel 011	ND	mg/kg	11.	1.1	02/23/04	11:45	RMN1	68334-30-5		
Motor 0il	ND	mg/kg	11.	1.1	02/23/04	11:45	RMN1			
n-Tetracosane (S)	89	%		1.0	02/23/04	11:45	RMN1	646-31-1		
p-Terphenyl (S)	100	*		1.0	02/23/04	11:45	RMN1	92-94-4		
Date Extracted	02/20/04				02/20/04					
Organics Prep										
Percent Moisture	Method: SM 2	2540G								
Percent Moisture	10.6	*		1.0	02/19/04		JLC1			
GC Volatiles		•								
Aromatic Volatile Organics	Prep/Method:	EPA 5030 M	edium Soil / El	PA 8021	l					
Benzene	ND	ug/kg	56.		02/19/04	15:38		71-43-2		
Ethylbenzene	ND	ug/kg	56.	1.1	02/19/04	15:38		100-41-4		
Toluene	ND	ug/kg	56.	1.1	02/19/04	15:38		108-88-3		
Xylene (Total)	ND	ug/kg	140	1.1	02/19/04	15:38		1330-20-7		
a,a,a-Trifluorotoluene (S)	100	*		1.0	02/19/04	15:38		98-08-8		

Date: 02/24/04

Page: 3 of 19

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.

