District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Form C-144 June 1, 2004

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office. For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ✓ No □								
(WF) Closure) Type of action: Registration of a pit or below	y-grade tank Closure of a pit or below-grade tank	V						
Operator: CONOCOPHILLIPS COMPANY Telephone: e-mail address:								
Address: PO BOX 2197 HOUSTON, TX 77252								
Facility or well name: SAN JUAN 29 6 UNIT #035 API #: 30-039-0	Facility or well name: $\underline{SAN JUAN 29 6 UNIT #035}$ API #: $\underline{30-039-82386}$ U/L or Qtr/Qtr \underline{M} SEC							
County: RIO ARRIBA Latitude 36.720 Surface Owner: Federal ✓ State □ Private □ Indian □	993 Longitude -107.45496	NAD: 1927 ☑ 1983 □						
<u>Pit</u>	Below-grade tank							
Type: Drilling Production Disposal	Volume: bbl Type of fluid:							
Workover	Construction Material: Double-walled, with leak detection? Yes If not, explain why not.							
Lined Unlined 🗹	Double-waned, with leak detection: 1 es 😑 n not, exp	piain wny not.						
Liner Type: Synthetic Thickness mil Clay Pit Volume 53 bbl								
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) <u>0</u> (0 points)						
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	(20 points) (0 points) <u>0</u>							
Distance to surface water: (Horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet to 1,000 feet Greater than 1,000 feet	(20 points) (10 points) <u>0</u> (0 points)						
	Ranking Score (TOTAL POINTS):	<u>0</u>						
If this is a pit closure: (1)Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite offsite if offsite, name of facility including remediation start date and end date. (4)Groundwater encountered: No Versility yes, show depth below ground surface ft. and attach sample results. (5)Attach soil sample results and a diagram of sample locations and excavations.								
Additional Comments: Meter: 86406 OCT 2005 OR CONS. DIV. DIST. 8								
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade								
tank has been/will be constructed or closed according to NMOCD guidelines . , a general permit . , or an (attached) alternative OCD-approved plan								
Date: 9/28/05 Mr Zhuk, For wes								
Printed Name/Title Mark Harvey for Williams Field Services Signature								
Your certification and NMOCD approval of this application/closure does not relieve the operator of liablility should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.								
Approval: QZPUTY CL & GAS IMSPECTC2, CASI. Cs Printed Name/Title Signature Signature Signature Signature								

ADDENDUM TO OCD FORM C-144


Operator: CONOCOPHILLIPS COMPANY

Well Name: SAN JUAN 29 6 UNIT #035


API <u>30-039-82386</u>

Meter: 86406

Facility Diagram:



Sampling Diagram:



Pit Dimensions

Length 10 Ft.

Width $\underline{10}$ Ft.

Depth 3 Ft.

Location of Pit Center

Latitude 36.72077

Longitude -107.45487

(NAD 1927)

Pit ID

<u>864061</u>

Pit Type

Glycol Dehydrator

Date Closure Started: 5/26/04

Closure Method:

Pushed In

Date Closure Completed: <u>5/26/04</u>

Bedrock Encountered?

Cubic Yards Excavated:

Vertical Extent of Equipment Reached ? \Box

Description Of Closure Action:

The pit was assessed and sampled in accordance with NMOCD guidelines. Based on assessment findings, the pit was backfilled.

Pit Closure Sampling:

Sample ID

Sample Date Head Space BTEX Total (mg/kg) Benzene (mg/kg)

TPH DRO (mg/kg) Purpose

Location

Depth

130812FEB04

2/12/04

0.39

.

ASSESS FI

Flr



Pace Analytical Services, Inc. 9608 Loiret Blvd.

Lenexa, KS 66219 Phone: 913.599.5665

rione: 913.599.5665 Fax: 913.599.1759

Lab Project Number: 6079348

Client Project ID: N.M. Pit Program

Lab Sample No: 606833655 Client Sample ID: 130812FEB04 Project Sample Number: 6079348-005

Matrix: Soil

Date Collected: 02/12/04 13:08 Date Received: 02/18/04 09:05

Citent Sample ID: 130012FED04		Matrix: 3011				Date Received: 02/16/04 09:00			
Parameters	Results	<u>Units</u>	Report Limit	_DF	Analyzed	Ву	CAS_No	Qua1	RegLmt
GC Semivolatiles									
Total Extractable Hydrocarbons	Prep/Method:	0A2 / 0A2							
Mineral Spirits	ND	mg/kg	12.	1.2	02/21/04 08:2	3 RMN1			
Jet Fuel	ND	mg/kg	12.	1.2	02/21/04 08:2	3 RMN1			
Kerosene	ND	mg/kg	12.	1.2	02/21/04 08:23	3 RMN1			
Diesel Fuel	ND	mg/kg	12.	1.2	02/21/04 08:2	3 RMN1	68334-30-5		
Fuel 011	ND	mg/kg	12.	1.2	02/21/04 08:2	3 RMN1	68334-30-5		
Motor Oil	ND	mg/kg	12.	1.2	02/21/04 08:2	3 RMN1			
Total Petroleum Hydrocarbons	82.	mg/kg	12.	1.2	02/21/04 08:2	3 RMN1		1	
n-Tetracosane (S)	100	*		1.0	02/21/04 08:2	3 RMN1	646-31-1		
p-Terphenyl (S)	103	%		1.0	02/21/04 08:2	3 RMN1	92-94-4		
Date Extracted	02/20/04			٠	02/20/04				
Organics Prep			1					•	
Percent Moisture	Method: SM 2	2540G					*		
Percent Moisture	17.1	* %		1.0	02/19/04	JLC1	٠.		
GC Volatiles									
Aromatic Volatile Organics	Prep/Method:	EPA 5030 M	ledium Soil / E	PA 802:	l				
Benzene	ND	ug/kg	59.	1.2	02/19/04 16:3	3	71-43-2		
Ethy1benzene	ND	ug/kg	59.	1.2	02/19/04 16:3	3	100-41-4		
Toluene	ND	ug/kg	59.	1.2	02/19/04 16:3	3	108-88-3		
Xylene (Total)	390	ug/kg	150	1.2	02/19/04 16:3	3	1330-20-7		
a,a,a-Trifluorotoluene (S)	100	*		1.0	02/19/04 16:3	3	98-08-8		

Date: 02/24/04

Page: 5 of 19

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.

