

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Form C-144
June 1, 2004

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

(WFS CLOSURE)

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: BURLINGTON RESOURCES OIL & GAS CO Telephone: _____ e-mail address: _____
Address: 801 CHERRY ST FORT WORTH, TX 76102
Facility or well name: SAN JUAN 27 4 UNIT #019 API #: 30-039-07206 U/L or Qtr/Qtr A SEC 5 T 27N R 4W
County: RIO ARriba Latitude 36 Longitude -107 NAD: 1927 ☒ 1983 ☐
Surface Owner: Federal ☒ State ☐ Private ☐ Indian ☐

Pit

Type: Drilling ☐ Production ☒ Disposal ☐

Workover ☐ Emergency ☐

Lined ☐ Unlined ☒

Liner Type: Synthetic ☒ Thickness _____ mil Clay ☐

Pit Volume 103 bbl

Below-grade tank

Volume: bbl Type of fluid: _____

Construction Material: _____

Double-walled, with leak detection? Yes ☒ If not, explain why not.

Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)

Less than 50 feet
50 feet or more, but less than 100 feet
100 feet or more

(20 points)
(10 points)
(0 points)

0

Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)

Yes
No

(20 points)
(0 points)

0

Distance to surface water: (Horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)

Less than 200 feet
200 feet to 1,000 feet
Greater than 1,000 feet

(20 points)
(10 points)
(0 points)

0


Ranking Score (TOTAL POINTS):

0

If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite ☒ offsite ☐ If offsite, name of facility _____. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface _____ ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments:

Meter: 86335



I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐, a general permit ☐, or an (attached) alternative OCD-approved plan ☒

Date: 9/28/05

Printed Name/Title Mark Harvey for Williams Field Services Signature Mark Harvey

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval: DEPUTY OIL & GAS INSPECTOR, DIST. 3

Printed Name/Title _____ Signature Lenny Zavala

OCT 12 2005
Date: _____

ADDENDUM TO OCD FORM C-144


Operator: BURLINGTON RESOURCES OIL & GAS COMPANY LP

API 30-039-07206


Well Name: SAN JUAN 27 4 UNIT #019

Meter: 86335

Facility Diagram:



Sampling Diagram:



Pit Dimensions

Length 17 Ft.

Width 17 Ft.

Depth 2 Ft.

Location of Pit Center

Latitude 36

Longitude -107

(NAD 1927)

Pit ID

863351

Pit Type

Glycol Dehydrator

Date Closure Started: 12/2/04

Date Closure Completed: 12/3/04

Closure Method: Excavated, Blended, Treated Soil Returned

Bedrock Encountered ? ☒

Cubic Yards Excavated: 84

Vertical Extent of Equipment Reached ? ☐

Description Of Closure Action:

Contaminated soil was removed and treated then returned to the excavation following sampling of the walls and floor.

BEDROCK limited vertical excavation and/or prevented sampling. This condition limits deleterious environmental effects.

Pit Closure Sampling:

Sample ID	Sample Date	Head Space	BTEX Total (mg/kg)	Benzene (mg/kg)	TPH DRO (mg/kg)	Purpose	Location	Depth	
104403DEC04	12/3/04	332	1.563	0	320	EX Confirm	Walls	7	See Risk Analysis
105403DEC04	12/3/04	369	1.168	0.14	30	EX Confirm	Flr	7	See Risk Analysis
194922MAY04	5/22/04		795	180	1300	ASSESS	Flr	3.5	

Lab Project Number: 6089836
Client Project ID: N.M. Pits

Lab Sample No: 607735099 Project Sample Number: 6089836-003 Date Collected: 12/03/04 10:44
Client Sample ID: 104403DEC04 Matrix: Soil Date Received: 12/10/04 09:50

Parameters	Results	Units	Report Limit	DF	Analyzed	By	CAS No.	Qual	RegLmt
------------	---------	-------	--------------	----	----------	----	---------	------	--------

GC Semivolatiles

Total Extractable Hydrocarbons	Prep/Method: OA2 / OA2								
Mineral Spirits	ND	mg/kg	12.		1.2 12/14/04 15:10 RMN1				
Jet Fuel	ND	mg/kg	12.		1.2 12/14/04 15:10 RMN1				
Kerosene	ND	mg/kg	12.		1.2 12/14/04 15:10 RMN1				
Diesel Fuel	ND	mg/kg	12.		1.2 12/14/04 15:10 RMN1		68334-30-5		
Fuel Oil	ND	mg/kg	12.		1.2 12/14/04 15:10 RMN1		68334-30-5		
Motor Oil	ND	mg/kg	12.		1.2 12/14/04 15:10 RMN1				
Total Petroleum Hydrocarbons	320	mg/kg	12.		1.2 12/14/04 15:10 RMN1			1	
n-Tetracosane (S)	102	%			1.0 12/14/04 15:10 RMN1		646-31-1		
p-Terphenyl (S)	107	%			1.0 12/14/04 15:10 RMN1		92-94-4		
Date Extracted	12/13/04				12/13/04				

Organics Prep

Percent Moisture	Method: SM 2540G								
Percent Moisture	14.1	%			1.0 12/13/04	ALJ1			

GC Volatiles

Aromatic Volatile Organics	Prep/Method: EPA 5030 Medium Soil / EPA 8021								
Benzene	ND	ug/kg	58.		1.2 12/13/04 22:05		71-43-2		
Ethylbenzene	63.	ug/kg	58.		1.2 12/13/04 22:05		100-41-4		
Toluene	ND	ug/kg	58.		1.2 12/13/04 22:05		108-88-3		
Xylene (Total)	1500	ug/kg	150		1.2 12/13/04 22:05		1330-20-7		
a,a,a-Trifluorotoluene (S)	60	%			1.0 12/13/04 22:05		98-08-8	2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Lab Project Number: 6089836
Client Project ID: N.M. Pits

Lab Sample No: 607735107 Project Sample Number: 6089836-004 Date Collected: 12/03/04 10:54
Client Sample ID: 105403DEC04 Matrix: Soil Date Received: 12/10/04 09:50

Parameters	Results	Units	Report Limit	DF	Analyzed	By	CAS No.	Qual	ReqLmt
GC Semivolatiles									
Total Extractable Hydrocarbons	Prep/Method: OA2 / OA2								
Mineral Spirits	ND	mg/kg	11.	1.1	12/14/04 15:27	RMN1			
Jet Fuel	ND	mg/kg	11.	1.1	12/14/04 15:27	RMN1			
Kerosene	ND	mg/kg	11.	1.1	12/14/04 15:27	RMN1			
Diesel Fuel	ND	mg/kg	11.	1.1	12/14/04 15:27	RMN1	68334-30-5		
Fuel Oil	ND	mg/kg	11.	1.1	12/14/04 15:27	RMN1	68334-30-5		
Motor Oil	ND	mg/kg	11.	1.1	12/14/04 15:27	RMN1			
Total Petroleum Hydrocarbons	30.	mg/kg	11.	1.1	12/14/04 15:27	RMN1		1	
n-Tetracosane (S)	103	%		1.0	12/14/04 15:27	RMN1	646-31-1		
p-Terphenyl (S)	107	%		1.0	12/14/04 15:27	RMN1	92-94-4		
Date Extracted	12/13/04				12/13/04				

Organics Prep

Percent Moisture	Method: SM 2540G								
Percent Moisture	9.3	%		1.0	12/13/04	ALJ1			

GC Volatiles

Aromatic Volatile Organics	Prep/Method: EPA 5030 Medium Soil / EPA 8021								
Benzene	140	ug/kg	55.	1.1	12/14/04 15:11		71-43-2		
Ethylbenzene	58.	ug/kg	55.	1.1	12/14/04 15:11		100-41-4		
Toluene	ND	ug/kg	55.	1.1	12/14/04 15:11		108-88-3		
Xylene (Total)	970	ug/kg	140	1.1	12/14/04 15:11		1330-20-7		
a,a,a-Trifluorotoluene (S)	89	%		1.0	12/14/04 15:11		98-08-8		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Lab Project Number: 6082900
Client Project ID: NM PITS

Lab Sample No: 607145786 Project Sample Number: 6082900-021 Date Collected: 05/22/04 19:49
Client Sample ID: 194922MAY04 Matrix: Soil Date Received: 05/26/04 09:25

Parameters	Results	Units	Report Limit	DF	Analyzed	By	CAS No.	Qual	RegLmt
------------	---------	-------	--------------	----	----------	----	---------	------	--------

GC Semivolatiles

Total Extractable Hydrocarbons	Prep/Method: OA2 / OA2								
Mineral Spirits	ND	mg/kg	13.	1.3	06/04/04 05:20	MAM			
Jet Fuel	ND	mg/kg	13.	1.3	06/04/04 05:20	MAM			
Kerosene	ND	mg/kg	13.	1.3	06/04/04 05:20	MAM			
Diesel Fuel	ND	mg/kg	13.	1.3	06/04/04 05:20	MAM	68334-30-5		
Fuel Oil	ND	mg/kg	13.	1.3	06/04/04 05:20	MAM	68334-30-5		
Motor Oil	ND	mg/kg	13.	1.3	06/04/04 05:20	MAM			
Total Petroleum Hydrocarbons	1300	mg/kg	13.	1.3	06/04/04 05:20	MAM		1	
n-Tetracosane (S)	144	%		1.0	06/04/04 05:20	MAM	646-31-1		
p-Terphenyl (S)	108	%		1.0	06/04/04 05:20	MAM	92-94-4		
Date Extracted	06/02/04				06/02/04				

Organics Prep

Percent Moisture	Method: SM 2540G								
Percent Moisture	24.8	%		1.0	05/27/04	DPB			

GC Volatiles

Aromatic Volatile Organics	Prep/Method: EPA 5030 Medium Soil / EPA 8021								
Benzene	180000	ug/kg	6500	130	06/01/04 12:27	ARF	71-43-2		
Ethylbenzene	45000	ug/kg	6500	130	06/01/04 12:27	ARF	100-41-4		
Toluene	ND	ug/kg	6500	130	06/01/04 12:27	ARF	108-88-3		
Xylene (Total)	570000	ug/kg	16000	130	06/01/04 12:27	ARF	1330-20-7		
a,a,a-Trifluorotoluene (S)	0	%		1.0	06/01/04 12:27	ARF	98-08-8	2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.