District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210

1000 Rio Brazos Road, Aztec, NM 87410

1220 S. St. Francis Dr., Santa Fe, NM 87505

District III

District IV

Approval:

Printed Name/Title

DEPUTY OIL & GAS INSPECTOR, DIST. &

State of New Mexico Energy Minerals and Natural Resources

Form C-144 June 1, 2004

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe. NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office. For downstream facilities, submit to Santa Fe office

Pit or Below-Grade	Tank Registration or Closure						
	ered by a "general plan"? Yes 🗹 No 🗌	_					
(UF3 CWSUKE) Type of action: Registration of a pit or below	grade tank Closure of a pit or below-grade tank	<u> </u>					
Operator: CONOCOPHILLIPS COMPANY Telephone:	e-mail address:						
Address: PO BOX 2197 HOUSTON, TX 77252							
Facility or well name: <u>SAN JUAN 32 8 UNIT #049</u> API #: <u>30-045-25394</u> U/L or Qtr/Qtr <u>A</u> SEC <u>15</u> T <u>32N</u> R							
County: SAN JUAN Surface Owner: Federal ✓ State ☐ Private ☐ Indian ☐	73 Longitude -107.65658	NAD: 1927 🗹 1983 🗌					
<u>Pit</u>	Below-grade tank						
Type: Drilling Production Disposal	Volume: bbl Type of fluid: Construction Material:						
Workover	Double-walled, with leak detection? Yes If not, ex	plain why not.					
Lined Unlined 🗹	20000 Manou, man rook detection. 100 CES It not, explain why not.						
Liner Type: Synthetic Thickness mil Clay Pit Volume 80 bbl							
Depth to ground water (vertical distance from bottom of pit to seasonal high	Less than 50 feet	(20 points)					
water elevation of ground water.)	50 feet or more, but less than 100 feet 100 feet or more	(10 points) $\underline{0}$ (0 points)					
		(
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) (0 points) <u>0</u>					
Source, or less than 1000 feet from an other water sources.)	140	(o points)					
Distance to surface water: (Horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)					
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet to 1,000 feet Greater than 1,000 feet	(10 points) $\underline{0}$ (0 points)					
	Ranking Score (TOTAL POINTS):	<u>0</u>					
If this is a pit closure: (1)Attach a diagram of the facility showing the pit's rela	I ationship to other equipment and tanks. (2) Indicate disposal	l location: (check the					
onsite box if your are burying in place) onsite 🗹 offsite 🗌 If offsite, name	of facility (3)Attach a g	eneral description of remedial					
action taken including remediation start date and end date. (4)Groundwater encour and attach sample results. (5)Attach soil sample results and a diagram of sample lo		ound surface ft.					
and attach sample results. (3)Attach son sample results and a diagram of sample to	cations and excavations.						
Additional Comments: Meter: 85735							
Additional Comments:	M ORECE 2005 F						
Dec	CONG. ON.						
·	E ST. ON.						
	Co Con Eggs						
I hereby certify that the information above is true and complete to the best of my k	nowledge and belief. I further certify that the above-describe						
tank has been/will be constructed or closed according to NMOCD guidelines	, a general permit , or an (attached) alternative OC	D-approved plan					
Date:9/18/05	MIZING, FOR WES						
Printed Name/Title Mark Harvey for Williams Field Services Signature Signature Printed Name/Title Mark Harvey for Williams Field Services	mature						
Your certification and NMOCD approval of this application/closure does not relie or otherwise endanger public health or the environment. Nor does it relieve the op regulations.							

Signature

ADDENDUM TO OCD FORM C-144


Operator: CONOCOPHILLIPS COMPANY

Well Name: SAN JUAN 32 8 UNIT #049


API 30-045-25394

Meter: <u>85735</u>

Facility Diagram:



Sampling Diagram:



Pit Dimensions

15 Ft.

Width 15 Ft.

Length

2 Ft. Depth

Location of Pit Center

Latitude 36.98864

Longitude -107.6562

(NAD 1927)

Pit ID

857351

Pit Type

Glycol Dehydrator

Date Closure Started: 10/1/04

Closure Method:

Excavated, Blended, Treated Soil Returned

Date Closure Completed: 10/1/04

V **Bedrock Encountered?**

Cubic Yards Excavated: 67

Vertical Extent of Equipment Reached ? \Box

Description Of Closure Action:

Contaminated soil was removed and treated then returned to the excavation following sampling of the walls and floor.

BEDROCK limited vertical excavation and/or prevented sampling. This condition limits deleterious environmental effects.

Pit Closure Sampling:

BTEX TPH Sample ID Sample Head Benzene Purpose Location Depth Date Total DRO Space (mg/kg) (mg/kg) (mg/kg) 123301OCT04 10/1/04 0 0.17 0 EX Confirm Walls 6 124601OCT04 366 0 10/1/04 14.96 0 EX Confirm Flr See Risk Analysis 185409JUL04 7/9/04 661.7 3.7 1800 2.5 ASSESS Flr



607299443

Lab Sample No:

Pace Analytical Services, Inc. 9608 Loiret Blvd. Lenexa, KS 66219

> Phone: 913.599.5665 Fax: 913.599.1759

Lab Project Number: 6084738 Client Project ID: NM PITS

Project Sample Number: 6084738-022

Date Collected: 07/09/04 06:54

Lab campio no. Coressino	gy Ned E	•	TOJECE Sumple	Humbe	1. 0007/3	022	υ,	ace correcte	1. 0//0	3704 00.34	
Client Sample ID: 185409JUL04	Matrix: Soil						Date Received: 07/16/04 12:10				
Parameters	Results	Units	Report Limit	_DF	Anal	yzed	Ву	CAS_No.	Qual	RegLmt	
GC Semivolatiles											
Total Extractable Hydrocarbons	Prep/Method:	0A2 / 0A2									
Mineral Spirits	ND	mg/kg	12.	1.2	07/21/04	05:46	RMN1				
Jet Fuel	ND	mg/kg	12.	1.2	07/21/04	05:46	RMN1				
Kerosene	ND	mg/kg	12.	1.2	07/21/04	05:46	RMN1				
Diesel Fuel	ND	mg/kg	12.	1.2	07/21/04	05:46	RMN1	68334-30-5			
Fuel 011	ND	mg/kg	12.	1.2	07/21/04	05:46	RMN1	68334-30-5			
Motor 0i1	ND	mg/kg	12.	1.2	07/21/04	05:46	RMN1				
Total Petroleum Hydrocarbons	1800	mg/kg	12.	1.2	07/21/04	05:46	RMN1		1		
n-Tetracosane (S)	103	*		1.0	07/21/04	05:46	RMN1	646-31-1			
p-Terphenyl (S)	132	*		1.0	07/21/04	05:46	RMN1	92-94-4			
Date Extracted	07/19/04				07/19/04						
Organics Prep	•										
Percent Moisture	Method: SM 2	540G									
Percent Moisture	19.4	%		1.0	07/19/04		DPB				
GC Volatiles											
TPH Gas/BTEX	Prep/Method:	TPH GRO/BTI	EX / EPA 8021/0	DA1							
Benzene	3700	J ug/kg	5200	103	07/20/04	09:01		71-43-2	2		
Toluene	130000	ug/kg	5200	103	07/20/04	09:01		108-88-3			
Ethylbenzene	28000	ug/kg	5200	103	07/20/04			100-41-4			
Xylene (Total)	500000	ug/kg	13000	103	07/20/04	09:01		1330-20-7			
a,a,a-Trifluorotoluene (S)	95	%		1.0	07/20/04	09:01		98-08-8			
4-Bromofluorobenzene (S)	98	%		1.0	07/20/04	09:01		460-00-4			

Date: 07/30/04

Page: 22 of 56

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.





Pace Analytical Services, Inc. 9608 Loiret Blvd. Lenexa, KS 66219

> Phone: 913.599.5665 Fax: 913.599.1759

Lab Project Number: 6087589 Client Project ID: NM Pits

Lab Sample No: 607545910 Project Sample Number: 6087589-014

Date Collected: 10/01/04 12:46 Date Received: 10/06/04 09:30

	9 f s 12		OJece Sampre	HUMBE	. 000,000	017		acc correcte	a. 10/0	T) 04 TE.4
Client Sample ID: 1246010CT04		Matrix: Soil					Date Received: 10/06/04 09:3			
Parameters	Results	Units	Report Limit	DF	Analyz	ed	Ву	CAS No.	Qual	RegLmt
GC Semivolatiles										
Total Extractable Hydrocarbons	Prep/Method:	OA2 / OA2								
Mineral Spirits	ND	mg/kg	11.	1.1	10/12/04 0	7:39	RMN1			
Jet Fuel	ND	mg/kg	11.	1.1	10/12/04 0	7:39	RMN1			
Kerosene	ND	mg/kg	11.	1.1	10/12/04 0	7:39	RMN1			
Diesel Fuel	ND	mg/kg	11.	1.1	10/12/04 0	7:39	RMN1	68334-30-5		
Fuel 0il	ND	mg/kg	11.	1.1	10/12/04 0	7:39	RMN1	68334-30-5		
Motor 0il	ND	mg/kg	11.	1.1	10/12/04 0	7:39	RMN1			
n-Tetracosane (S)	99	*		1.0	10/12/04 0	7:39	RMN1	646-31-1		
p-Terphenyl (S)	115	*		1.0	10/12/04 0	7:39	RMN1	92-94-4		
Date Extracted	10/11/04				10/11/04			•		
Organics Prep					•					
Percent Moisture	Method: SM 2	540G								
Percent Moisture	11.9	%		1.0	10/08/04		ALJ1	•		
GC Volatiles										
Aromatic Volatile Organics	Prep/Method:	EPA 5030 M	ledium Soil / EF	PA 8021	L					
Benzene	ND	ug/kg	270		10/11/04 1	9:14	ARF	71-43-2		
Ethylbenzene	960	ug/kg	270		10/11/04 1			100-41-4		
Toluene	ND	ug/kg	270		10/11/04 1			108-88-3		
Xylene (Total)	14000	ug/kg	710		10/11/04 1			1330-20-7		
a,a,a-Trifluorotoluene (S)	91	%			10/11/04 1			98-08-8		
					-					

Date: 10/15/04

Page: 13 of 20

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.





607545928

Lab Sample No:

Pace Analytical Services, Inc. 9608 Loiret Blvd.

Lenexa, KS 66219 Phone: 913.599.5665 Fax: 913.599.1759

Lab Project Number: 6087589 Client Project ID: NM Pits

Client Project ID: NM Pit

Matrix: Soil

Project Sample Number: 6087589-015

Date Collected: 10/01/04 12:33

Client Sample ID: 1233010CT04				Matrix:	Soil		Date Received: 10/06/04 09:30		
Parameters	Docults	ilnite	Donont Limit	DE	Analyzad	D.,	CAS No	Ouel Deal mt	
GC Semivolatiles	Results	Units	Report Limit	<u> </u>	Analyzed	Ву	CAS No.	Qual RegLmt	
Total Extractable Hydrocarbons	Prep/Method:	- NA2 / NA2							
Mineral Spirits	ND	mg/kg	12.	121	.0/12/04 07:57	DMN1			
Jet Fuel	ND ND	mg/kg	12.		.0/12/04 07:57 .0/12/04 07:57				
Kerosene	ND		12.		.0/12/04 07:57 .0/12/04 07:57				
Diesel Euel	ND	mg/kg	12.		.0/12/04 07:57 .0/12/04 07:57				
Fuel 011	ND ND	mg/kg							
		mg/kg	12.		.0/12/04 07:57				
Motor 0il	ND	mg/kg	12.		.0/12/04 07:57				
n-Tetracosane (S)	101	*			.0/12/04 07:57				
p-Terphenyl (S)	111	x			.0/12/04 07:57	RMN1	. 92-94-4		
Date Extracted	10/11/04			1	.0/11/04				
Organics Prep							•		
Percent Moisture	Method: SM 2	2540G							
Percent Moisture	16.2	*		1.0 1	.0/08/04	ALJ1			
GC Volatiles									
Aromatic Volatile Organics	Prep/Method:	: EPA 5030 M	edium Soil / El	PA 8021					
Benzene	ND	ug/kg	59.		0/11/04 19:42	ARF	71-43-2		
Ethylbenzene	ND	ug/kg	59.		0/11/04 19:42		100-41-4		
Toluene	ND	ug/kg	59.		0/11/04 19:42		108-88-3		
Xylene (Total)	170	ug/kg	150		10/11/04 19:42 10/11/04 19:42				
a.a.a-Trifluorotoluene (S)	99	ug/kg %	150		10/11/04 19:42 10/11/04 19:42		98-08-8		
a, a, a in in tuoi o to tuene (3)	23	•		1.0 1	10/11/04 19:42	. ARF	30.00.0		

Date: 10/15/04

Page: 14 of 20

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.

