District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210

State of New Mexico Energy Minerals and Natural Resources Form C-144 June 1, 2004

District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office. For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure


| Is pit or below-grade tank cov | ered by a "general plan"? Yes 🗹 No 🗌 | | | | | | |
|---|--|--|--|--|--|--|--|
| (WFS CLOS JAC) Type of action: Registration of a pit or below | v-grade tank Closure of a pit or below-grade tank | V | | | | | |
| Operator: CONOCOPHILLIPS COMPANY Telephone: | e-mail address: | | | | | | |
| Address: PO BOX 2197 HOUSTON, TX 77252 | | | | | | | |
| Facility or well name: SAN JUAN 29 6 UNIT #110 API #: 30-039- | <u>1</u> T <u>29N</u> R <u>6W</u> | | | | | | |
| County: RIO ARRIBA Latitude 36.75€ Surface Owner: Federal ✓ State ☐ Private ☐ Indian ☐ | NAD: 1927 ✓ 1983 🗆 | | | | | | |
| <u>Pit</u> | Below-grade tank | | | | | | |
| Type: Drilling Production Disposal | Volume: bbl Type of fluid: | | | | | | |
| Workover | Construction Material: Double-walled, with leak detection? Yes II If not, ex | nlain why not | | | | | |
| Lined Unlined 🗹 | 2 10, 0, | , | | | | | |
| Liner Type: Synthetic Thickness mil Clay Pit Volume 100 bbl | | | | | | | |
| Depth to ground water (vertical distance from bottom of pit to seasonal high | Less than 50 feet | (20 points) | | | | | |
| water elevation of ground water.) | 50 feet or more, but less than 100 feet 100 feet or more | (10 points) <u>0</u> (0 points) | | | | | |
| Wellhead protection area: (Less than 200 feet from a private domestic water | Yes | (20 points) | | | | | |
| source, or less than 1000 feet from all other water sources.) | No | (0 points) $\underline{0}$ | | | | | |
| Distance to surface water: (Horizontal distance to all wetlands, playas, | Less than 200 feet | (20 points) | | | | | |
| irrigation canals, ditches, and perennial and ephemeral watercourses.) | 200 feet to 1,000 feet Greater than 1,000 feet | (10 points) <u>0</u> (0 points) | | | | | |
| | Greater than 1,000 feet | (0 points) | | | | | |
| | Ranking Score (TOTAL POINTS): | <u>0</u> | | | | | |
| If this is a pit closure: (1)Attach a diagram of the facility showing the pit's reliconsite box if your are burying in place) onsite ✓ offsite ☐ If offsite, name action taken including remediation start date and end date. (4)Groundwater encour and attach sample results. (5)Attach soil sample results and a diagram of sample lo | ntered: No 🗹 Yes 🗌 If yes, show depth below gro | location: (check the eneral description of remedial ound surface ft. | | | | | |
| Additional Comments: | OCT 2005 OCONS. ON. | Meter: <u>85043</u> | | | | | |
| I hereby certify that the information above is true and complete to the best of my k tank has been/will be constructed or closed according to NMOCD guidelines | nowledge and belief. I furthe continue that the describe a general permit on a normal factor of the continue o | ed pit or below-grade D-approved plan | | | | | |
| Date:9/18/05 | | | | | | | |
| Printed Name/Title Mark Harvey for Williams Field Services Sig | gnature, FOR WPS | | | | | | |
| Your certification and NMOCD approval of this application/closure does not relie or otherwise endanger public health or the environment. Nor does it relieve the op regulations. | eve the operator of liablility should the contents of the pit or ta perator of its responsibility for compliance with any other federal | nk contaminate ground water tral, state, or local laws and/or | | | | | |
| Approval: | | OCT 1 9 200 | | | | | |
| Printed Name/Title Sign: | ature Jemy tout | OCT 1 2 200 | | | | | |


ADDENDUM TO OCD FORM C-144

Operator: CONOCOPHILLIPS COMPANY

Well Name: SAN JUAN 29 6 UNIT #110

Sampling Diagram:





Pit Dimensions

Length 15 Ft.

Width 15 Ft.

Depth 2.5 Ft. **Location of Pit Center**

Latitude 36.75685

Longitude -107.41096

(NAD 1927)

Pit ID

API 30-039-21440

Meter: 85043

850431

Pit Type

Other

Date Closure Started: 6/16/04

Closure Method:

Pushed In

Date Closure Completed: 6/16/04

Bedrock Encountered?

Cubic Yards Excavated:

Vertical Extent of Equipment Reached?

Description Of Closure Action:

The pit was assessed and sampled in accordance with NMOCD guidelines. Based on assessment findings, the pit was backfilled.

Pit Closure Sampling:

Sample ID

Sample Date

Head Space **BTEX** Total

Benzene (mg/kg)

TPH DRO (mg/kg) Purpose

Location Depth

161714MAY04

5/14/04

(mg/kg)

0

290 ASSESS Flr

3.5



Pace Analytical Services, Inc. 9608 Loiret Blvd. Lenexa, KS 66219

> Phone: 913.599.5665 Fax: 913.599.1759

Lab Project Number: 6082624

Client Project ID: N.M. Pit Program

Lab Sample No: 607121415 Client Sample ID: 161714MAY04 Project Sample Number: 6082624-023

Matrix: Soil

Date Collected: 05/14/04 16:17

Date Received: 05/18/04 09:05

| Citent Sample ID: 161/14MAY04 | 48m' K | | | Matrix: Soil | | | | Date Receive | a: 05/1 |)5/18/04 09:0 |
|--------------------------------|--------------|-----------|-----------------|--------------|------------|-------|------|--------------|---------|---------------|
| Parameters | Results | Units | Report Limit | DF | Analy | zed | Ву | CAS No | Qual | RegLmt |
| GC Semivolatiles | | | | | | | | | | |
| Total Extractable Hydrocarbons | Prep/Method: | 0A2 / 0A2 | 2 | | | | | | | |
| Mineral Spirits | ND | mg/kg | 11. | 1.1 | 05/22/04 (| 03:19 | DCKI | | | |
| Jet Fuel | ND | mg/kg | 11. | 1.1 | 05/22/04 (| 03:19 | DCKI | | | |
| Kerosene | ND | mg/kg | 11. | 1.1 | 05/22/04 (| 03:19 | DCKI | | | |
| Diesel Fuel | 290 | mg/kg | 11. | 1.1 | 05/22/04 (| 03:19 | DCKI | 68334-30-5 | 5 | |
| Fuel 011 | · ND | mg/kg | 11. | 1.1 | 05/22/04 (| 03:19 | DCKI | 68334-30-5 | , | |
| Motor Oil | ND | mg/kg | 11. | 1.1 | 05/22/04 (| 03:19 | DCKI | | | |
| n-Tetracosane (S) | 71 | % | | 1.0 | 05/22/04 | 03:19 | DCKI | 646-31-1 | | |
| p-Terphenyl (S) | 109 | . % | | 1.0 | 05/22/04 | 03:19 | DCKI | 92-94-4 | | |
| Date Extracted | 05/21/04 | | | | 05/21/04 | | | | * | |
| Organics Prep | | | | | | | | | | |
| Percent Moisture | Method: SM 2 | 540G | | | | | | | | |
| Percent Moisture | 12.2 | × | | 1.0 | 05/21/04 | | DPB | | | |
| GC Volatiles | | | | | | | | | | |
| Aromatic Volatile Organics | Prep/Method: | EPA 5030 | Medium Soil / E | PA 802 | 1 | | | | | |
| Benzene | , ND | ug/kg | 57. | | 05/20/04 | 17:03 | ARF | 71-43-2 | | |
| Ethylbenzene | ND | ug/kg | 57. | 1.1 | 05/20/04 | 17:03 | ARF | 100-41-4 | | |
| Toluene | ND | ug/kg | 57. | 1.1 | 05/20/04 | 17:03 | ARF | 108-88-3 | | |
| Xylene (Total) | ND | ug/kg | 140 | 1.1 | 05/20/04 | 17:03 | ARF | 1330-20-7 | | |
| a,a,a-Trifluorotoluene (S) | 94 | * | | 1.0 | 05/20/04 | 17:03 | ARF | 98-08-8 | | |

Date: 05/28/04

Page: 23 of 41

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.

