

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
Budget Bureau No. 1004-0135  
Expires: March 31, 1993

**SUNDRY NOTICES AND REPORTS ON WELLS**

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.  
Use "APPLICATION FOR PERMIT -" for such proposals

**SUBMIT IN TRIPLICATE**

RECEIVED

OTO FARMINGTON

1. Type of Well

☐ Oil Well

☐ Gas Well

☒ Other

Water Source Well

2. Name of Operator

Dugan Production Corp.

3. Address and Telephone No.

P.O. Box 420, Farmington, NM 87499 (505) 325 - 1821

Location of Well (Footage, Sec., T., R., M., or Survey Description)

2200' FSL & 1400' FEL  
Sec. 28, T26N, R13W, NMPM

5. Lease Designation and Serial No.

SF 078091

6. If Indian, Allotted or Tribe Name

7. If Unit or CA, Agreement Designation

West Bisti Unit

8. Well Name and No.

West Bisti Unit #131

9. API Well No.

30 045 13403

10. Field and Pool, or Exploratory Area

Menefee Mesaverde

11. County or Parish, State

San Juan, NM

**12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA**

TYPE OF SUBMISSION

TYPE OF ACTION

☒ Notice of Intent

☒ Abandonment

☐ Change of Plans

☐ Subsequent Report

☐ Recompletion

☐ New Construction

☐ Final Abandonment Notice

☐ Plugging Back

☐ Non-Routine Fracturing

☐ Casing Repair

☐ Water Shut-Off

☐ Altering Casing

☐ Conversion to Injection

☐ Other

☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

**13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)**

1. Set CIBP @ 2,020' & cap with 50' cement.

→ Plug Perforated Cliffs 1319'-1219'

2. Perf 7" casing @ 1,000'. Spot a cement plug from 1,355'-950'. (Fruitland)

3. Perf 7" casing @ 150'. Est circulation our bradnhead.

4. Spot a cement plug from 150' - surface inside & outside 7" casing.

5. Install P&A marker.



**14. I hereby certify that the foregoing is true and correct**

Signed

*Darin Steed*  
Darin Steed

Title

Petroleum Engineer

Date

10/19/2005

(This space for Federal or State office use)

Approved by

Original Signed: Stephen Mason

Title

Date

NOV 02 2005

Conditions of approval, if any: