

**UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT**

Sundry Notices and Reports on Wells

2005 NOV 10 11 3 17

1. Type of Well  
GAS

2. Name of Operator  
**BURLINGTON**  
RESOURCES OIL & GAS COMPANY LP

3. Address & Phone No. of Operator  
PO Box 4289, Farmington, NM 87499 (505) 326-9700

4. Location of Well, Footage, Sec., T, R, M  
Sec., T--N, R--W, NMPM

Unit O (SWSE), 105' FSL &amp; 1900' FEL, Sec. 8, T28N, R9W, NMPM

5. Lease Number  
NMNM-01772-A  
6. If Indian, All. or  
Tribe Name

7. Unit Agreement Name


8. Well Name &amp; Number

REID #11  
9. API Well No.

30-045-07536

10. Field and Pool

Aztec Pictured Cliffs  
11. County and State  
San Juan Co., NM

**12. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OTHER DATA**

Type of Submission	Type of Action	
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment	<input type="checkbox"/> Change of Plans
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion	<input type="checkbox"/> New Construction
<input type="checkbox"/> Final Abandonment	<input type="checkbox"/> Plugging	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Water Shut off
	<input type="checkbox"/> Altering Casing	<input type="checkbox"/> Conversion to Injection

☒ Other - Restimulation

**13. Describe Proposed or Completed Operations**

10/4/05 MIRU Aztec #521. ND WH, NU BOP, TOO H w/tubing. TIH w/5-1/2" RPB & set @ 2210'. Load csg and PT casing to 1150 psi/15 min. OK. ND BOP, ND WH, NU Flange Type 3000 WH. ND BOP. ND WH, NU WH & PT to 3500 psi/30 min. OK. TIH & latch on RBP. Release & TOO H w/RBP. ND BOP, NU Frac Head and valve. RD & released rig 10/5/05.

10/20/05 RU Schlumberger to frac PC interval. Broke down formation with 10,080 gal 20# Linear 70% N2 foam and 75,000 # 20/40 Ottawa sand & 259,700 scf N2. RD Schlumberger & RU to flowback. Flowed back for 2 days. RD & released flowback crew.

10/31/05 MIRU Aztec #521. Kill well and ND frac head. NU BOP, TIH w/2-3/8" tubing and tagged fill @ 2270'. Est. circulation w/air & mist. C/O to PBD @ 2310'. Flowed naturally and then circ. w/air & mist C/O fill for 6 more days. 11/7/05 TIH & tagged PBD. Broach tbg to seating nipple. PU and land 74 jts 2-3/8", 4.7# J-55 tbg @ 2258'. ND BOP, NU WH. Pumped off expendable check. RD & released rig on 11/7/05.

**14. I hereby certify that the foregoing is true and correct.**Signed Patsy Clugston Patsy ClugstonTitle Sr. Regulatory Specialist **ACCEPTED FOR RECORD**

(This space for Federal or State Office use)

APPROVED BY \_\_\_\_\_ Title \_\_\_\_\_

CONDITION OF APPROVAL, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

NOV 16 2005  
FARMINGTON FIELD OFFICE  
BY [Signature]

**NMOCD**