District I 1625 N. Freach Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe. NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe

Form C-144

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes 🔀 No 🗌 Type of action: Registration of a pit or below-grade tank \(\subseteq \) Closure of a pit or below-grade tank \(\subseteq \) Operator: BP America Production Company Telephone: (505)326-9200 e-mail address: Address: 200 Energy Ct, Farmington, NM 87401 Facility or well name: GU API#: 3004525/72 U/Lor Qu/Qtr A County: San Juan NAD: 1927 🔲 1983 🔲 Latitude Longitude Surface Owner: Federal

State

Private

Indian Pit Below-grade tank Type: Drilling Production X Disposal Volume: _____bbl Type of fluid: _____ Workover ☐ Emergency ☐ Construction material: Lined Unlined U Double-walled, with leak detection? Yes If not, explain why not. Liner type: Synthetic Thickness ____mil Clay Pit Volume Less than 50 feet (20 points) Depth to ground water (vertical distance from bottom of pit to seasonal 50 feet or more, but less than 100 feet (10 points) high water elevation of ground water.) 100 feet or more (0 points) Yes (20 points) Wellhead protection area: (Less than 200 feet from a private domestic No (0 points) water source, or less than 1000 feet from all other water sources.) Less than 200 feet (20 points) Distance to surface water: (horizontal distance to all wetlands, playas, 200 feet or more, but less than 1000 feet (10 points) irrigation canals, ditches, and perennial and ephemeral watercourses.) 1000 feet or more (0 points) Ranking Score (Total Points) If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite offsite for If offsite, name of facility (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No TYes Afres, show depth below ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations Additional Comments: See Attached Documentation I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines 🔀, a general permit 🔲, or an (attached) alternative OCD-approved plan 🔲. Date: 11/01/2005 Printed Name/Title Jeffrey C. Blagg, Agent Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations. NOV 18 2005 ETUN OLG CA MATERIAL OST. A Approval: Printed Name/Title

District I

O. Box 1980, Hobbs, NM

District II

O. Drawer DD, Artesia, NM 88211

CO Rio Brazos Rd, Azzoc, NM 87410

State of New Mexico Energy, Minerals and Natural Resources Department

SUBMIT 1 COPY TO APPROPRIATE DISTRICT OFFICE AND 1 COPY TO SANTA FE OFFICE

OIL CONSERVATION DIVISION
P.O. Box 2088
Santa Fe, New Mexico 87504-2088

PIT REMEDIATION AND CLOSURE REPORT

Operators	Amoco Production Company	Telephone: (505) · 326-9200			
					
Address:	200 Amoco Court, Farmington	New Mexico 87401			
Facility Or:	GCU # 192E				
Location: Unit or Qtr/Qtr Sec A Sec 30 TZ8N R (ZW County SAN JUAN) ABANDONED					
Pit Type: Separator Dehydrator Other					
Land Type: BLM, State, Fee, Other_NAUATO					
t Location: .tach diagram)	Reference: wellhead X Footage from reference:	NA , width NA , depth NA , other			
Depth To Groun (Vertical distance contaminants to s high water elevat ground water)	e from easonal ion of	Less than 50 feet (20 points) 50 feet to 99 feet (10 points) Greater than 100 feet (0 Points)			
Wellhead Protection Area: (Less than 200 feet from a private domestic water source, or; less than 1000 feet from all other water sources)		Yes (20 points) No (0 points)			
Distance To Surface Water: orizontal distance to perennial akes, ponds, rivers, streams, creeks, irrigation canals and ditches)		Less than 200 feet (20 points) 200 feet to 1000 feet (10 points) Greater than 1000 feet (0 points)			
		RANKING SCORE (TOTAL POINTS):			

Date Remediation Started:		Date Completed: 3/27/00
-mediation Method:	i	Approx. cubic yards NA
heck all appropriate	Landfarmed	Insitu Bioremediation
	Other CLOSE AS	15 .
Remediation Location (ie. landfarmed onsite, name and location of offsite facility)	1,8	ite
General Description		
Excavation	on BEDROCK BOTTOM	- Permanent custile Requested.
	· · · · · · · · · · · · · · · · · · ·	
Ground Water Encoun	tered: No	Yes Depth
Final Pit:	Sample location	see Attached Documents
Closure Sampling: (if multiple samples, attach sample results		Note taken.
and diagram of sample locations and depths)	Sample depth	· · · · · · · · · · · · · · · · · · ·
Totalions and depensy	Sample date	Sample time
	Sample Results	
	Benzene(ppm) _	
	Total BTEX(ppm	n)
	Field headspac	ce(ppm)
	трн	<u> </u>
	٠ ,	
Ground Water Sample	: Yes No √	(If yes, attach sample results)
I HEREBY CERTIFY TH	AT THE INFORMATION A	ABOVE IS TRUE AND COMPLETE TO THE BEST
OF MY KNOWLEDGE AND	BELIEF	
DATE 317100	PRINTED N	NAME Buddy D. Shaw
SIGNATURE /2/12	naw AND TITLE	Faviore of Constant

CLIENT: AMOCO BLAGG ENGINEERING, I P.O. BOX 87, BLOOMFIELD, N (505) 632-1199		C.O.C. NO:				
FIELD REPORT: CLOSURE VERIFIC	CATION	PAGE No: of				
LOCATION: NAME: GC. WELL #: 192E PIT: ABRA QUAD/UNIT: A SEC: 30 TWP: 280 RNG: 12W PM: Wm CNTY:		DATE STARTED: 3/27/00 DATE FINISHED:				
QTR/FOOTAGE: 800 N/1110'E NENE CONTRACTOR: FLINT		ENVIRONMENTAL SPECIALIST:				
EXCAVATION APPROX. NA FT. x NA FT. x NA FT. DEEP. CUBIC YARDAGE: NA						
DISPOSAL FACILITY: SN-5,TE REMEDIATION METHOD: CLOSE AS 15						
LAND USE: LANGE LEASE: I 149-WD-8470 FORMATION: OK						
FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY						
DEPTH TO GROUNDWATER: >100' NEAREST WATER SOURCE: >100' N						
NMOCD RANKING SCORE: NMOCD TPH CLOSURE STD: 5000 PPM		✓ PIT ABANDONED				
	i i	STEEL TANK INSTALLED FIBERGLASS TANK INSTALLED				
PRIZ TO MED! HELL. BROWN SAMD, NOW CONTESTUR, SLIGHTLY NO						
OBERUED OR HE ODOR DETECTED PHYSICALLY. LECOMMEND	<i>جود الا</i>	5 15 ,				
EXPOSED						
	<u>ĻCULATIONS</u>					
FIELD 418.1 CAI TIME SAMPLE I.D. LAB NO: WEIGHT (g)		DILUTION READING CALC. ppm				
APPROX. 4'BGS FIELD 418.1 CAI		DILUTION READING CALC. ppm				
FIELD 418.1 CAI TIME SAMPLE I.D. LAB NO: WEIGHT (g)		DILUTION READING CALC. ppm				
FIELD 418.1 CAL TIME SAMPLE I.D. LAB NO: WEIGHT (g) SCALE O FT PIT PERIMETER N						
FIELD 418.1 CAI TIME SAMPLE I.D. LAB No: WEIGHT (g) SCALE O FT	mL. FREON					