District II

1301 W. Grand Avenue, Artesia, NM 88210

District III 1000 Rio Brazos Road, Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico **Energy Minerals and Natural Resources**

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office. For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

Pit or Below-Grade Tank Registration or Closure Is pit or below-grade tank covered by a "general plan"? Yes V No


(WF3 C-0,JAE) Type of action: Registration of a pit or below		$\checkmark$						
Operator: CONOCOPHILLIPS COMPANY Telephone:	e-mail address:							
Address: PO BOX 2197 HOUSTON, TX 77252								
Facility or well name: SAN JUAN 29 5 UNIT #025A API #: 30-039-2	21556 U/L or Qtr/Qtr <u>O</u> SEC	<u>18</u> T <u>29N</u> R <u>5W</u>						
County: RIO ARRIBA Latitude 36.432	239 Longitude -107.23758	NAD: 1927 🗹 1983 🗌						
Surface Owner: Federal ✓ State ☐ Private ☐ Indian ☐								
<u>Pit</u>	Below-grade tank							
Type: Drilling Production Disposal	Volume: bbl Type of fluid:  Construction Material:	•						
Workover	Double-walled, with leak detection? Yes If not, exp	plain why not.						
Lined Unlined 🗹		,						
Liner Type: Synthetic Thickness mil Clay								
Pit Volume 200 bbl								
Depth to ground water (vertical distance from bottom of pit to seasonal high	Less than 50 feet	(20 points)						
water elevation of ground water.)	50 feet or more, but less than 100 feet 100 feet or more	(10 points) <u>0</u> (0 points)						
		(c F2)						
Wellhead protection area: (Less than 200 feet from a private domestic water	Yes	(20 points) <u>0</u>						
source, or less than 1000 feet from all other water sources.)	No	(0 points) U						
Distance to surface water: (Horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)						
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet to 1,000 feet Greater than 1,000 feet	(10 points) $\underline{0}$ (0 points)						
· · · · · · · · · · · · · · · · · · ·								
	Ranking Score (TOTAL POINTS):	<u>0</u>						
If this is a pit closure: (1)Attach a diagram of the facility showing the pit's relationsite box if your are burying in place) onsite ✓ offsite ☐ If offsite, name	ationship to other equipment and tanks. (2) Indicate disposal	•						
onsite box if your are burying in place) onsite offsite. If offsite, name of facility action taken including remediation start date and end date. (4)Groundwater encountered:  No Ves If yes, show depth below ground surfaceft.								
and attach sample results. (5)Attach soil sample results and a diagram of sample locations and excavations.								
Additional Comments:		Meter: 85046						
ON CONS CO								
	ON CONS ON.							
	\$\tag{\chi_{\chi\ti}{\chi_{\chi_{\chi_{\chi_{\chi_{\chi_{\chi_{\chi_{\chi_{\chi}\chi_{\chi_{\chi_{\chi_{\chi_{\chi_{\chi_{\chi_{\chi_{\chi_{\chi\ti}}\chi_{\chi_{\chi_{\chi_{\chi_{\chi\ti}}\chi_{\chi_{\chi\ti}\chi_{\chi_{\chi_{\chi_{\chi_{\chi_{\chi_{\chi_{\chi_{\chi_{\chi\tinggn\chi_{\chi_{\chi_{\chi_{\chi_{\chi_{\chi_{\chi}\tinmbr\chi\ting{\chi_{\chi_{\chi_{\chi}\tinmbr\chi\ting{\chi_{\chi_{\chi\tinmbr\chi_{\chi_{\chi_{\chi}\chi_{\chi}\chi_{\chi}\chi_{\chi}\chi\tinmbr\chi							
I hereby certify that the information above is true and complete to the best of my k	nowledge and helief. I further settly that the above describe	d nit or below grade						
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines, a general permit, or an (attached) alternative OCD-approved plan								
1								
Date: 9/18/05  Printed Name/Title No. 1 V. C. William File 110								
	gnature							
Your certification and NMOCD approval of this application/closure does not relieve the operator of liablility should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.								
Approval:	• • • •	OCT 1 2 2005						
Printed Name/Title Signa	ature Denny trend	Date:						

## **ADDENDUM TO OCD FORM C-144**


Operator: CONOCOPHILLIPS COMPANY

Well Name: SAN JUAN 29 5 UNIT #025A

**Facility Diagram:** 



Sampling Diagram:



Pit Dimensions

15 Ft.

Width 25 Ft.

Length

Depth <u>3</u> Ft.

**Location of Pit Center** 

Latitude 36.43226

Longitude -107.23756

(NAD 1927)

Pit ID

API 30-039-21556

Meter: <u>85046</u>

<u>850461</u>

Pit Type

<u>Unknown</u>

Date Closure Started: 6/2/04

**Closure Method:** 

Pushed In

**Date Closure Completed:** 6/24/04

Bedrock Encountered?

**Cubic Yards Excavated:** 

Vertical Extent of Equipment Reached ?  $\Box$ 

**Description Of Closure Action:** 

The pit was assessed and sampled in accordance with NMOCD guidelines. Based on assessment findings, the pit was backfilled.

Pit Closure Sampling:

Sample ID

Sample Date Head Space BTEX Total (mg/kg) Benzene (mg/kg)

TPH DRO Purpose

Location Depth

(mg/kg)

105430MAR04

3/30/04

\_

) | |

ASSESS

Flr

3



606962587

Lab Sample No:

Pace Analytical Services, Inc.

9608 Loiret Blvd. Lenexa, KS 66219

Phone: 913.599.5665 Fax: 913.599.1759

Lab Project Number: 6080880

Project Sample Number: 6080880-006

Client Project ID: N.M. Pit Program

Matrix: Soil Client Sample ID: 105430MAR04

Date Collected: 03/30/04 10:54 Date Received: 03/31/04 09:45

•									
Parameters	Results	Units	Report Limit	<u>DF</u>	Analyzed	Ву	CAS_No	Qua1	RegLmt
GC Semivolatiles									
Total Extractable Hydrocarbons	Prep/Method:	OA2 / OA2							
Mineral Spirits	ND	mg/kg	11.	1.1	04/03/04 03:28	RMN1			•
Jet Fuel	ND	mg/kg	11.	1.1	04/03/04 03:28	RMN1			
Kerosene	ND	mg/kg	11.	1.1	04/03/04 03:28	RMN1			
Diesel Fuel	31.	mg/kg	11.	1.1	04/03/04 03:28	RMN1	68334-30-5		
Fuel 011	ND	mg/kg	11.	1.1	04/03/04 03:28	RMN1	68334-30-5		
Motor 0il	ND	mg/kg	11.	1.1	04/03/04 03:28	RMN1			
n-Tetracosane (S)	100	*		1.0	04/03/04 03:28	RMN1	646-31-1		
p-Terphenyl (S)	105	*		1.0	04/03/04 03:28	RMN1	92-94-4		
Date Extracted	04/02/04				04/02/04				
Organics Prep									
Percent Moisture	Method: SM 2	540G							
Percent Moisture	8.8	<b>%</b>		1.0	04/01/04	DPB			
GC Volatiles	á .								
Aromatic Volatile Organics	Prep/Method:	EPA 5030 M	edium Soil / EF	A 802	1				
Benzene	NĐ	ug/kg	55.	1.1	04/02/04 19:46	,	71-43-2		
Ethylbenzene	ND	ug/kg	<b>55</b> .	1.1	04/02/04 19:46	;	100-41-4		
Toluene	ND	ug/kg	55.	1.1	04/02/04 19:46	;	108-88-3		
Xylene (Total)	ND	ug/kg	140.	1.1	04/02/04 19:46	<b>.</b>	1330-20-7		
a,a,a-Trifluorotoluene (S)	96	*		1.0	04/02/04 19:46		98-08-8		

Date: 04/06/04

Page: 6 of 30

## **REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.

