District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410

1220 S. St. Francis Dr., Santa Fe, NM 87505

District IV

State of New Mexico Energy Minerals and Natural Resources

Form C-144 June 1, 2004

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

	LIPS COMPANY Telephone: e-mail address:							
Address: POBOX 2197 HOUSTON, TX 77252 Facility or well name: SAN JUAN 29 6 UNIT #021A API #: 30-039-21567 U/L or Qtr/Qtr P SEC 11 T 29N R 6W County: RIO ARRIBA Surface Owner: Federal State Private Indian PIt Type: Drilling Production Disposal Disposal Disposal Dulling Disposal Dusposal Dulling Disposal Dusposal Du	·							
Facility or well name: SAN JUAN 29 6 UNIT #021A API #: 30-039-21567 U/L or Qur/Qtr P SEC 11 T 29N R 6W County: RIO ARRIBA Surface Owner: Federal State Private Indian Pit Type: Drilling Production Disposal State Disposal Disposal Double-walled, with leak detection? Yes If not, explain why not. Below-grade tank Volume Disposal Double-walled, with leak detection? Yes If not, explain why not. Below-grade tank Volume Disposal Double-walled, with leak detection? Yes If not, explain why not. Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.) Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.) Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.) Wellhead protection area: (Less than 200 feet from all other water sources.) Distance to surface water: (Horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.) Distance to surface water: (Horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.) Distance to surface water: (Horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.) Depth to ground water (Horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.) Depth to ground water (Horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.) Depth to ground water (Horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.) Distance to surface water: (Horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.) Distance to surface water: (Horizontal distance								
County: RIO ARRIBA Surface Owner: Federal State Private Indian Pit Type: Drilling Production Production Disposal State Private Indian Indian Indian Private Indian Indi	<u>DUSTON, TX 77252</u>							
Surface Owner: Federal State Private Indian Pit	<u>IJUAN 29 6 UNIT #021A</u> API #: <u>30-039-21567</u> U/L or Qtr/Qtr <u>P</u> SEC <u>11</u> T <u>29N</u> R <u>6W</u>							
Volume: bbl Type of fluid: Construction Material: Double-walled, with leak detection? Yes If not, explain why not.	Doinglide 107:12037							
Workover Emergency Construction Material: Double-walled, with leak detection? Yes If not, explain why not. Lined Unlined Value Unlined Value Unlined Value Vertical distance from bottom of pit to seasonal high water elevation of ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.) Less than 50 feet 50 feet or more, but less than 100 feet (10 points) (10	Below-grade tank							
Double-walled, with leak detection? Yes If not, explain why not. Double-walled, with leak detection? Yes If not, explain why not.								
Liner Type: Synthetic Thickness mil Clay Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.) Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.) Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.) Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.) Distance to surface water: (Horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.) Distance to surface water: (Horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.) Ranking Score (TOTAL POINTS): Q Ranking Score (TOTAL POINTS): Q Hathis is a pit closure: (1)Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite offsite if offsite, name of facility (3)Attach a general description of remedial action taken including remediation start date and end date. (4)Groundwater encountered: No Yes if yes, show depth below ground surface and attach sample results. (5)Attach soil sample results and a diagram of sample locations and excavations.	Workover L. Emergency							
Pit Volume 200 bbl Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.) Less than 50 feet 50 feet or more, but less than 100 feet 100 points) (10 points) (20 points) (10 points) (20 points) (10 points) (20 points) (30 feet to 1,000 feet (6) points) (9 points) (10 points) (10 points) (10 points) (20 points) (3) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite forfisite forfisite, name of facility (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No yes fiyes, show depth below ground surface and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations	Double-walled, with leak detection? Yes 🔳 If not, explain why not.							
water elevation of ground water.) 50 feet or more, but less than 100 feet 100 feet or more (10 points) 0 Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.) Distance to surface water: (Horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.) Less than 200 feet 200 feet 200 feet 100 feet 100 feet 100 feet 100 feet 100 points) 0 Ranking Score (TOTAL POINTS): 11 this is a pit closure: 11 Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite offsite for fisite, name of facility 12 and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations								
Source, or less than 1000 feet from all other water sources.) No (0 points) (2) Distance to surface water: (Horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.) Ranking Score (TOTAL POINTS): (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite offsite if offsite, name of facility is offsite. The formula of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite offsite if offsite, name of facility is offsite. The formula of facility is offsite is offsite. If offsite, name of facility is offsite. The formula of facility is offsite is offsite. The formula of facility is offsite is offsite. The formula of facility is offsite. The facility is offsite. The formula of facility is offsite. The formula of facility is offsite. The facility is offsite. The fac	fer.) 50 feet or more, but less than 100 feet (10 points) 0							
irrigation canals, ditches, and perennial and ephemeral watercourses.) 200 feet to 1,000 feet Greater than 1,000 feet (0 points) Ranking Score (TOTAL POINTS): 1 this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite offsite offsite, name of facility action taken including remediation start date and end date. (4) Groundwater encountered: No Yes If yes, show depth below ground surface and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations	· · · · · · · · · · · · · · · · · · ·							
If this is a pit closure: (1)Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite offsite. If offsite, name of facility (3)Attach a general description of remedial action taken including remediation start date and end date. (4)Groundwater encountered: No Yes If yes, show depth below ground surface and attach sample results. (5)Attach soil sample results and a diagram of sample locations and excavations.	perennial and ephemeral watercourses.) 200 feet to 1,000 feet (10 points) 0							
onsite box if your are burying in place) onsite offsite If offsite, name of facility (3)Attach a general description of remedial action taken including remediation start date and end date. (4)Groundwater encountered: No Ves If yes, show depth below ground surface and attach sample results. (5)Attach soil sample results and a diagram of sample locations and excavations.	Ranking Score (TOTAL POINTS): <u>0</u>							
OCT 2005	onsite box if your are burying in place) onsite offsite if offsite, name of facility action taken including remediation start date and end date. (4)Groundwater encountered: No very results, show depth below ground surface fit. and attach sample results. (5)Attach soil sample results and a diagram of sample locations and excavations.							
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines, a general permit, or an (attached) alternative OCD-approved plan								
Date:9/18/05								
Date:9/18/05 Printed Name/Title Mark Harvey for Williams Field Services Signature Signature								
Your certification and NMOCD approval of this application/closure does not relieve the operator of liablility should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.	Harvey for Williams Field Services Signature MI LJub, For WPS							
Approval: OFFUTY OR & GAS INSPECTOR, DIST. 43	Harvey for Williams Field Services Signature D approval of this application/closure does not relieve the operator of liablility should the contents of the pit or tank contaminate ground water							

ADDENDUM TO OCD FORM C-144

Operator: CONOCOPHILLIPS COMPANY	API <u>30-039-21567</u>									
Well Name: SAN JUAN 29 6 UNIT #021A	Meter: <u>85079</u>									
Facility Diagram:	Sampling Diagram: X=Sample Collection Locations									
Pit DimensionsLocation of Pit CenterLength 25Ft. Latitude 36.73518M Width 15Ft. Longitude -107.42667M Depth 3Ft. (NAD 1927)	Pit ID 850791 Pit Type Separator									
Date Closure Started: 7/1/04 Closure Method: Pushed In	Date Closure Completed: 7/8/04 Bedrock Encountered? Cubic Yards Excavated: Vertical Extent of Equipment Reached?									
Description Of Closure Action: The pit was assessed and sampled in accordance with NMOCD guidelines. Based on	assessment findings, the pit was backfilled.									
Pit Closure Sampling:										
Sample ID Sample Head BTEX Benzene TPH Purpose Location Date Space Total (mg/kg) DRO (mg/kg) (mg/kg)										
130214NOV02 11/14/02 0 0 0 ASSESS	3									



Pace Analytical Services, Inc.

9608 Loiret Blvd. Lenexa, KS 66219

Phone: 913.599.5665 Fax: 913.599.1759

Lab Project Number: 6064930

Client Project ID: PHILLIPS PIT PROGRAM

Lab Sample No: 605613868
Client Sample ID: 130214N0V02

Project Sample Number: 6064930-025

Date Collected: 11/14/02 13:02
Date Received: 11/19/02 09:00

Client Sample ID: 130214NOV02			Matrix: Soil				Date Received: 11/19/02 09:00		
Parameters_	Results	Units	Report Limit	DF	Analyzed	Ву	CAS No.	Qual RegLmt	
GC Semivolatiles									
Total Extractable Hydrocarbons	Prep/Method:	OA2 / OA2							
Mineral Spirits	ND	mg/kg	12.	1.2	11/22/02 00:58	SEC			
Jet Fuel	ND	mg/kg	12.	1.2	11/22/02 00:58	SEC			
Kerosene	ND	mg/kg	12.	1.2	11/22/02 00:58	SEC			
Diesel Fuel	ND	mg/kg	12.	1.2	11/22/02 00:58	SEC	68334-30-5		
. Fuel Oil	ND	mg/kg	12.	1.2	11/22/02 00:58	SEC	68334-30-5		
Motor Oil	ND	mg/kg	12.	1.2	11/22/02 00:58	SEC			
n-Tetracosane (S)	105	%		1.0	11/22/02 00:58	SEC	646-31-1		
p-Terphenyl (S)	115	%		1.0	11/22/02 00:58	SEC	92-94-4		
Date Extracted	11/20/02				11/20/02				
Organics Prep							•		
Percent Moisture	Method:				•				
Percent Moisture	19.1	%		1.0	11/21/02	MAM			
GC Volatiles									
Aromatic Volatile Organics	Prep/Method:	EPA 5030 M	ledium Soil / El	PA 8021					
Benzene	ND	ug/kg	61.	1.2	11/22/02 04:00		71-43-2		
Ethylbenzene	ND	ug/kg	61.	1.2	11/22/02 04:00		100-41-4		
Toluene	ND	ug/kg	61.	1.2	11/22/02 04:00		108-88-3		
Xylene (Total)	ND	ug/kg	150	1.2	11/22/02 04:00		1330-20-7		
a,a,a-Trifluorotoluene (S)	89	%		1.0	11/22/02 04:00		98-08-8		

Date: 11/26/02

Page: 25 of 42

REPORT OF LABORATORY ANALYSIS