District I 1625 N. French Dr., Hobbs, NM 88240 District II

District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Form C-144 June 1, 2004

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office. For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure


Is pit or below-grade tank covered by a "general plan"? Yes V No								
Type of action: Registration of a pit or below	r-grade tank Closure of a pit or below-grade tank	<u>V</u>						
Operator: <u>BURLINGTON RESOURCES OIL & GAS CO</u> Telephone:	e-mail address:							
Address: 801 CHERRY ST FORT WORTH, TX 76102								
Facility or well name: SAN JUAN 27 4 UNIT #013A API #: 30-039-7	$\frac{20983}{\text{U/L or Qtr/Qtr}} \qquad \frac{\text{O}}{\text{SEC}}$	20 T 27N R 4W						
County: RIO ARRIBA Surface Owner: Federal ✓ State ☐ Private ☐ Indian ☐	Longitude 107	NAD: 1927 ☑ 1983 ☐						
<u>Pit</u> <u>Type:</u> Drilling □ Production ✓ Disposal □	Below-grade tank Volume: bbl Type of fluid:							
Workover	Construction Material: Double-walled, with leak detection? Yes If not, explain why not.							
Lined Unlined Unlined								
Liner Type: Synthetic Thickness mil Clay Pit Volume 80 bbl								
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) (0 points) <u>0</u>						
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) (0 points) <u>0</u>						
Distance to surface water: (Horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet to 1,000 feet Greater than 1,000 feet	(20 points) (10 points) <u>0</u> (0 points)						
	Ranking Score (TOTAL POINTS):	0						
If this is a pit closure: (1)Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite offsite offsite, name of facility action taken including remediation start date and end date. (4)Groundwater encountered: No Vers offsite figures, show depth below ground surface figures, and attach sample results. (5)Attach soil sample results and a diagram of sample locations and excavations.								
Additional Comments: Delvock Meter: 85278 Me								
I hereby certify that the information above is true and complete to the best of my k tank has been/will be constructed or closed according to NMOCD guidelines	nowledge and belief. I further certify that the above-describe , a general permit , or an (attached) alternative OCI	•						
Date: 9/18/05	MIZING, FOR WPS							
Printed Name/Title	nature, Foa UP'S							
Your certification and NMOCD approval of this application/closure does not reliev or otherwise endanger public health or the environment. Nor does it relieve the opregulations.	we the operator of liablility should the contents of the pit or ta erator of its responsibility for compliance with any other fede	nk contaminate ground water ral, state, or local laws and/or						
Approval: OFFUTY OIL & GAS INSPECTOR, DIST. 43		0.05						
Printed Name/Title Signa	ature Deny Kent	QCT 1 2 2005						

ADDENDUM TO OCD FORM C-144


Operator: BURLINGTON RESOURCES OIL & GAS COMPANY LP

API 30-039-20983

Well Name: <u>SAN JUAN 27 4 UNIT #013A</u> Meter: <u>85278</u>



Sampling Diagram:



Pit Dimensions

Location of Pit Center

Pit ID 852781

Length 15 Ft.

Latitude

36 107

Width 15 Ft.

Longitude

Pit Type

Depth 2 Ft.

(NAD 1927)

Glycol Dehydrator

Date Closure Started: 8/2/04

Date Closure Completed: 8/2/04

Closure Method:

Excavated, Blended, Treated Soil Returned

Bedrock Encountered?

Cubic Yards Excavated: 25

Vertical Extent of Equipment Reached?

Description Of Closure Action:

Contaminated soil was removed and treated then returned to the excavation following sampling of the walls and floor.

BEDROCK limited vertical excavation and/or prevented sampling. This condition limits deleterious environmental effects.

Pit Closure	Sampling:
-------------	-----------

Head **BTEX** Sample ID Sample Benzene TPH Purpose Depth Location Date Total DRO Space (mg/kg) (mg/kg) (mg/kg) 104402AUG04 8/2/04 0.186 0 2900 EX Confirm Walls 104702AUG04 8/2/04 161 0 5200 EX Confirm Flr See Risk Analysis 135722MAY04 5/22/04 2082 92 55000 ASSESS Fir 2.5



607145745

Lab Sample No:

Pace Analytical Services, Inc. 9608 Loiret Blvd. Lenexa, KS 66219

> Phone: 913.599.5665 Fax: 913.599.1759

Lab Project Number: 6082900 Client Project ID: NM PITS

Project Sample Number: 6082900-017

Date Collected: 05/22/04 13:57

Lab campic no. corriorio	- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1		, , , , , , , , , , , , , , , , , , , ,								
Client Sample ID: 135722MAY04			Matrix: Soil				Date Received: 05/26/04 09:25				
Parameters	Results	Units	Report Limit	DF	Analyz	zed f	3v	CAS No.	Qual	RegLmt	
GC Semivolatiles											
Total Extractable Hydrocarbons	Prep/Method:	OA2 / OA2								*	
Mineral Spirits	NĐ	mg/kg	320	32.2	06/09/04 2	20:14 DO	CKI				
Jet Fuel	ND	mg/kg	320	32.2	06/09/04 2	20:14 D	CKI				
Kerosene	ND	mg/kg	320	32.2	06/09/04 2	20:14 D	CKI	•			
Diesel Fuel	ND	mg/kg	320	32.2	06/09/04 2	20:14 D	CKI	68334-30-5			
Fuel 011	ND	mg/kg	320	32.2	06/09/04 2	20:14 D	CKI	68334-30-5			
Motor 0il	ND	mg/kg	320	32.2	06/09/04 2	20:14 D	CKI				
Total Petroleum Hydrocarbons	55000	mg/kg	320	32.2	06/09/04 2	20:14 D	CKI		9		
n-Tetracosane (S)	0	*		1.0	06/09/04 2	20:14 D	CKI	646-31-1	6		
p-Terphenyl (S)	0	%		1.0	06/09/04 2	20:14 D	CKI	92-94-4	6		
Date Extracted	06/01/04				06/01/04						
Organics Prep											
Percent Moisture	Method: SM 2	540G									
Percent Moisture	38.7	%		1.0	05/27/04	D	PB				
GC Volatiles											
Aromatic Volatile Organics	Prep/Method:	EPA 5030 M	ledium Soil / E	PA 802	1						
Benzene	92000	ug/kg	40000	807	06/01/04	13:10 A	RF	71-43-2			
Ethylbenzene	190000	ug/kg	40000	807	06/01/04						
Toluene	ND	ug/kg	40000	807	06/01/04	13:10 A	RF	108-88-3			
Xylene (Total)	1800000	ug/kg	100000	807	06/01/04	13:10 A	RF	1330-20-7			
a,a,a-Trifluorotoluene (S)	0	X		1.0	06/01/04	13:10 A	RF	98-08-8	2		

Date: 06/11/04

Page: 17 of 30

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.





Pace Analytical Services, Inc. 9608 Loiret Blvd.

Lenexa, KS 66219 Phone: 913.599.5665 Fax: 913.599.1759

Lab Project Number: 6085394 Client Project ID: NM PITS 8/4

Lab Sample No:

607357019

Project Sample Number: 6085394-022

Date Collected: 08/02/04 10:44

Client Sample ID: 104402AUG04		•		Matrix: Soil		Date Receive	d: 08/04/04 09:00
Parameters	Results	Units	Report Limit	DF Anal	yzed By	CAS No.	Qual RegLmt
GC Semivolatiles							
Total Extractable Hydrocarbons	Prep/Method:	OA2 / OA2					
Mineral Spirits	ND	mg/kg	11.	1.1 08/10/04	14:51 RMN	1	
Jet Fuel	ND	mg/kg	11.	1.1 08/10/04	14:51 RMN	1	
Kerosene	ND	mg/kg	11.	1.1 08/10/04	14:51 RMN	1	
Diesel Fuel	ND	mg/kg	11.	1.1 08/10/04	14:51 RMN	1 68334-30-5	
Fuel 0il	ND	mg/kg	11.	1.1 08/10/04	14:51 RMN	1 68334-30-5	
Motor 0il	2900	mg/kg	11.	1.1 08/10/04	14:51 RMN	1	9
n-Tetracosane (S)	1950	*		1.0 08/10/04	14:51 RMN	1 646-31-1	. 10
p-Terphenyl (S)	39	*		1.0 08/10/04	14:51 RMN	1 92-94-4	11
Date Extracted	08/09/04		•	08/09/04			
Organics Prep			*				
Percent Moisture	Method: SM 2	540G					
Percent Moisture	7.0	*		1.0 08/09/04	DP8		
GC Volatiles							
Aromatic Volatile Organics	Prep/Method:	EPA 5030 N	1edium Soil / El	A 8021			
Benzene	ND	ug/kg	54.	1.1 08/09/04	17:45 ARF	71-43-2	
Ethylbenzene	66.	ug/kg	54.	1.1 08/09/04	17:45 ARF	100-41-4	
Toluene	120	ug/kg	54.	1.1 08/09/04			
Xylene (Total)	ND	ug/kg	140	1.1 08/10/04	12:28 ARF		
a,a,a-Trifluorotoluene (S)	86	*		1.0 08/09/04			

Date: 08/18/04

Page: 22 of 34

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.





607357001

Lab Sample No:

Pace Analytical Services, Inc. 9608 Loiret Blvd. Lenexa, KS 66219

> Phone: 913.599.5665 Fax: 913.599.1759

Lab Project Number: 6085394 Client Project ID: NM PITS 8/4

Project Sample Number: 6085394-021

Date Collected: 08/02/04 10:47

Client Sample ID: 104702AUG04				Matrix: Soil				Date Received: 08/04/04 09:00			
Parameters	Results	Units	Report Limit	_DF	Analy	zed	Ву	CAS No.	Qual	RegLmt	
GC Semivolatiles											
Total Extractable Hydrocarbons	Prep/Method:	OA2 / OA2									
Mineral Spirits	ND	mg/kg	11.	1.1	08/10/04	14:33	RMN1				
Jet Fuel	ND	mg/kg	11.	1.1	08/10/04	14:33	RMN1				
Kerosene	ND	mg/kg	11.	1.1	08/10/04	14:33	RMN1				
Diesel Fuel	ND	mg/kg	11.	1.1	08/10/04	14:33	RMN1	68334-30-5			
Fuel 011	ND	mg/kg	11.	1.1	08/10/04	14:33	RMN1	68334-30-5			
Motor 0il	ND	mg/kg	11.	1.1	08/10/04	14:33	RMN1				
Total Petroleum Hydrocarbons	5200	mg/kg	11.	1.1	08/10/04	14:33	RMN1		8		
n-Tetracosane (S)	1740	*	=	1.0	08/10/04	14:33	RMN1	646-31-1	5		
p-Terphenyl (S)	83	*		1.0	08/10/04	14:33	RMN1	92-94-4			
Date Extracted	08/09/04		**		08/09/04						
Organics Prep											
Percent Moisture	Method: SM 2	540G									
Percent Moisture	12.2	%		1.0	08/09/04		DPB				
GC Volatiles											
Aromatic Volatile Organics	Prep/Method:	EPA 5030 M	edium Soil / El	PA 802	1						
Benzene	ND	ug/kg	2300		08/10/04	13:35	ARF	71-43-2			
Ethylbenzene	11000	ug/kg	2300	45.1	08/10/04	13:35	ARF	100-41-4			
To1uene	ND	ug/kg	2300	45.1	08/10/04	13:35	ARF	108-88-3			
Xylene (Total)	150000	ug/kg	5900		08/10/04			1330-20-7			
a,a,a-Trifluorotoluene (S)	88	%		1.0	08/10/04	13:35	ARF	98-08-8			

Date: 08/18/04

Page: 21 of 34

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.

