State of New Mexico Energy Minerals and Natural Resources

Form C-144 June 1, 2004

District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office.

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ✓ No □								
(WFS CLOSURE) Type of action: Registration of a pit or below	y-grade tank Closure of a pit or below-grade tank							
Operator: CHAPARRAL OIL & GAS CO Telephone:	e-mail address:							
Address: PO BOX 100 AZTEC, NM 874100100								
Facility or well name: SALLY #001 API #: 30-045-	$\frac{20611}{} \qquad \qquad U/L \text{ or } Qtr/Qtr \qquad \underline{O} \qquad SEC$	<u>24</u> T <u>28N</u> R <u>11W</u>						
County: <u>SAN JUAN</u> Surface Owner: Federal ✓ State ☐ Private ☐ Indian ☐	Longitude	NAD: 1927 🗹 1983 🗌						
<u>Pit</u>	Below-grade tank							
Type: Drilling Production Disposal	Volume: bbl Type of fluid:							
Workover Emergency	Construction Material: Double-walled, with leak detection? Yes If not, ex	nlain why not						
Lined Unlined	bodote-waned, with leak detection. Tes If not, ex	plant why not.						
Liner Type: Synthetic Thickness mil Clay								
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) <u>0</u> (0 points)						
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) (0 points) <u>0</u>						
Distance to surface water: (Horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet to 1,000 feet Greater than 1,000 feet	(20 points) (10 points) <u>0</u> (0 points)						
	Ranking Score (TOTAL POINTS):	<u>0</u>						
If this is a pit closure: (1)Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite offsite. If offsite, name of facility								
Additional Comments: OCT 2005 CONS. DIV. DIST. 3								
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines, a general permit, or an (attached) alternative OCD-approved plan								
Date:9/18/05 Printed Name/Title Mark Harvey for Williams Field Services Signature Signatu	enature MIZJUG, FOR WPS							
Your certification and NMOCD approval of this application/closure does not relieve the operator of liablility should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.								
Approval: Printed Name/Title CEPUTY OIL & GAS INSPECTOR, OIST. 63 Sign.	ature Denny Leny	OCT 1 2 200						

ADDENDUM TO OCD FORM C-144


Operator: CHAPARRAL OIL & GAS CO

Well Name: SALLY #001


API 30-045-20611

Meter: 32920

Facility Diagram:



Sampling Diagram:



Pit Dimensions

12 Ft. Length

Width

12 Ft.

3 Ft. Depth

Location of Pit Center

Latitude

36.64724

Longitude -107.95327

(NAD 1927)

Pit ID

329201

Pit Type

Other

Date Closure Started: 6/18/04

Closure Method:

Pushed In

Date Closure Completed: 6/18/04

Bedrock Encountered ?

Cubic Yards Excavated:

Vertical Extent of Equipment Reached ? \Box

Description Of Closure Action:

The pit was assessed and sampled in accordance with NMOCD guidelines. Based on assessment findings, the pit was backfilled.

Pit Closure Sampling:

Sample ID

Sample Date

Head Space

BTEX Total (mg/kg) Benzene (mg/kg)

TPH DRO (mg/kg)

360

Purpose

Location

Depth

113005FEB04

2/5/04

0

ASSESS

Flr



Client Sample ID: 113005FEB04

606815009

Lab Sample No:

Pace Analytical Services, Inc.

9608 Loiret Blvd. Lenexa, KS 66219

Phone: 913.599.5665 Fax: 913.599.1759

Lab Project Number: 6079093

Client Project ID: NM Pit Program

Criefic Froject ID. Nm Fit Frog

Project Sample Number: 6079093-009 Matrix: Soil Date Collected: 02/05/04 11:30 Date Received: 02/10/04 09:30

.

							•	
Parameters	Results	Units	Report Limit	<u>DF</u>	Anal yz	ed By	CAS No	Qual RegLmt
GC Semivolatiles								
Total Extractable Hydrocarbons	Prep/Method:	0A2 / 0A2						
Mineral Spirits	ND	mg/kg	-11.	1.1	02/12/04 2	3:10 RMN	l	
Jet Fuel	ND	mg/kg	11.	1.1	02/12/04 2	23:10 RMN	l	
Kerosene	ND	mg/kg	11.	1.1	02/12/04 2	23:10 RMN	l	
Diesel Fuel	ND	mg/kg	11.	1.1	02/12/04 2	23:10 RMN	1 68334-30-5	
Fuel 011	ND	mg/kg	11.	1.1	02/12/04 2	23:10 RMN	1 68334-30-5	
Motor 0il	360	mg/kg	11.	1.1	02/12/04 2	23:10 RMN	1	
n-Tetracosane (S)	131	*	•	1.0	02/12/04 2	23:10 RMN	1 646-31-1	
p-Terphenyl (S)	111	*		1.0	02/12/04 2	23:10 RMN	1 92-94-4	
Date Extracted	02/12/04				02/12/04			
Organics Prep								
Percent Moisture	Method: SM 2	540G						
Percent Moisture	9.1	*		1.0	02/12/04	DPB		
GC Volatiles								
Aromatic Volatile Organics	Prep/Method:	EPA 5030	Medium Soil / EF	PA 802	1			
Benzene	, ND	ug/kg	54.		02/16/04 1	19:28 DCK	I 71-43-2	* - *
Ethylbenzene	ND	ug/kg	54.	1.1	02/16/04 1	L9:28 DCK	I 100-41-4	
Toluene	ND	ug/kg	54.	1.1	02/16/04 1	L9:28 DCK	I 108-88-3	
Xylene (Total)	ND	ug/kg	140	1.1	02/16/04 1	L9:28 DCK	I 1330-20-7	
a,a,a-Trifluorotoluene (S)	101	*		1.0	02/16/04 1	L9:28 DCK	I 98-08-8	

Date: 02/17/04

Page: 9 of 19

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.

