

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
1301 W. Grand Avenue, Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources

Form C-144  
June 1, 2004

Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.  
For downstream facilities, submit to Santa Fe office

**Pit or Below-Grade Tank Registration or Closure**

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

(WFS CLOSURE)

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: CAULKINS OIL CO Telephone: \_\_\_\_\_ e-mail address: \_\_\_\_\_  
Address: 1409 W AZTEC BLVD AZTEC, NM 87410  
Facility or well name: BREECH D #358 API #: 30-039-21362 U/L or Qtr/Qtr F SEC 21 T 26N R 6W  
County: RIO ARriba Latitude 36.47495 Longitude -107.47619 NAD: 1927 ☒ 1983 ☐  
Surface Owner: Federal ☒ State ☐ Private ☐ Indian ☐

**Pit**

Type: Drilling ☐ Production ☒ Disposal ☐

Workover ☐ Emergency ☐

Lined ☐ Unlined ☒

Liner Type: Synthetic ☒ Thickness \_\_\_\_\_ mil Clay ☐

Pit Volume 80 bbl

**Below-grade tank**

Volume: \_\_\_\_\_ bbl Type of fluid: \_\_\_\_\_

Construction Material: \_\_\_\_\_

Double-walled, with leak detection? Yes ☒ If not, explain why not.

Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)

Less than 50 feet  
50 feet or more, but less than 100 feet  
100 feet or more

(20 points)  
(10 points)  
(0 points)

0

Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)

Yes  
No

(20 points)  
(0 points)

0

Distance to surface water: (Horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)

Less than 200 feet  
200 feet to 1,000 feet  
Greater than 1,000 feet

(20 points)  
(10 points)  
(0 points)

0


**Ranking Score (TOTAL POINTS):**

0

**If this is a pit closure:** (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☒ offsite ☐ If offsite, name of facility \_\_\_\_\_. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface \_\_\_\_\_ ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments:

Bedrock



I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐, a general permit ☐, or an (attached) alternative OCD-approved plan ☒

Date: 9/18/05

Printed Name/Title Mark Harvey for Williams Field Services Signature Mark Harvey

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval:

Printed Name/Title DEPUTY OIL & GAS INSPECTOR, DIST. 8

Signature Wendy Faint

OCT 12 2005  
Date:

# **ADDENDUM TO OCD FORM C-144**


**Operator:** CAULKINS OIL CO

**API** 30-039-21362


**Well Name:** BREECH D #358

**Meter:** 33269

**Facility Diagram:**



**Sampling Diagram:**



**Pit Dimensions**

Length 15 Ft.

Width 15 Ft.

Depth 2 Ft.

**Location of Pit Center**

Latitude 36.47486

Longitude -107.47601

(NAD 1927)

**Pit ID**

332691

**Pit Type**

Glycol Dehydrator

**Date Closure Started:** 8/17/04

**Date Closure Completed:** 8/17/04

**Closure Method:** Excavated, Blended, Treated Soil Returned

**Bedrock Encountered ?** ☒

**Cubic Yards Excavated:** 33

**Vertical Extent of Equipment Reached ?** ☐

**Description Of Closure Action:**

Contaminated soil was removed and treated then returned to the excavation following sampling of the walls and floor.

BEDROCK limited vertical excavation and/or prevented sampling. This condition limits deleterious environmental effects.

**Pit Closure Sampling:**

Sample ID	Sample Date	Head Space	BTEX Total (mg/kg)	Benzene (mg/kg)	TPH DRO (mg/kg)	Purpose	Location	Depth
142217AUG04	8/17/04		46.7	0	1200	EX Confirm	Walls	3
142817AUG04	8/17/04		148.3	0	1600	EX Confirm	Flr	4
145405JUN04	6/5/04		390	0	3700	ASSESS	Flr	3.5

See Risk Analysis

Lab Project Number: 6083363  
Client Project ID: N.M. Pits

Lab Sample No: 607186715      Project Sample Number: 6083363-015      Date Collected: 06/05/04 14:54  
Client Sample ID: 145405JUN04      Matrix: Soil      Date Received: 06/09/04 09:00

Parameters	Results	Units	Report Limit	DF	Analyzed	By	CAS No.	Qual	ReqLmt
------------	---------	-------	--------------	----	----------	----	---------	------	--------

### GC Semivolatiles

Total Extractable Hydrocarbons Prep/Method: OA2 / OA2									
Mineral Spirits	ND	mg/kg	12.	1.2	06/12/04 07:18	DCKI			
Jet Fuel	ND	mg/kg	12.	1.2	06/12/04 07:18	DCKI			
Kerosene	ND	mg/kg	12.	1.2	06/12/04 07:18	DCKI			
Diesel Fuel	ND	mg/kg	12.	1.2	06/12/04 07:18	DCKI	68334-30-5		
Fuel Oil	ND	mg/kg	12.	1.2	06/12/04 07:18	DCKI	68334-30-5		
Motor Oil	ND	mg/kg	12.	1.2	06/12/04 07:18	DCKI			
Total Petroleum Hydrocarbons	3700	mg/kg	12.	1.2	06/12/04 07:18	DCKI		3	
n-Tetracosane (S)	917	%		1.0	06/12/04 07:18	DCKI	646-31-1	10	
p-Terphenyl (S)	124	%		1.0	06/12/04 07:18	DCKI	92-94-4		
Date Extracted	06/10/04				06/10/04				

### Organics Prep

Percent Moisture	Method: SM 2540G								
Percent Moisture	16.3	%		1.0	06/10/04	DPB			

### GC Volatiles

Aromatic Volatile Organics Prep/Method: EPA 5030 Medium Soil / EPA 8021									
Benzene	ND	ug/kg	2900	58.0	06/11/04 20:35		71-43-2		
Ethylbenzene	30000	ug/kg	2900	58.0	06/11/04 20:35		100-41-4		
Toluene	100000	ug/kg	2900	58.0	06/11/04 20:35		108-88-3		
Xylene (Total)	260000	ug/kg	7300	58.0	06/11/04 20:35		1330-20-7		
a,a,a-Trifluorotoluene (S)	115	%		1.0	06/11/04 20:35		98-08-8	5	

Comments : Ice melted on arrival!

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc.

Lab Project Number: 6086140  
Client Project ID: NM Pits

Lab Sample No: 607420304      Project Sample Number: 6086140-034      Date Collected: 08/17/04 14:28  
Client Sample ID: 142817AUG04      Matrix: Soil      Date Received: 08/26/04 08:55

Parameters	Results	Units	Report Limit	DF	Analyzed	By	CAS No.	Qual	RegLmt
------------	---------	-------	--------------	----	----------	----	---------	------	--------

#### GC Semivolatiles

Total Extractable Hydrocarbons Prep/Method: OA2 / OA2

Mineral Spirits	ND	mg/kg	11.	1.1	08/30/04 16:05	RMN1			
Jet Fuel	ND	mg/kg	11.	1.1	08/30/04 16:05	RMN1			
Kerosene	ND	mg/kg	11.	1.1	08/30/04 16:05	RMN1			
Diesel Fuel	ND	mg/kg	11.	1.1	08/30/04 16:05	RMN1	68334-30-5		
Fuel Oil	ND	mg/kg	11.	1.1	08/30/04 16:05	RMN1	68334-30-5		
Motor Oil	ND	mg/kg	11.	1.1	08/30/04 16:05	RMN1			
Total Petroleum Hydrocarbons	1600	mg/kg	11.	1.1	08/30/04 16:05	RMN1		1	
n-Tetracosane (S)	240	%		1.0	08/30/04 16:05	RMN1	646-31-1	3	
p-Terphenyl (S)	131	%		1.0	08/30/04 16:05	RMN1	92-94-4		
Date Extracted	08/27/04				08/27/04				

#### Organics Prep

Percent Moisture Method: SM 2540G  
Percent Moisture 11.4 % 1.0 08/27/04 DPB

#### GC Volatiles

Aromatic Volatile Organics Prep/Method: EPA 5030 Medium Soil / EPA 8021

Benzene	ND	ug/kg	1100	22.5	08/30/04 13:49	ARF	71-43-2		
Ethylbenzene	7300	ug/kg	1100	22.5	08/30/04 13:49	ARF	100-41-4		
Toluene	21000	ug/kg	1100	22.5	08/30/04 13:49	ARF	108-88-3		
Xylene (Total)	120000	ug/kg	2900	22.5	08/30/04 13:49	ARF	1330-20-7		
a,a,a-Trifluorotoluene (S)	103	%		1.0	08/30/04 13:49	ARF	98-08-8		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc.

Lab Project Number: 6086140  
Client Project ID: NM Pits

Lab Sample No: 607420296      Project Sample Number: 6086140-033      Date Collected: 08/17/04 14:22  
Client Sample ID: 142217AUG04      Matrix: Soil      Date Received: 08/26/04 08:55

Parameters	Results	Units	Report Limit	DF	Analyzed	By	CAS No.	Qual	RegLmt
------------	---------	-------	--------------	----	----------	----	---------	------	--------

#### GC Semivolatiles

Total Extractable Hydrocarbons	Prep/Method: OA2 / OA2								
Mineral Spirits	ND	mg/kg	11.		1.1 08/30/04 15:47 RMN1				
Jet Fuel	ND	mg/kg	11.		1.1 08/30/04 15:47 RMN1				
Kerosene	ND	mg/kg	11.		1.1 08/30/04 15:47 RMN1				
Diesel Fuel	ND	mg/kg	11.		1.1 08/30/04 15:47 RMN1		68334-30-5		
Fuel Oil	ND	mg/kg	11.		1.1 08/30/04 15:47 RMN1		68334-30-5		
Motor Oil	ND	mg/kg	11.		1.1 08/30/04 15:47 RMN1				
Total Petroleum Hydrocarbons	1200	mg/kg	11.		1.1 08/30/04 15:47 RMN1			1	
n-Tetracosane (S)	184	%			1.0 08/30/04 15:47 RMN1		646-31-1	3	
p-Terphenyl (S)	87	%			1.0 08/30/04 15:47 RMN1		92-94-4		
Date Extracted	08/27/04				08/27/04				

#### Organics Prep

Percent Moisture	Method: SM 2540G								
Percent Moisture	10.6	%			1.0 08/27/04		DPB		

#### GC Volatiles

Aromatic Volatile Organics	Prep/Method: EPA 5030 Medium Soil / EPA 8021								
Benzene	ND	ug/kg	1100		22.4 08/30/04 13:19 ARF		71-43-2		
Ethylbenzene	4600	ug/kg	1100		22.4 08/30/04 13:19 ARF		100-41-4		
Toluene	4100	ug/kg	1100		22.4 08/30/04 13:19 ARF		108-88-3		
Xylene (Total)	38000	ug/kg	2900		22.4 08/30/04 13:19 ARF		1330-20-7		
a,a,a-Trifluorotoluene (S)	94	%			1.0 08/30/04 13:19 ARF		98-08-8		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc.