• <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 District II

1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

office

For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe

Form C-144

June 1, 2004

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Pit or Below-Grade Tank Registration or Closure
Is nit or below-grade tank covered by a "general plan"? Yes No D

	t or below-grade tank Closure of a pit or below-gra				
Operator: Burlington Resources Telephon	e: (505) 326-9841 e-mail address: Ll	Hasely@br-inc.com			
Address: 3401 East 30 th Street, Farmington, New Mexico, 87402					
Facility or well name: San Juan 28-6 Unit 117 API #	f:30039074580000 U/L or Q	Otr/QtrJSec10T_28NR 6W			
County: Rio Arriba Latitude		NAD: 1927 ⊠ 1983 □			
Surface Owner: Federal 🛭 State 🗌 Private 🔲 Indian 🗍					
Pit	Below-grade tank				
Type: Drilling Production Disposal		ter and Incidental Oil			
Workover Emergency	Volume: 60 bbl Type of fluid: Produced Water and Incidental Oil Construction material: Fiberglass				
Lined Unlined	Double-walled, with leak detection? Yes If not, explain why not.				
Liner type: Synthetic Thickness mil Clay	No. Tank in place prior to Rule 50.	on outplant with hot.			
Pit Volumebbl					
	Less than 50 feet	(20 points)			
Depth to ground water (vertical distance from bottom of pit to seasonal	50 feet or more, but less than 100 feet	(10 points)			
high water elevation of ground water.)	100 feet or more	(0 points) 0			
	100 lest of fine	(o points)			
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)			
water source, or less than 1000 feet from all other water sources.)	No	(0 points) 0			
	Less than 200 feet	(20 points)			
Distance to surface water: (horizontal distance to all wetlands, playas,	200 feet or more, but less than 1000 feet	(10 points)			
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	(0 points) 0			
	Ranking Score (Total Points)	0			
fthis is a pit closure: (1) Attach a diagram of the facility showing the pi our are burying in place) onsite offsite for If offsite, name of facility ate. (4) Groundwater encountered: No Yes If yes, show depth be S) Attach soil sample results and a diagram of sample locations and excave	(3) Attach a general description of remedial action ground surface ft. and attach samples.	on taken including remediation start date and end			
Additional Comments:					
The soils tested clean and no soil remediation was required.					
The sons research and no son remediation was required.	The second secon				
I hereby certify that the information above is true and complete to the best has been/will be constructed or closed according to NMOCD guideling.	st of my knowledge and belief. I further certify that the constant \square , or an (attached) alternation \square , or an included \square , and \square , are \square , and \square , are \square .	the above-described pit or below-grade tank ative OCD-approved plan .			
Date: 11/28/65	1000				
Printed Name/Title Mr. Ed Hasely, Environmental Advisor	Signature Where				
Your certification and NMOCD approval of this application/closure does otherwise endanger public health or the environment. Nor does it relieve regulations.	not relieve the operator of liability should the contents	s of the pit or tank contaminate ground water or any other federal, state, or local laws and/or			
Printed Name/Title Signature	y Jeenfoate: NOV 30 2	00 F 00 00 00 00 00 00 00 00 00 00 00 00			
y		12 11 12 13 14 13 14 13 14 13 14 13 14 13 14 13 14 13 14 14 14 14 14 14 14 14 14 14 14 14 14			

FIELD REPORT: CLOSURE VERIFICATION PAGE NO: of LOCATION. NAME. SON JULY 28-16 WELL #: III PIT DATE STATED: 10/24/05 OATE FINISHED: DATE STATED: OATE FINISHED:	CLIENT: Butington lesouras		LNVIROTECI ROMENTAL SCIENTISTS 5796 U.S. HIGHWAY FARMINGTON, NEW ME PHONE: (505) 632	& ENGINEERS 64-3014 GCO 87401		LOC]:
QUAD/UNIT: J SEC 10 TWP: 27M RNG: IND PMNMMM CNTY AND DATE FINSHED: 10/21/25 QUIR/FEDDIAGE: 1545'S 1700'E CONTRACTOR: LOR SENDRESSITE AND DATE FINSHED: 10/21/25 EXCAVATION APPROX. FT. x FT. x FT. DEEP. CUBIC YARDAGE: DISPOSAL FACILITY: NIA REMEDIATION METHOD: LAND USE: LEASE: SF 080505-A FORMATION: FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY 73' FT. 335' FROM WELLHEAD DEPTH TO GROUNDWATER O NEAREST WATER SOURCE O NEAREST SURFACE VATER. O NMODED RANKING SCORE: O NMODED THE CLOSURE STD 5000 PPM SCIL AND EXCAVATION DESCRIPTION: No production tenk. Minimal surface staines, appears Bot might have over flowed. No. Sil consider. FIELD 4193: CALCULATIONS TIME SAMPLE ID. LAB NO: WEIGHT (g) ml. FREON DILUTION READING CALC. ppm PIT PERIMETER OVM RESULTS PIT PROFILE AND SAMPLES SAMPLE ID. LAB SAMPLES SAMPLE IT PROFILE AND SAMPLES SAMPLE ID. LAB SAMPLES SAMPLE ID. LAB SAMPLES SAMPLE ID. LAB SAMPLES SAMPLE ID. LAB SAMPLES SAMPLE IT PROFILE AND SAMPLES SAMPLE ID. LAB SAMPLES SAMPLE ID	FIELD REPOR	T: CLOS	SURE V	ERIFIC	CATION	PAGE	E No:'	<u> </u>
DISPOSAL FACILITY: MA REMEDIATION METHOD: LAND USE: LEASE: SF 080505-A FORMATION: FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY 13' FT. 335° FROM WELLHEAD DEPTH TO GROUNDWATER O NEAREST WATER SOURCE: O NEAREST SURFACE WATER: O NOMOCO RANKING SCORE: O NMOCO THE CLOSURE STD 5000 PPM CHECK ONE: PIT ABANDONED STEEL TANK INSTALLED No production teak. Minimal surface staining, appears Bot might have Over flowed. N. soil (consult from site). FIELD 418.3 CALCULATIONS TIME SAMPLE 1.D. LAB NO: WEIGHT (g) mL FREON DILUTION READING CALC. ppm SCALE O FT OVM PIT PERIMETER RESULTS PIT PROFILE SAMPLE 1.D. LAB NO: WEIGHT (g) mL FREON DILUTION READING CALC. ppm 1.217 3' Balow 1 5 2.0 1 0.0138 95.8 O FT OVM PIT PERIMETER RESULTS PIT PROFILE SAMPLE 1.D. LAB NO: WEIGHT (g) mpm 2 1.218 1.3 Balow 4 ppm 2 2 1.3 Balow 4 ppm 2 3 4 5 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	QUAD/UNIT: J SEC:	10 TWP: 28N	RNG: LW PM:	NMPM CNT	Rio BT: N.	DATE	FINISHED: _	10/24/05
DEPTH TO GROUNDWATER O NEAREST VATER SOURCE: O NEAREST SURFACE VATER: O NMOCD RANKING SCORE: O NMOCD THY CLOSURE STD 5000 PPM CHECK ONE: PIT ABANDONED STEEL TANK INSTALLED No production tenk. Minimal surface staining, appears B6T might have Over fluved. N. soil (neared) from site. FIELD 418.1 CALCULATIONS TIME SAMPLE 1.D. LAB NO: WEIGHT (g) ml. FREON DILUTION READING CALC. PPM PTO PERIMETER OVM PIT PERIMETER OVM RESULTS PIT PROFILE SAMPLE PROSPORT 10 Description A 1 Shalow 4 PM Separator A LAB SAMPLES SAMPLE NAME/SES 1 THE	DISPOSAL FACILITY:	NA	F	EMEDIATIO	ON METH	OD: _		
SCALE TIME SAMPLE I.D. LAB NO: WEIGHT (g) mL. FREON DILUTION READING CALC. ppm 1212 3' Balow 1 5 20 1 0.0138 95.8 OFT PIT PERIMETER OVM RESULTS PIT PROFILE SAMPLE ID HADSPACE PID (ppm) 1 3' balow 4 ppm 2 3 4 5 5 5 5 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	DEPTH TO GROUNDWATER: O NEAREST WATER SOURCE: O NEAREST SURFACE WATER: O NEAREST SURFACE WATE							
SCALE 1212 3' Balow 1 5 20 1 0.0138 95.8 O FT PIT PERIMETER RESULTS SAMPLE FIELD HEADSPACE PID (ppm) 1 3' barlow 4 ppm 2 3 4 5 LAB SAMPLES SAMPLE ANALYSIS TIME		TIME SAMPLE				DII UTION	I READING	CALC. ppm
PIT PERIMETER OVM RESULTS SAMPLE FIELD HEADSPACE PID (ppm) 1 3' bu low 4 ppm 2 3 4 5 LAB SAMPLES SAMPLE ANALYSIS TIME					<u> </u>		+	
Seperator LAB SAMPLES SAMPLE ANALYSIS TIME		ETER		S	PIT	r PR	OFILE	
x = Surple 7+.		1 2 3 4 5	SAMPLE FIELD	EADSPACE (ppm) PPM ES TIME		- x)	



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:

Burlington Resources

Project #:

92115-021-127

Sample No.:

1

Date Reported:

10/24/2005

Sample ID:

Discrete, 3' Below BG Tank

Date Sampled:

10/24/2005

Sample Matrix:

Soil

Date Analyzed:

10/24/2005

Preservative:

Cool

Analysis Needed:

TPH-418.1

Condition:

Cool and Intact

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons

95.8

5.0

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

San Juan 28-6 Unit 117

Analyst

Review