District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
100 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

F a F o

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office


Form C-144

June 1, 2004


Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Pit or Below-Gra	de Tank Registration or Closur	<u>e</u>
Is pit or below-grade tank	c covered by a "general plan"? Yes 🗌 No 🏾	×
Type of action: Registration of a pit of	below-grade tank Closure of a pit or below-grade	e tank 🔼
Operator: Dugan Production Corp. Telephone:	(505)325-1821 e-mail address: pauls	ikora@duganproduction.com
Address: P. O. Box 420, Farmington, NM 87499-0420		
Facility or well name: Rusty Nail Com #90 API #: 30-043-2098	8 U/L or Qtr/Qtr C Sec 34 T 22N	R 6W
County: Sandoval Latitude 36.09888 Longitude 107.45916		V
		18/300
<u>Pit</u>	Below-grade tank	DEC TO CO
Type: Drilling ☑ Production ☐ Disposal ☐	Volume:bbl Type of fluid:	
Workover ☐ Emergency ☐	Construction material:	COMPO 33
Lined ☑ Unlined ☐	Double-walled, with leak detection? Yes [] If not,	CONS. DW.
Liner type: Synthetic ☑ Thickness 12 mil Clay ☐		
Pit Volume 601 bbl		Co chelle
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	(20 points)
high water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points)
	100 feet or more	(0 points) 0
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)
water source, or less than 1000 feet from all other water sources.)	No	(0 points) 0
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)
inigation canals, ditenes, and percinnal and epitemetal watercourses.)	1000 feet or more	(0 points) 0
		0
	Ranking Score (Total Points)	
If this is a pit closure: (1) attach a diagram of the facility showing the pit's	relationship to other equipment and tanks. (2) Indicate	e disposal location: (check the onsite box if you
are burying in place) onsite 🖾 offsite 🗔 If offsite, name of facility (3) Attach a general description of remedial action taken including		
remediation start date and end date. (4) Groundwater encountered: No 🛛 Y	es If yes, show depth below ground surface	ft. and attach sample results. (5)
Attach soil sample results and a diagram of sample locations and excavations	5.	
The drilling/reserve pit at the Rusty Nail Com #90 closure. The pit liner cut	off at the mudline and disposed of at the Waste Manag	gement Kirtland Landfill substation. The pits
dimensions are 6' deep x 15' wide x 75' length with average 3' slope and its	center is 30' SW of wellhead. See attached. Until a g	general permit is prepared and approved, Dugan
Production Corp. intends to follow NMOCD guidelines modified only as nec	essary to comply with stipulations imposed by the Bu	reau of Land Management.
I hereby certify that the information above is true and complete to the best o been/will be constructed or closed according to NMOCD guidelines, Date:	a general permit , or an (attached) alternative O	CD-approved plan ⊠.
Printed Name/Title Paul Sikora, Production Foreman Sign	nature HAUL SIN	SARA
Your certification and NMOCD approval of this application/closure does no otherwise endanger public health or the environment. Nor does it relieve the regulations.		
Approval: OEPUTY ON & GAS INSPECTOR, DIST. &3	.0-	DEC 2 3 2005
Printed Name/Title	Signature Dewyten	Date:

LEASE NAME



30' Sw ft to center of pit.



Not to scale