<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 District III
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico **Energy Minerals and Natural Resources**

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144 June 1, 2004

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Pit or Below-Gra	de Tank Registration or Closur	<u>e</u>			
Is pit or below-grade tank covered by a "general plan"? Yes \(\subseteq \) No \(\subseteq \) Type of action: Registration of a pit or below-grade tank \(\subseteq \) Closure of a pit or below-grade tank \(\subseteq \)					
Type of action. Registration of a pit of	d below-grade talik 📋 Closure of a pit of below-grad	ETAILE			
Operator: <u>Burlington Resources</u> Telephone:	(505) 326-9841 e-mail address: <u>LHa</u>	ssely@br-inc.com			
Address: 3401 East 30th Street, Farmington, New Mexico, 87402					
Facility or well name: San Juan 27-4 Unit 148 API #:	30039229930000 U/L or Qtr/	Qtr <u>K</u> Sec <u>5</u> T <u>27N</u> R <u>4W</u>			
County: Rio Arriba Latitude	36.59914 Longitude -107.2771	NAD: 1927 ☑ 1983 ☐			
Surface Owner: Federal 🛭 State 🗌 Private 🔲 Indian 🗍					
<u>Pit</u>	Below-grade tank				
Type: Drilling Production Disposal	Volume: 40 bbl Type of fluid: Produced Water	ar and Incidental Oil			
Workover	Construction material: Fiberglass				
Lined Unlined [Double-walled, with leak detection? Yes If not,	explain why not.			
Liner type: Synthetic Thicknessmil Clay	No - in place prior	to Rule 50.			
Pit Volumebbl	, , ,				
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	(20 points)			
high water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points)			
ingii water elevation of ground water.)	100 feet or more	(0 points) 20			
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)			
water source, or less than 1000 feet from all other water sources.)	No	(0 points) 0			
water source, or less than 1000 feet from all other water sources.	L 4 200 G -4	(20			
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)			
irrigation canals, ditches, and perennial and enhemeral watercourses)	200 feet or more, but less than 1000 feet	(10 points)			

Type: Drilling Production Disposal	Volume: 40 bbl Type of fluid: Produced Water and Incidental Oil					
Workover ☐ Emergency ☐	Construction material: Fiberglass					
Lined Unlined	Double-walled, with leak detection? Yes 🔀 If not, explain why not.					
Liner type: Synthetic Thicknessmil Clay	No in place prior	(to Rule 50.				
Pit Volumebbl		·				
	Less than 50 feet	(20 points)				
Depth to ground water (vertical distance from bottom of pit to seasonal	50 feet or more, but less than 100 feet	(10 points)				
high water elevation of ground water.)	100 feet or more	(0 points) 20				
	Yes	(20 maints)				
Wellhead protection area: (Less than 200 feet from a private domestic	i	(20 points) 0				
water source, or less than 1000 feet from all other water sources.)	No	(0 points) 0				
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)				
` · · ·	200 feet or more, but less than 1000 feet	(10 points)				
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	(0 points) 10				
	Ranking Score (Total Points)	30				
f this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if						
your are burying in place) onsite offsite first fisher facility (3) Attach a general description of remedial action taken including remediation start date and end						
date. (4) Groundwater encountered: No 🛛 Yes, show depth below ground surfaceft. and attach sample results.						
(5) Attach soil sample results and a diagram of sample locations and excavations.						
	ious.	AU DA				
Additional Comments:		DEC 2005				
Below Grade Tank B		100 2000 T				
The soils tested clean and no soil remediation was required.		COLORS. DIV. 0				
		DIST				
		Worner water				
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank						
has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan .						
Date: 12/28/05	1000					
7/16-2/						
Printed Name/Title Mr. Ed Hasely, Environmental Advisor Signature Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or						
otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.						
THE CAS HAVE COLD CONTROL CONTROL CO		200E				
Amount: 0 - DEC 3.10 20005						
Printed Name/Title Signature Date:						
	,	· · ·				

				T				
CLIENT: Brolington	Envirotech Inc.			LOC	LOCATION NO:			
Resources		5796	NTAL SCIENTIST: U.S. HIGHWAY IGTON, NEW ME ONE: (505) 632	S & ENGINEERS 64-3014 EXICO 87401 2-0615			C.□.C. NI];
FIELD REPOR	eT:	CLOSU	RE V	ERIFIC	CATION	J PAGE	No:	
LOCATION: NAME: Sun Juc	m 27-1	WELL و	#: 148	PIT:	Pio P			11/18/05
QUAD/UNIT: K SEC:	5 TWP	: 27~ RNG:	4w PM	NMPM CNT	Y:AvribeST: N	IM		11/13/05
QTR/FOOTAGE: 1520'S	סררו	· ω CONT	RACTOR:	LAR		SPECIA	ALIST:	ирм
EXCAVATION APPROX40	<u>)</u> FT.	x _23′ F	T. x _ Z	T FT. DE	EP. CUE	BIC YAR	DAGE: _	0
DISPOSAL FACILITY:	•							
LAND USE:		LEASI	E: _ SF	08067	3 F	ORMATI	ON:	
FIELD NOTES & REMAR	KS: P	IT LOCATED	APPROXI	MATELY	49' FT.	310	_ FROM	WELLHEAD.
DEPTH TO GROUNDWATER: 20	NEAR	REST WATER SI	JURCE:	<u>O</u> N	EAREST SURF	ACE WATE	R:	
NMOCD RANKING SCORE: 30	NM□C	D TPH CLOSUR	E STD: 100	<u>)</u> PPM			ECK ON	
SOIL AND EXCAVATIO	N DESC	CRIPTION:					ABANDON IL TANK	INSTALLED
BGT B					L			
Encountered sun	Jstone	Z' below	BGT.	No risil	ele sign	rı °t	contan	ination
prisad. No s	uil 1em	ions from	B6T.					
			רור	I D. 410.1 CAL	CIII ATIONS			
	TIME	SAMPLE I.D.		LD 418.1 CAL WEIGHT (g)			READING	CALC. ppm
SCALE	TIME 1220	SAMPLE I.D.			mL. FREON		READING	
			LAB No:	WEIGHT (g)	mL. FREON	DILUTION	-	
O FT	1220		LAB No:	WEIGHT (g)	mL. FREON	DILUTION	0.0013	12.5
	1220	2' balów	OVM RESULT	WEIGHT (g) 5	mL. FREON	DILUTION	-	12.5
O FT PERIME	1220	2' bulów	OVM RESULT	WEIGHT (g) 5 S HEADSPACE (ppm)	mL. FREON	DILUTION	0.0013	12.5
O FT	1220	2' balów	OVM RESULT	WEIGHT (g) 5	mL. FREON	DILUTION	0.0013	12.5
O FT PERIME	IZZO ETER	2' balów SAMPI 1 2' ba 2 3 4	OVM RESULT	WEIGHT (g) 5 S HEADSPACE (ppm)	mL. FREON	DILUTION	0.0013	12.5
O FT PERIME	IZZO ETER	2' balów SAMPI 1 Z' ba 2 3	OVM RESULT	WEIGHT (g) 5 S HEADSPACE (ppm)	mL. FREON	DILUTION	0.0013	12.5
O FT PIT PERIME	ETER	2' balów SAMPI 1 2' ba 2 3 4	OVM RESULT	WEIGHT (g) 5 S HEADSPACE (ppm)	PI	T PR	0.0018 OFILE	12.5
O FT PIT PERIME	ETER	2' balów SAMPI 1 2' ba 2 3 4	OVM RESULT	WEIGHT (g) 5 S HEADSPACE (ppm)	PI	T PR	0.0018 OFILE	12.5
O FT PIT PERIME	ETER	2' below SAMPI ID 1 z'be 2 3 4 5	OVM RESULT FIELD 1 PRO NOW O AB SAMPL	WEIGHT (g) 5 S HEADSPACE (ppm) PPM PPM LES	PI	T PR	0.0018 OFILE	12.5
O FT PIT PERIME	ETER	2' below SAMPLID 1 2' be 2 3 4 5	OVM RESULT FIELD 1 PIO	WEIGHT (g) 5 S HEADSPACE (ppm) PPMA	PI	T PR	0.0018 OFILE	12.5
O FT PIT PERIME Seperator &	ETER	2' below SAMPLID 1 2' be 2 3 4 5	OVM RESULT FIELD 1 PRO NOW O AB SAMPL	WEIGHT (g) 5 S HEADSPACE (ppm) PPM PPM LES	PI	T PR	0.0018 OFILE	12.5
O FT PIT PERIME	ETER	2' below SAMPLID 1 2' be 2 3 4 5	OVM RESULT FIELD 1 PRO NOW O AB SAMPL	WEIGHT (g) 5 S HEADSPACE (ppm) PPM PPM LES	PI	T PR	0.0018 OFILE	12.5

• .



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:

Burlington Resources

Project #:

92115-021-133

Sample No.:

1

Date Reported:

11/18/2005

Sample ID:

Discrete, 2' Below BG Tank

Date Sampled:

11/18/2005

Sample Matrix:

Soil

Date Analyzed:

11/18/2005

Preservative:

Cool

Analysis Needed:

TPH-418.1

Condition:

Cool and Intact

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons

12.5

5.0

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

San Juan 27-4 Unit 148, Below Grade Tank B

Analyst

Review