

Submit to Appropriate District Office

State Lease - 6 copies

Fee Lease - 5 copies

District I

1625 N. French, Hobbs, NM 88240

District II

1301 W. Grand Avenue, Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-105

Revised June 10, 2003

WELL API NO.

30-045-33315

5. Indicate Type Of Lease

STATE ☐ FEE ☒

6. State Oil & Gas Lease No.

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a. Type of Well:

OIL WELL ☐ GAS WELL ☒ DRY ☐ OTHER _____

b. Type of Completion:

NEW WELL ☒ WORK OVER ☐ DEEPEN ☐ PLUG BACK ☐ DIFF. RESVR. ☐ OTHER _____

2. Name of Operator

Energen Resources Corporation

3. Address of Operator

2198 Bloomfield Highway, Farmington, NM 87401

4. Well Location

Unit Letter O : 1045 Feet From The South Line and 1460 Feet From The East LineSection 29 Township 29N Range 10W NMPM San Juan County

10. Date Spudded

12/09/05

11. Date T.D. Reached

12/12/05

12. Date Compl. (Ready to Prod.)

01/18/06

13. Elevations (DF & RKB, RT, GR, etc.)

5550'

14. Elev. Casinghead

15. Total Depth

2012'

16. Plug Back T.D.

1963'

17. If Multiple Compl. How Many Zones?

18. Intervals Drilled By

Rotary Tools

Yes

Cable Tools

No

19. Producing Interval(s), of this completion - Top, Bottom, Name

Fruitland Coal - 1574' - 1782'

20. Was Directional Survey Made

No

21. Type Electric and Other Logs Run

GR-SP-HR Density

22. Was Well Cored

No

23. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
8.625"	24.0#	234'	12.25"	225 sks - 266 cu.ft. - circ	
5.50"	15.5#	2008'	7.875"	345 sks - 752 cu.ft. - circ	

24. LINER RECORD

SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET
					2.375	1783'	

25. TUBING RECORD

26. Perforation record (interval, size, and number)

Lower 1772 - 82' 6 spf 120 holes 0.43"

Upper 1574-76', 1640-51', 1677-79', 1715-16', 1720-23',
4 spf 76 holes 0.43"

27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.

DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED
1772' - 1782'	62078 gals. 70Q foam & 5000# 40/70
47575# 20/40	sand - 111639 gals 70Q foam &
1574' - 1723'	10000# 40/70 & 100800# 20/40 sand

28. PRODUCTION

Date First Production	Production Method (Flowing, gas lift, pumping - Size and type pump) flowing					Well Status (Prod. or Shut-in) SI	
Date of Test 01/18/06	Hours Tested 82	Choke Size	Prod'n For Test Period	Oil - Bbl.	Gas - MCF	Water - Bbl.	Gas - Oil Ratio
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API -(Corr.)	
95	95			390			

29. Disposition of Gas (Sold, used for fuel, vented, etc.)

to be sold

Test Witnessed By

30. List Attachments

31. I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief

Signature Vicki Donaghey Printed Name Vicki Donaghey Title Regulatory Analyst Date 01/19/06
E-mail address vdonaghe@energen.com

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northeastern New Mexico	
T. Anhy	T. Canyon	T. Ojo Alamo 568'	T. Penn. "B"
T. Salt	T. Strawn	T. Kirtland-Fruitland 787'	T. Penn. "C"
B. Salt	T. Atoka	T. Pictured Cliffs 1794'	T. Penn. "D"
T. Yates	T. Miss	T. Cliff House	T. Leadville
T. 7 Rivers	T. Devonian	T. Menefee	T. Madison
T. Queen	T. Silurian	T. Point Lookout	T. Elbert
T. Grayburg	T. Montoya	T. Mancos	T. McCracken
T. San Andres	T. Simpson	T. Gallup	T. Ignacio Otzte
T. Glorieta	T. McKee	Base Greenhorn	T. Granite
T. Paddock	T. Ellenburger	T. Dakota	T. <u>Fruitland</u> 1417'
T. Blinebry	T. Gr. Wash	T. Morrison	T. <u>Fruitland Coal</u> 1516'
T. Tubb	T. Delaware Sand	T. Todilto	T. <u>Fruit.Coal Base</u> 1794'
T. Drinkard	T. Bone Springs	T. Entrada	T.
T. Abo	T.	T. Wingate	T.
T. Wolfcamp		T. Chinle	T.
T. Penn	T.	T. Permian	T.
T. Cisco (Bough C)	T.	T. Penn "A"	T.

OIL OR GAS SANDS OR ZONES

No. 1, from _____ to _____

No. 3, from to

No. 2, fromto

No. 4, from ----- to -----

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from to feet

No. 2, from to feet

No. 3. from to feet

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness in Feet	Lithology

From	To	Thickness in Feet	Lithology