District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

## Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes No Type of action: Registration of a pit or below-grade tank Closure of a pit or below-grade tank Telephone: (505)326-9200 e-mail address: Operator: BP America Production Company Address: 200 Energy Ct, Farmington, NM 87401 Facility or well name: Heaton LS # 1A API#: 30045 237/2 U/L or Qtr/Qtr I Sec 28 T31N R 11W NAD: 1927 🔲 1983 🔲 Longitude Latitude County: San Juan Surface Owner: Federal State Private Indian Below-grade tank Type: Drilling | Production | Disposal | Volume: \_bbl Type of fluid: \_\_\_\_\_ Workover ☐ Emergency ☐ Construction material: Lined Unlined Double-walled, with leak detection? Yes If not, explain why not. Liner type: Synthetic Thickness \_\_\_\_mil Clay \_\_ Pit Volume \_\_\_ bbl Less than 50 feet (20 points) Depth to ground water (vertical distance from bottom of pit to seasonal 50 feet or more, but less than 100 feet (10 points) high water elevation of ground water.) 100 feet or more ( 0 points) Yes (20 points) Wellhead protection area: (Less than 200 feet from a private domestic ( 0 points) water source, or less than 1000 feet from all other water sources.) Less than 200 feet (20 points) Distance to surface water: (horizontal distance to all wetlands, playas, 200 feet or more, but less than 1000 feet (10 points) irrigation canals, ditches, and perennial and ephemeral watercourses.) ( 0 points) 1000 feet or more **Ranking Score (Total Points)** If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite 🗌 offsite 🗋 If offsite, name of facility\_\_\_\_\_\_\_\_. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No 🗌 Yes 🔲 If yes, show depth below ground surface ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations. Additional Comments: See Attached Documentation and die wirther certify that the above-described pit or below-grade tank I hereby certify that the information above is true and complete to the best of my knowled has been/will be constructed or closed according to NMOCD guidelines X, a general permit , or an (attached) alternative OCD-approved plan ... Date: 11/01/2005 Printed Name/Title Jeffrey C. Blagg, Agent Signature Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations. DEC 1 4 2005 Printed Name/Timesurv On & GAS INSPECTOR, DISI.

Form C-144 June 1, 2004

BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199	C.O.C. NO: 9545			
FIELD REPORT: CLOSURE VERIFICATION	PAGE No: of			
QUAD/UNIT: I SEC: 28 TWP: 31N RNG: 11W PM: NM CNTY: SJST: NM	DATE STARTED: 8-29-01  DATE FINISHED: 8-29-01			
QTR/FOOTAGE:18305 (1100'E NEISE CONTRACTOR: FLINT	ENVIRONMENTAL JCB			
EXCAVATION APPROX. 10 FT. x 10 FT. x 2 FT. DEEP. CUBIC	C YARDAGE:O			
DISPOSAL FACILITY: /V/T REMEDIATION METHO				
	RMATION: MV			
FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY 125 FT. MEDIT TO GROUNDWATER STORE 100 NEAREST WATER SOURCE 100 NEAREST SURFA				
NMOCD RANKING SCORE: O NMOCD TPH CLOSURE STD: 5000 PPM	CHECK ONE :			
COLL AND ENGANAMION DVM CALIB. READ, 130.0 ppm	PIT ABANDONED			
	STEEL TANK INSTALLED			
DESCRIPTION: TIME: 1/35 am/pm DATE: 2-29 = SOIL TYPE: SAND / SILT / SILT / CLAY / CLAY / GRAVEL / OTHER.				
SOIL COLOR: ORANGE TAN				
COHESION (ALL OTHERS): NON COHESIVE / SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVE CONSISTENCY (NON COHESIVE SOILS): LOOSE / FIRM / DENSE / VERY DENSE				
PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLAS	TIC / HIGHLY PLASTIC			
DENSITY (COHESIVE CLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD MOISTURE: DRY / SLIGHTLY MOISD / MOIST / WET / SATURATED / SUPER SATURATE	D (CLOSED)			
DISCOLORATION/STAINING OBSERVED: YES / NO EXPLANATION -				
HC ODOR DETECTED: YES / NO EXPLANATION - V. MINUR 45 ODOR SAMPLE TYPE: GRAB / COMPOSITE - # OF PTS.				
ADDITIONAL COMMENTS: USED BACKHOE TO DIE TEST HOLE & SAMPLE				
FIELD 418.1 CALCULATIONS				
SCALE SAMP. TIME SAMPLE I.D. LAB No: WEIGHT (g) ML. FREON DIL	JTION READING CALC. ppm			
O FT				
N PIT PERIMETER PIT	PROFILE			
OVM				
RESULTS SAMPLE FIELD HEADSPACE	3			
SAMPLE FIELD HEADSPACE PIO (ppm)  1 @ 7 79.5				
2 @				
3 @ 4 @				
5 e A	A'			
\				
LAB SAMPLES SAMPLE ANALYSIS TIME				
SAMPLE ANALYSIS TIME COT TPH 1040				
SAMPLE ANUTSIS TIME 10 7 TPH 1040 HOLE PRISEDI				
TRAVEL NOTES: CALLOUT: 8-Z9-01 080 ONSITE: 8-Z9-01	1000			

revised: 07/16/01



## EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	Tank C @ 7'	Date Reported:	08-30-01
Laboratory Number:	20833	Date Sampled:	08-29-01
Chain of Custody No:	9545	Date Received:	08-29-01
Sample Matrix:	Soil	Date Extracted:	08-30-01
Preservative:	Cool	Date Analyzed:	08-30-01
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	10.6	0.2
Diesel Range (C10 - C28)	5.3	0.1
Total Petroleum Hydrocarbons	15.9	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Heaton LS 1A.

Analyst

Review Walter