District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes X No ...

Type of action: Registration of a pit or below-grade tank 🔲 Closure of a pit or below-grade tank 🔀			
Operator: BP America Production Company Telephone: (505)326-9200 e-mail address:			
Address: 200 Energy Ct. Farmington, NM 87401	20016 02712		
Facility or well name: Heaton LS # 5A API #: 3			
	Longitude	NAD: 1927 🗌 1983 🗍	
Surface Owner: Federal State Private Indian		:	
Pit Below-grade tank			
Type: Drilling Production Disposal	Volume:bbl Type of fluid:		
Workover			
Lined Unlined Double-walled, with leak detection? Yes If not, explain why not.		t, explain why not.	
Liner type: Synthetic Thicknessmil Clay			
Pit Volumebbl			
D. d d	Less than 50 feet	(20 points)	
Depth to ground water (vertical distance from bottom of pit to seasonal	50 feet or more, but less than 100 feet	(10 points)	
high water elevation of ground water.)	100 feet or more	(0 points)	
	Yes	(20 points)	
Wellhead protection area: (Less than 200 feet from a private domestic		(20 points)	
water source, or less than 1000 feet from all other water sources.)	No	(0 points)	
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)	
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)	
inigation canais, diteries, and perclinial and epitemeral watercourses.)	1000 feet or more	(0 points)	
	Ranking Score (Total Points)		
If this is a pit closure: (1) Attach a diagram of the facility showing the pit'			
your are burying in place) onsite offsite file fisher, name of facility			
remediation start date and end date. (4) Groundwater encountered: No 🔲 🦠	Yes 🔲 If yes, show depth below ground surface	ft. and attach sample results.	
(5) Attach soil sample results and a diagram of sample locations and excaval	tions.		
Additional Comments:	7 6	43	
See Attached Documentation		_	
750 East of Novi	Th		
ell from the I has			
or from well read			
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank			
has been/will be constructed or closed according to NMOCD guidelines [2], a general permit [3], or an (attached) alternative OCD-approved plan [3].			
Date: 11/01/2005			
Printed Name/Title Jeffrey C. Blagg, Agent Signature C. Slegy			
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.			
Approval: DEC 1 4 2005			
Printed Name/Title Signature Signature Date:			

CLIENT: BP	BLAGG ENGINE P.O. BOX 87, BLOOME (505) 632	FIELD, NM 87413	C.D.C. ND: 9539
LOCATION: NAME: HE	RT: CLOSURE V	PIT: DEHY	PAGE No: of
	8 TWP: 31N RNG: ((W PM:		ENVIRONMENTAL JCB
DISPOSAL FACILITY:	Z FT. x 12 FT. x 4 NA EASE: 5F C	REMEDIATION METHO	D. Close As 15
DEPTH TO GROUNDWATER:	RKS: PIT LOCATED APPROXI	NEAREST SURFAC	CHECK ONE:
SOIL AND EXCAVATE DESCRIPTION:	ON OVM CALI	B. READ. <u>131.7</u> ppm	_ FIBERGLASS TANK INSTALLED
O' Clay stu Use BACKHUE to BEDROCK CLOSE		Green, Mass.	AC COOP.
SCALE O FT PIT PERIM	IETER	WEIGHT (g) ml. FREON D	PROFILE
TRAVEL NOTES:	1 @ 6 Z 2 @ 3 @ 4 @ 5 @ 17 MP S LAB SAMPL SAMPLE ANALYSIS (1 & 6 TIM / 13) (1 & 7 TIM / 13) (1 & 7 TIM / 13)	HEADSPACE D (ppm) 32 A 4 2 ES TIME TEX 1355	BEDRUCK
CALLOU'	T: O	NSITE:	

revised: 03/12/01

bei1005.skd



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	Dehy C @ 6'	Date Reported:	08-29-01
Laboratory Number:	20816	Date Sampled:	08-27-01
Chain of Custody No:	9539	Date Received:	08-27-01
Sample Matrix:	Soil	Date Extracted:	08-28-01
Preservative:	Cool	Date Analyzed:	08-29-01
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	3.1	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	3.1	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Heaton LS 5A.

Analyst L. Office

Phristing Wasters
(Review



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	Dehy C @ 6'	Date Reported:	08-29-01
Laboratory Number:	20816	Date Sampled:	08-27-01
Chain of Custody:	9539	Date Received:	08-27-01
Sample Matrix:	Soil	Date Analyzed:	08-29-01
Preservative:	Cool	Date Extracted:	08-28-01
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
_		
Benzene	5.3	1.8
Toluene	33.8	1.7
Ethylbenzene	20.3	1.5
p,m-Xylene	396	2.2
o-Xylene	94.0	1.0
Total BTEX	549	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries: Parameter		Percent Recovery	
	Fluorobenzene	95 %	
	1,4-difluorobenzene	95 %	
	Bromochlorobenzene	95 %	

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Heaton LS 5A.

Analyst C. Opleven

Review Misting Walters