

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-144
June 1, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure


Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: <u>BP America Production Company</u> Telephone: <u>(505)326-9200</u> e-mail address: _____		
Address: <u>200 Energy Ct, Farmington, NM 87401</u>		
Facility or well name: <u>GCU# 320</u> API #: <u>3004524732</u> U/L or Qtr/Qtr <u>I</u> Sec <u>30</u> T <u>28N</u> R <u>12W</u>		
County: <u>San Juan</u> Latitude _____ Longitude _____ NAD: 1927 <input type="checkbox"/> 1983 <input type="checkbox"/>		
Surface Owner: Federal <input type="checkbox"/> State <input type="checkbox"/> Private <input type="checkbox"/> Indian <input type="checkbox"/>		
Pit Type: Drilling <input type="checkbox"/> Production <input type="checkbox"/> Disposal <input checked="" type="checkbox"/> Workover <input type="checkbox"/> Emergency <input type="checkbox"/> Lined <input type="checkbox"/> Unlined <input type="checkbox"/> Liner type: Synthetic <input type="checkbox"/> Thickness _____ mil Clay <input type="checkbox"/> Pit Volume _____ bbl	Below-grade tank Volume: _____ bbl Type of fluid: _____ Construction material: _____ Double-walled, with leak detection? Yes <input type="checkbox"/> If not, explain why not. _____	
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet	(20 points)
	50 feet or more, but less than 100 feet	(10 points)
	100 feet or more	(0 points)
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes	(20 points)
	No	(0 points)
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet	(20 points)
	200 feet or more, but less than 1000 feet	(10 points)
	1000 feet or more	(0 points)
Ranking Score (Total Points)		<u>0</u>

If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☐ offsite ☐ If offsite, name of facility _____. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☐ Yes ☐ If yes, show depth below ground surface _____ ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments:
See Attached Documentation
410 West of South 52' from WH



I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an (attached) alternative OCD-approved plan ☐.

Date: 11/01/2005

Printed Name/Title Jeffrey C. Blagg, Agent

Signature Jeffrey C. Blagg

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval: DEPUTY OIL & GAS INSPECTOR, DIST. #3

Printed Name/Title _____

Signature Denny Furt

DEC 14 2005
Date: _____

CLIENT: <u>AMOCO</u>	BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199	LOCATION NO <u>80840</u> C.D.C. NO <u>8270</u>
----------------------	--	---

PAGE No: 1 of 1

LOCATION: NAME: <u>GCM</u>	WELL #: <u>320</u>	PIT: <u>BLWD</u>	DATE STARTED <u>3/5/01</u>
QUAD/UNIT: <u>I</u> SEC: <u>30</u> TWP: <u>28N</u>	RNG: <u>12W</u>	PM: <u>NM</u> CNTY: <u>ST</u> STNM: <u></u>	DATE FINISHED <u></u>
QTR/FOOTAGE: <u>1850's/1820'E</u>	DESE CONTRACTOR: <u>FUNT</u>	ENVIRONMENTAL SPECIALIST <u>NV</u>	

EXCAVATION APPROX. NA FT. x NA FT. x NA FT. DEEP. CUBIC YARDAGE: NA
DISPOSAL FACILITY: ON-SITE REMEDIATION METHOD: CLOSE AS IS
LAND USE: RANGE LEASE: DAU I-149-12D-8470 FORMATION: PC

PIT LOCATED APPROXIMATELY 52 FT. S41W FROM WELL-HEAD

DEPTH TO GROUNDWATER: >100' NEAREST WATER SOURCE: >1000' NEAREST SURFACE WATER: >1000'

NMOC Ranking Score: 0 NMOC TPH Closure Std: 5000 PPM

DVM CALIB. READ. 53.0 ppm

TIME: 7:40 am/pm 2/28/01

WATER
CHECK ONE

✓ PIT ABANDONED
STEEL TANK INSTALLED
FIBERGLASS TANK INSTALLED

OK. YELL. ORANGE SAND, NON COHESIVE, SLIGHTLY MOIST, FIRM, NO APPARENT DISCOLORATION OBSERVED OR HC BOOR DETECTED FROM TEST HOLE OR OWN SAMPLE.

CLOSED

SCALE

— 24 —

0 FT


PIT PERIMETER IN

FIELD 418.1 CALCULATIONS'

FIELD 416.1 CALCULATIONS							
TIME	SAMPLE I.D.	LAB No:	WEIGHT (g)	mL. FREON	DILUTION	READING	CALC CORR
0900							

PIT PROFILE

PIT DEPRESSION
APPROX. 3'
BELOW GRADE



OVM RESULTS

[illegible]

NOT APPLICABLE

TRAVEL NOTES:

CALLOUT: 3/5/01 - MORN.

ONSITE: 3/5/01 - moran

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 7'	Date Reported:	03-06-01
Laboratory Number:	19343	Date Sampled:	03-05-01
Chain of Custody No:	8270	Date Received:	03-05-01
Sample Matrix:	Soil	Date Extracted:	03-05-01
Preservative:	Cool	Date Analyzed:	03-06-01
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	0.7	0.1
Total Petroleum Hydrocarbons	0.7	0.1

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: GCU #320 Blow Pit.


Analyst


Review