District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes X No ...

Type of action: Registration of a pit	or below-grade tank Closure of a pit or below-gr	rade tank	
Operator: BP America Production Company Telepho	ne: (505)326-9200e-mail address:		
Address: 200 Energy Ct, Farmington, NM 87401			
	30045 25/73 U/L or Qtr/Qtr M	1 Sec 30 T28NR12W	
	Longitude		
Surface Owner: Federal  State  Private  Indian		<del></del>	
<u>Pit</u>	Below-grade tank		
Type: Drilling   Production   Disposal	Volume:bbl Type of fluid:		
Workover ☐ Emergency ☐	Construction material:		
Lined ☐ Unlined ☐	Double-walled, with leak detection? Yes  If not, explain why not.		
Liner type: Synthetic Thicknessmil Clay _			
Pit Volumebbl			
Double to the first of distance from bottom of site to accord	Less than 50 feet	(20 points)	
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points)	
nigh water elevation of ground water.)	100 feet or more	( 0 points)	
	Yes	(20 points)	
Wellhead protection area: (Less than 200 feet from a private domestic	No	( 0 points)	
water source, or less than 1000 feet from all other water sources.)			
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)	
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)	
	1000 feet or more	( 0 points)	
	Ranking Score (Total Points)		
If this is a pit closure: (1) Attach a diagram of the facility showing the pit	's relationship to other equipment and tanks. (2) Indi	cate disposal location: (check the onsite box if	
your are burying in place) onsite [ offsite [ If offsite, name of facility_			
remediation start date and end date. (4) Groundwater encountered: No []			
(5) Attach soil sample results and a diagram of sample locations and excava	1111111	•	
Additional Comments:			
See Attached Documentation	DEC 2005	10+7	
120' North of west 210 from		1012	
120 Novin Otwest 21 trom	COOL CUNS. DIV.		
	V DIST. 8		
	F		
	( / // cor e3 (3) (3)		
I hereby certify that the information above is true and complete to the best	t of my knowledge and belief. I further certify that	the above-described pit or below-grade tank	
has been/will be constructed or closed according to NMOCD guideline	es 🔀, a general permit 🔲, or an (attached) altern	ative OCD-approved plan .	
D	4		
Date: 11/01/2005	ture Jeffy C. Sligg		
		to of the mit on touls nontended to the control of	
Your certification and NMOCD approval of this application/closure does not otherwise endanger public health or the environment. Nor does it relieve to regulations.			
Approval:	10 7 -	NFC 1 4 2005	
Printed Name/Title	Signature Deny tan	DEC 1 4 2005	
		7	

3-17323713						
CLIENT: BP BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199 C.C.C. NO: 9298						
FIELD REPORT: CLOSURE VERIFICATION PAGE No: of						
LOCATION: NAME: GCU WELL #: 193E PIT: DEHY DATE STARTED: 7-2-01						
QUAD/UNIT: M SEC: 30 TWP: 28N RNG: 12W PM: NM CNTY: SJ ST: NM						
QTR/FOOTAGE 830'S 1970 W SWISW CONTRACTOR: FLINT SPECIALIST: JCB						
PIT SEXEAVATION APPROX. 15 FT. x 15 FT. x 3 FT. DEEP. CUBIC YARDAGE:						
DISPOSAL FACILITY: DN-SITE REMEDIATION METHOD: CLOSE AS IS  LAND USE: FED - RANGE ( NAV.) LEASE: I-149-1ND-8470 FORMATION: OK						
FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY 120 FT. N210W FROM WELLHEAD.						
DEPTH TO GROUNDWATER: >100 NEAREST WATER SOURCE: >1000 NEAREST SURFACE WATER: >1000 CHECK ONE:						
NMOCD RANKING SCORE: O NMOCD TPH CLOSURE STD: SCOO PPM PIT ABANDONED						
SOIL AND EXCAVATION DESCRIPTION:						
0-3.5' Silty SAW, DRY, Non Cohesire. NO HC ODOX OR STAW						
3.5' HI+ FIRM SANDSYONS SOFTERE.						
Used BACKHOE to Dig test hole - could not Penetrate Bodrock						
BEOROUX CLOSED						
BOTTOM  FIELD 418.1 CALCULATIONS  TIME SAMPLE I.D. LAB NO: WEIGHT (g) mL. FREON DILUTION READING CALC. ppm						
SCALE SCALE						
O FT OVM DIT DECELLE						
PIT PERIMETER RESULTS PIT PROFILE						
SAMPLE FIELD HEADSPACE PIO (ppm)						
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$						
$ \uparrow \qquad \qquad \downarrow \qquad \qquad \qquad \downarrow \qquad \qquad \qquad \qquad \downarrow \qquad \qquad \qquad \downarrow \qquad \qquad \qquad \downarrow \qquad \qquad \downarrow \qquad \qquad \downarrow \qquad \qquad \downarrow \qquad \qquad \qquad \downarrow \qquad$						
5 A						
A A 3						
SAMPLES SAMPLES SAMPLES SAMPLES THE						
SAMPLE ANALYSIS TIME C. Q.3: TPH 1430						
Proses						
TRAVEL NOTES: 7.7-01 Aland						
CALLOUT: 7-2-01 NOON ONSITE: 7-2-01 1400						



## EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	Dehy C @ 3½'	Date Reported:	07-05-01
Laboratory Number:	20215	Date Sampled:	07-02-01
Chain of Custody No:	9298	Date Received:	07-03-01
Sample Matrix:	Soil	Date Extracted:	07-04-01
Preservative:	Cool	Date Analyzed:	07-05-01
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	17.0	0.2
Diesel Range (C10 - C28)	87.1	0.1
Total Petroleum Hydrocarbons	104	0.1

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

GCU 193E.

Analyst C. Oplean

(Mistra on Walles
Review