District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes No

Type of action: Registration of a pit	or below-grade tank Closure of a pit or below-gr	ade tank 🔀		
Operator: BP America Production Company Telephor	ne: (505)326-9200 e-mail address:			
Address: 200 Energy Ct. Farmington, NM \$7401				
Facility or well name: #ughes A#68 API#:3	0045 25228 U/L or Qtr/Qtr _ L	Sec 33 TAAN ROW		
) ·	Longitude			
Surface Owner: Federal State Private Indian				
Pit	Below-grade tank			
Type: Drilling Production Disposal	Volume:bbl Type of fluid:			
Workover Emergency	Construction material:			
Lined Unlined	Double-walled, with leak detection? Yes If not, explain why not.			
Liner type: Synthetic Thicknessmil Clay	Double-waited, with leak detection: Tes [] It not, explain why not.			
Pit Volumebbl				
	Less than 50 feet	(20 points)		
Depth to ground water (vertical distance from bottom of pit to seasonal	50 feet or more, but less than 100 feet	(10 points)		
high water elevation of ground water.)	100 feet or more	(0 points)		
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)		
water source, or less than 1000 feet from all other water sources.)	No	(0 points)		
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)		
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)		
irrigation canais, ditches, and pereninal and epitemeral watercourses.)	1000 feet or more	(0 points)		
	Ranking Score (Total Points)			
	<u> </u>			
If this is a pit closure: (1) Attach a diagram of the facility showing the pit'				
your are burying in place) onsite [offsite I If offsite, name of facility_				
remediation start date and end date. (4) Groundwater encountered: No 🗌		ft. and attach sample results.		
(5) Attach soil sample results and a diagram of sample locations and excava	tions.			
Additional Comments:				
See Attached Documentation				
		30-4		
I hereby certify that the information above is true and complete to the best has been/will be constructed or closed according to NMOCD guideline	of my knowledge and belief. I further certify that	the above-described pit or below-grade tank ative OCD-approved plan		
	, a game an per anno 2 , or an (2000-000) and a	and dep approved plan		
Date: 11/01/2005				
Printed Name/Title Jeffrey C. Blagg, Agent Signat	rure Jeffy C. Sligg			
Your certification and NMOCD approval of this application/closure does not not otherwise endanger public health or the environment. Nor does it relieve to regulations.	not relieve the operator of liability should the content the operator of its responsibility for compliance with	s of the pit or tank contaminate ground water or any other federal, state, or local laws and/or		
Approval: DEPUTY OIL & GAS INSPECTOR, DIST. Printed Name/Title	Signature Semily R	DEC 1 4 2005		

BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199	C.O.C. NO: <u>80856</u>				
FIELD REPORT: CLOSURE VERIFICATION LOCATION: NAME: HUGHES A WELL #: GE PIT: TANK QUAD/UNIT: L SEC: 33 TWP: 29N RNG: 8W PM: NM CNTY: SJST: AM QTR/FOOTAGE: NW/4 SW/4 CONTRACTOR: FUNT	PAGE No: of DATE STARTED: 6-1-01 DATE FINISHED: 6-1-01 ENVIRONMENTAL JCB				
PIT EXCAVATION APPROX. [U] FT. x [U] FT. x 2 FT. DEEP. CUBIC YARDAGE: NA DISPOSAL FACILITY: 02-5/12 REMEDIATION METHOD: CLOSE AS 15 LAND USE: BLANGE LEASE: NMSF 078049 FORMATION: DEFIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY 100 FT. 552 FROM WELLHEAD. DEPTH TO GROUNDWATER: >100 NEAREST WATER SOURCE: >1000 NEAREST SURFACE WATER: >1000 CHECK TIME:					
NMOCD RANKING SCORE: O NMOCD TPH CLOSURE STD: SOUD PPM SOIL AND EXCAVATION DESCRIPTION: USE BACKHOE TO SAMFCE PIT O'-2' SI'TY Sound, DAT 2'-4' SI'TY Sound, MUST, NO 4C COR OR SMALL O4' HIT FIRM Soundstone BEDRICK.					
BEDROCK BOTTON FIELD 418.1 CALCULATIONS TIME SAMPLE I.D. LAB NO: WEIGHT (g) ml. FREON DI SCALE OFT PIT PERIMETER OVM					
RESULTS SAMPLE SAMPLE PID (ppm) 1 @ C(04)	SAMPLE				
TRAVEL NOTES: CALLOUT: 6-1-01 0900 ONSITE: 6-1-01	1300				



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	Tank C @ 4'	Date Reported:	06-05-01
Laboratory Number:	19979	Date Sampled:	06-01-01
Chain of Custody No:	8411	Date Received:	06-04-01
Sample Matrix:	Soil	Date Extracted:	06-04-01
Preservative:	Cool	Date Analyzed:	06-05-01
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.1

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Hughes A #6E.

Alexa P. Colevian Analyst

Review Review