<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 District II

1301 W. Grand Avenue, Artesia, NM 88210

District III

1000 Rio Brazos Road, Aztec, NM 87410

District IV

1320 S. St. Francis Dr. Santa Fe. NM 87505 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico **Energy Minerals and Natural Resources**

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe

Form C-144

June 1, 2004

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes No Type of action: Registration of a pit or below-grade tank Closure of a pit or below-grade tank		
Operator: BP America Production Company Telephone: (505)326-9200 e-mail address:		
Address: 200 Energy Ct, Farmington, NM 87401		
Facility or well name: Moore #11 API#: 30045 26666 U/L or Qtr/Qtr & Sec 35 T32N R 11 W		
County: San Juan Latitude	Longitude	NAD: 1927 🗌 1983 🔲
Surface Owner: Federal State Private Indian		
Pit	Below-grade tank	AST 13 14 15 76
Type: Drilling Production Disposal	Volume:bbl Type of fluid:	
Workover ☐ Emergency ☐	Volume:bbl Type of fluid: DEC 20008	
Lined Unlined	Double-walled, with leak detection? Yes If not, explain why not.	
Liner type: Synthetic Thicknessmil Clay	(C) ON COURT	
Pit Volumebbl	DIET ON ONE	
	Less than 50 feet	(20 points) (7)
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points)
	100 feet or more	(0 points)
	Too lost of moto	(o poulu)
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)
water source, or less than 1000 feet from all other water sources.)	No	(0 points)
	Less than 200 feet	(20 points)
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)
	1000 feet or more	(0 points)
	1000 leet of more	(o points)
	Ranking Score (Total Points)	
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if		
your are burying in place) onsite 🗌 offsite 🗎 If offsite, name of facility (3) Attach a general description of remedial action taken including		
remediation start date and end date. (4) Groundwater encountered: No Yes If yes, show depth below ground surface ft. and attach sample results.		
(5) Attach soil sample results and a diagram of sample locations and excavations.		
Additional Comments:		
See Attached Documentation		
N = dvock		
DEarro		
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank		
has been/will be constructed or closed according to NMOCD guidelines 🔀, a general permit 🗌, or an (attached) alternative OCD-approved plan 🔲.		
Deta. 11/01/2005		
Date: 11/01/2005 Printed Name/Title Jeffrey C. Blagg, Agent Signature C Slaggy Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or		
Frinted (Name) Title Jettrey C. Diagg, Agent Signature Japan		
otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.		
Approval: DEPUTY ON & GAS INSPECTOR, DIST. 43 Printed Name/Title Signature Signature Details Date:		

30045 26666 CLIENT: BP LOCATION NO: 80847 BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 C.O.C. NO: _ (505) 632-1199FIELD REPORT: CLOSURE VERIFICATION PAGE No: / of DATE STARTED: 4/19/01 LOCATION: NAME: MOORE WELL #: ((PIT: 860 DATE FINISHED: _ QUAD/UNIT: E SEC: 35 TWP: 322 RNG: 11W PM: NM CNTY: 5T ST: NM ENVIRONMENTAL QTR/FOOTAGE: 1700'2 1140'W SWAW CONTRACTOR: FLINT SPECIALIST: EXCAVATION APPROX. NA FT. x NA FT. x NA FT. DEEP. CUBIC YARDAGE: NA DISPOSAL FACILITY: ON-SITE REMEDIATION METHOD: CLOSE AS IS LAND USE: RANGE LEASE: NMOI0989 FORMATION: DK FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY 60 FT. 29 FROM WELLHEAD. DEPTH TO GROUNDWATER: >/30' NEAREST WATER SOURCE: >/000' NEAREST SURFACE WATER: >/000' CHECK NMOCD RANKING SCORE: ____ NMOCD TPH CLOSURE STD: ____ PPM ✓ PIT ABANDONED OVM CALIB. READ. 5% / ppm ____ STEEL TANK INSTALLED SOIL AND EXCAVATION TIME: 9:58 Op/pm 4/19/3, ____ FIBERGLASS TANK INSTALLED DESCRIPTION: VERY PAR ORNIGE BEDROCK (SMOSTONE) C BOTTOM OF TEST HOLE, HARD NO APPRICAT STAINING EVIDENT OR HC DOOR DEFECTED WITHIN TEST HOLE OR DUM SPRONE BEDROCK FIELD 418.1 CALCULATIONS Bottom SAMPLE I.D. | LAB No: | WEIGHT (g) | mL. FREON | DILUTION | READING | CALC. ppm TIME SCALE 1120 PIT PERIMETER 10 PROFILE OVM RESULTS FIELD HEADSPACE PID (ppm) SAMPLE ID 0.0 BERM 181 PIT APPLICABLE DEPRESSION APPROX.3 secon grade

TEST HOLE APPROX !! LAB SAMPLES ANALYSIS werr TRAVEL NOTES: CALLOUT: 4/19/01-mores. ONSITE: 4/19/01-mores. revised: 03/12/01 bei1005.skd