<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 District II
1301 W. Grand Avenue, Artesia, NM 88210 District III

1000 Rio Brazos Road, Aztec, NM 87410

District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources

June 1, 2004

Form C-144

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes 🔀 No 🗌
efaction. Posicipation of a mit or helow grade tank [ Closury of a mit or helow grade t

type of action: Registration of a pit of below-grade tank 🔲 Closure of a pit of below-grade tank 🗷					
Operator: BP America Production Company Telepho	ne: (505)326-9200 e-mail address:				
Operator: BP America Production Company Telephone: (505)326-9200 e-mail address:  Address: 200 Energy Ct, Farmington, NM 87401					
	30045 25/96 U/L or Qtr/Qtr D	Sec 15 T31N RIW			
	Longitude				
Surface Owner: Federal State Private Indian					
Pit	Below-grade tank				
Type: Drilling Production Disposal	Volume:bbl Type of fluid:				
Workover  Emergency	Construction material:				
Lined [ Unlined [	Double-walled, with leak detection? Yes  If not, explain why not.				
Liner type: Synthetic Thicknessmil Clay [					
Pit Volumebbl					
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	(20 points)			
high water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points)			
mga water elevation of ground water.	100 feet or more	( 0 points)			
Wallhard protection area. (Loss than 200 feet from a private demostic	Yes	(20 points)			
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	No	( 0 points)			
water source, or less than 1000 feet from an other water sources.	Less than 200 feet	(20 points)			
Distance to surface water: (horizontal distance to all wetlands, playas,	200 feet or more, but less than 1000 feet	(10 points)			
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	( 0 points)			
		( o points)			
	Ranking Score (Total Points)				
If this is a pit closure: (1) Attach a diagram of the facility showing the pit	s relationship to other equipment and tanks. (2) Indic	ate disposal location: (check the onsite box if			
your are burying in place) onsite $\square$ offsite $\square$ If offsite, name of facility_	. (3) Attach a general of	lescription of remedial action taken including			
remediation start date and end date. (4) Groundwater encountered: No $\square$	Yes 🔲 If yes, show depth below ground surface	ft. and attach sample results.			
(5) Attach soil sample results and a diagram of sample locations and excava	tions.				
Additional Comments:		13 14 15 16			
See Attached Documentation					
	10+3	© DEC 2005			
		9 OM COMED 23			
		Met OIN			
		130 pt			
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above described hit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan .					
Deta: 11/01/0005					
Printed Name/Title Jeffrey C. Blagg, Agent Signature C. Slegy					
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or					
otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.					
Approval: QUITY QL & GAS INSPECTOR, DIST. (1)	Signature Demy 700	OEC 14 2005			
Printed Name/Title	Signature ( )	Date:			

324525196					
BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199	LOCATION NO. 30874 C.O.C. NO. 9345				
FIELD REPORT: CLOSURE VERIFICATION	PAGE No: of				
LOCATION: NAME: NEAL COM WELL #: 1 E PIT: BLOW	DATE STARTED: 7-16-01 DATE FINISHED: 7-16-01				
QUAD/UNIT: D SEC: 15 TWP: 31N RNG: 11W PM:NMCNTY:SJSTWM	ENVIRONMENTAL JCB				
EXCAVATION APPROX. NA FT. x NA FT. DEEP. CUBIC					
DISPOSAL FACILITY: ON-SITE REMEDIATION METHOLAND USE: RANGE - Rum LEASE: SRM 1505 FOR	RMATION: DK				
FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY 170' FT. Nearest water source: >1000 Nearest Surface	120E FROM WELLHEAD.				
NMOCD RANKING SCORE: 16 NMOCD TPH CLOSURE STD: 1000 PPM	CHECK DNE :				
SOIL AND EXCAVATION  OVM CALIB. READ. /3/.1 ppm  OVM CALIB. GAS = Z5J ppm RF = 0.52	PIT ABANDONED STEEL TANK INSTALLED				
DESCRIPTION: TIME: 1155 (am) pm DATE: 7-16-01	FIBERGLASS TANK INSTALLED				
SOIL TYPE: SAND / SILTY SAND / SILT / SILTY CLAY / CLAY / GRAVEL / OTHER COLOR: GRAV - TAN	0 6 - Bedruck				
COHESION (ALL OTHERS): NON COHESIVE / SLIGHTLY COHESIVE / COHESIVE / HIGHLY	COHESIVE				
CONSISTENCY (NON COHESIVE SOILS): LOOSE / FIRM / DENSE / VERY DENSE. PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC.	IC / HIGHLY PLASTIC				
DENSITY (COHESIVE CLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD MOISTURE: DRY / SLIGHTLY MOISD / MOIST / WET / SATURATED / SUPER SATURATED	CLOSED				
DISCOLORATION/STAINING OBSERVED: YES /NO EXPLANATION -					
HC ODOR DETECTED: YES / NO EXPLANATION - SAMPLE TYPE: GRAB / COMPOSITE - # OF PTS. 1					
ADDITIONAL SOMMENTS: WOOD LINED PIT W/ STEEL TANK INSTACLED. (1SED BACKHUE BEDROCK) TO REMOVE TANK & DIG TEST HOLE. SAMPLED SOI'S ON					
BOTTOM) BEHILL SURFACE.					
SCALE SAMP. TIME SAMPLE I.D. LAB NO: WEIGHT (9) ML. FREON DILU	TION READING CALC. ppm				
	DDODILD				
N PIT PERIMETER OVM PIT PROFILE					
CONTRACTOR RESULTS					
Hull 10 PIO (ppm) 1 @ 6 0 0	- 6° →				
2 @ 3 @	A				
A 4 @ A A A A	$\pi$				
A6 H & TH	y				
	7 i				
LAB SAMPLES					
SAMPLE ANALYSIS TIME					
SAMPLE ANALYSIS TIME	BO Ruck				
SAMPLE ANALYSIS TIME	BED Ruck				



## EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	Blow C @ 6'	Date Reported:	07-17-01
Laboratory Number:	20401	Date Sampled:	07-16-01
Chain of Custody No:	9345	Date Received:	07-16-01
Sample Matrix:	Soil	Date Extracted:	07-16-01
Preservative:	Cool	Date Analyzed:	07-17-01
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	1.2	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	1.2	0.1

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Neal Com 1E.

Analyst C. Cefercu

Priotini My Walter

5796 U.S. Highway 64 • Farmington, NM 87401 • Tel 505 • 632 • 0615 • Fax 505 • 632 • 1865