

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Form C-144

June 1, 2004

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

For drilling and production facilities, submit to
appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe
office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

WFS CLOSURE

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: BP AMERICA PRODUCTION COMPANY Telephone: _____ e-mail address: _____
Address: PO BOX 22048 TULSA, OK 74121
Facility or well name: FLORANCE #046 API #: 30-045-09190 U/L or Qtr/Qtr H SEC 29 T 30N R 8W
County: SAN JUAN Latitude 36 47.092 N Longitude 107 41.641 W NAD: 1927 ☒ 1983 ☐
Surface Owner: Federal ☒ State ☐ Private ☐ Indian ☐

Pit

Type: Drilling ☐ Production ☒ Disposal ☐

Workover ☐ Emergency ☐

Lined ☐ Unlined ☒

Liner Type: Synthetic ☒ Thickness _____ mil Clay ☐


Pit Volume 96 bbl

Below-grade tank

Volume: _____ bbl Type of fluid: _____

Construction Material: _____

Double-walled, with leak detection? Yes ☐ If not, explain why not. _____



Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)

Less than 50 feet
50 feet or more, but less than 100 feet
100 feet or more

(20 points)
(10 points) 0
(0 points)

Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)

Yes
No

(20 points)
(0 points) 0

Distance to surface water: (Horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)

Less than 200 feet
200 feet to 1,000 feet
Greater than 1,000 feet

(20 points)
(10 points) 0
(0 points)

Ranking Score (TOTAL POINTS):

0

If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☒ offsite ☐ If offsite, name of facility _____. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface _____ ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments:

Meter: 34059

Bedrock

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐, a general permit ☐, or an (attached) alternative OCD-approved plan ☒

Date: 10/3/05

Printed Name/Title Mark Harvey for Williams Field Services Signature Mr. Harvey, FOR WFS

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval: DEPUTY OIL & GAS INSPECTOR, DIST. 3

Printed Name/Title _____ Signature Denny Fort

FEB 02 2006
Date: _____

ADDENDUM TO OCD FORM C-144


Operator: BP AMERICA PRODUCTION COMPANY

API 30-045-09190


Well Name: FLORANCE #046

Meter: 34059

Facility Diagram:



Sampling Diagram:



Pit Dimensions

Length 18 Ft.

Width 15 Ft.

Depth 2 Ft.

Location of Pit Center

Latitude 36 47.090 N

Longitude 07 41.669 W

(NAD 1927)

Pit ID

340591

Pit Type

Glycol Dehydrator

Date Closure Started: 3/16/05

Date Closure Completed: 3/16/05

Closure Method: Excavated, Blended, Treated Soil Returned

Bedrock Encountered ? ☒

Cubic Yards Excavated: 40

Vertical Extent of Equipment Reached ? ☐

Description Of Closure Action:

Contaminated soil was removed and treated then returned to the excavation following sampling of the walls and floor.

BEDROCK limited vertical excavation and/or prevented sampling. This condition limits deleterious environmental effects.

Pit Closure Sampling:

Sample ID	Sample Date	Head Space	BTEX Total (mg/kg)	Benzene (mg/kg)	TPH DRO (mg/kg)	Purpose	Location	Depth	
151116MAR05	3/16/05	135	0.11	0	1900	EX Confirm	Walls	4	See Risk Analysis
151916MAR05	3/16/05	271	398.3	7.3	2100	EX Confirm	Flr	4	See Risk Analysis
165806MAR05	3/6/05		3255	160	1800	ASSESS	Flr	2.5	

Lab Project Number: 6092681

Client Project ID: NM Pits 02/18-03/04/2005

Lab Sample No: 607961752
Client Sample ID: 165806MAR05

Project Sample Number: 6092681-021
Matrix: Soil

Date Collected: 03/06/05 16:58
Date Received: 03/10/05 09:00

Parameters	Results	Units	Report Limit	DF	Analyzed	By	CAS No.	Qual	ReqLmt
GC Semivolatiles									
Total Extractable Hydrocarbons	Prep/Method: OA2 / OA2								
Mineral Spirits	ND	mg/kg	13.	1.2	03/17/05 02:39	RMN1			
Jet Fuel	ND	mg/kg	13.	1.2	03/17/05 02:39	RMN1			
Kerosene	ND	mg/kg	13.	1.2	03/17/05 02:39	RMN1			
Diesel Fuel	ND	mg/kg	13.	1.2	03/17/05 02:39	RMN1	68334-30-5		
Fuel Oil	ND	mg/kg	13.	1.2	03/17/05 02:39	RMN1	68334-30-5		
Motor Oil	ND	mg/kg	13.	1.2	03/17/05 02:39	RMN1			
Total Petroleum Hydrocarbons	1800	mg/kg	13.	1.2	03/17/05 02:39	RMN1		1	
n-Tetracosane (S)	102	%		1.0	03/17/05 02:39	RMN1	646-31-1		
p-Terphenyl (S)	111	%		1.0	03/17/05 02:39	RMN1	92-94-4		
Date Extracted	03/11/05				03/11/05				

Organics Prep

Percent Moisture	Method: SM 2540G								
Percent Moisture	20.7	%		1.0	03/11/05	ALJ1			

GC/MS Volatiles

UST VOCs in Soil	Prep/Method: EPA 5030 Medium Soil / EPA 8260								
Benzene	160000	ug/kg	6400	127	03/16/05 12:57	AEP	71-43-2		
Toluene	1500000	ug/kg	6400	127	03/16/05 12:57	AEP	108-88-3		
Ethylbenzene	95000	ug/kg	6400	127	03/16/05 12:57	AEP	100-41-4		
Xylene (Total)	1500000	ug/kg	19000	127	03/16/05 12:57	AEP	1330-20-7		
Dibromofluoromethane (S)	108	%		1.0	03/16/05 12:57	AEP	1868-53-7		
1,2-Dichloroethane-d4 (S)	113	%		1.0	03/16/05 12:57	AEP	17060-07-0		
Toluene-d8 (S)	113	%		1.0	03/16/05 12:57	AEP	2037-26-5		
4-Bromofluorobenzene (S)	95	%		1.0	03/16/05 12:57	AEP	460-00-4		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Lab Project Number: 6093056

Client Project ID: N. Mexico Pits Winter 2005

Lab Sample No: 607994001
Client Sample ID: 151116MAR05

Project Sample Number: 6093056-017

Matrix: Soil

Date Collected: 03/16/05 15:11

Date Received: 03/22/05 09:05

Parameters	Results	Units	Report Limit	DF	Analyzed	By	CAS No.	Qual	ReqLmt
GC Semivolatiles									
Total Extractable Hydrocarbons	Prep/Method: OA2 / OA2								
Mineral Spirits	ND	mg/kg	12.	1.2	03/25/05 16:34	RMN1			
Jet Fuel	ND	mg/kg	12.	1.2	03/25/05 16:34	RMN1			
Kerosene	ND	mg/kg	12.	1.2	03/25/05 16:34	RMN1			
Diesel Fuel	ND	mg/kg	12.	1.2	03/25/05 16:34	RMN1	68334-30-5		
Fuel Oil	ND	mg/kg	12.	1.2	03/25/05 16:34	RMN1	68334-30-5		
Motor Oil	ND	mg/kg	12.	1.2	03/25/05 16:34	RMN1			
Total Petroleum Hydrocarbons	1900	mg/kg	12.	1.2	03/25/05 16:34	RMN1		5	
n-Tetracosane (S)	119	%		1.0	03/25/05 16:34	RMN1	646-31-1		
p-Terphenyl (S)	125	%		1.0	03/25/05 16:34	RMN1	92-94-4		
Date Extracted	03/24/05				03/24/05				

Organics Prep

Percent Moisture	Method: SM 2540G								
Percent Moisture	15.9	%		1.0	03/24/05	CPR			

GC/MS Volatiles

UST VOCs in Soil	Prep/Method: EPA 5030 Medium Soil / EPA 8260								
Benzene	ND	ug/kg	59.	1.2	03/24/05 17:57	AEP	71-43-2		
Toluene	110	ug/kg	59.	1.2	03/24/05 17:57	AEP	108-88-3		
Ethylbenzene	ND	ug/kg	59.	1.2	03/24/05 17:57	AEP	100-41-4		
Xylene (Total)	ND	ug/kg	180	1.2	03/24/05 17:57	AEP	1330-20-7		
Dibromofluoromethane (S)	99	%		1.0	03/24/05 17:57	AEP	1868-53-7		
1,2-Dichloroethane-d4 (S)	105	%		1.0	03/24/05 17:57	AEP	17060-07-0		
Toluene-d8 (S)	116	%		1.0	03/24/05 17:57	AEP	2037-26-5		
4-Bromofluorobenzene (S)	128	%		1.0	03/24/05 17:57	AEP	460-00-4	8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Lab Project Number: 6093056

Client Project ID: N. Mexico Pits Winter 2005

Lab Sample No: 607994019
Client Sample ID: 151916MAR05

Project Sample Number: 6093056-018
Matrix: Soil

Date Collected: 03/16/05 15:19
Date Received: 03/22/05 09:05

Parameters	Results	Units	Report Limit	DF	Analyzed	By	CAS No.	Qual	RegLmt
------------	---------	-------	--------------	----	----------	----	---------	------	--------

GC Semivolatiles

Total Extractable Hydrocarbons	Prep/Method: OA2 / OA2								
Mineral Spirits	ND	mg/kg	11.	1.1	03/25/05 16:54	RMN1			
Jet Fuel	ND	mg/kg	11.	1.1	03/25/05 16:54	RMN1			
Kerosene	ND	mg/kg	11.	1.1	03/25/05 16:54	RMN1			
Diesel Fuel	ND	mg/kg	11.	1.1	03/25/05 16:54	RMN1	68334-30-5		
Fuel Oil	ND	mg/kg	11.	1.1	03/25/05 16:54	RMN1	68334-30-5		
Motor Oil	ND	mg/kg	11.	1.1	03/25/05 16:54	RMN1			
Total Petroleum Hydrocarbons	2100	mg/kg	11.	1.1	03/25/05 16:54	RMN1		6	
n-Tetracosane (S)	125	%		1.0	03/25/05 16:54	RMN1	646-31-1		
p-Terphenyl (S)	125	%		1.0	03/25/05 16:54	RMN1	92-94-4		
Date Extracted	03/24/05				03/24/05				

Organics Prep

Percent Moisture	Method: SM 2540G								
Percent Moisture	9.0	%		1.0	03/26/05	JMF1			

GC/MS Volatiles

UST VOCs in Soil	Prep/Method: EPA 5030 Medium Soil / EPA 8260								
Benzene	7300	ug/kg	5500	110	03/24/05 13:55	AEP	71-43-2		
Toluene	100000	ug/kg	5500	110	03/24/05 13:55	AEP	108-88-3		
Ethylbenzene	11000	ug/kg	5500	110	03/24/05 13:55	AEP	100-41-4		
Xylene (Total)	280000	ug/kg	16000	110	03/24/05 13:55	AEP	1330-20-7		
Dibromofluoromethane (S)	102	%		1.0	03/24/05 13:55	AEP	1868-53-7		
1,2-Dichloroethane-d4 (S)	104	%		1.0	03/24/05 13:55	AEP	17060-07-0		
Toluene-d8 (S)	102	%		1.0	03/24/05 13:55	AEP	2037-26-5		
4-Bromofluorobenzene (S)	104	%		1.0	03/24/05 13:55	AEP	460-00-4		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.