District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes X No ...

Type of action: Registration of a pit or below-grade tank 🔲 Closure of a pit or below-grade tank 🔀									
Talastana (505)22(0200 a mailled trans									
Operator: BP America Production Company Telephone: (505)326-9200 e-mail address:									
Address: 200 Energy Ct, Farmington, NM 87401 Facility or well name: SCHWGOTFEGER A LS # \ API #: 30-045-06958 U/L or Qtr/Qtr M Sec 36 T 280 R 9W									
1									
	Longitude								
Surface Owner: Federal State Private Indian									
<u>Pit</u>	Below-grade tank								
Type: Drilling Production X Disposal	Volume:bbl Type of fluid:								
Workover	Construction material:								
Lined 🗌 Unlined 🗍	Double-walled, with leak detection? Yes If not, explain why not.								
Liner type: Synthetic Thicknessmil Clay _									
Pit Volumebbl									
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	(20 points)							
high water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points)							
ingli water elevation of ground water.)	100 feet or more	(0 points)							
	Yes	(20 points)							
Wellhead protection area: (Less than 200 feet from a private domestic	No	` • ′							
water source, or less than 1000 feet from all other water sources.)	140	(0 points)							
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)							
	200 feet or more, but less than 1000 feet	(10 points)							
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	(0 points)							
	Ranking Score (Total Points)								
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if									
your are burying in place) onsite 🗌 offsite, name of facility (3) Attach a general description of remedial action taken including									
remediation start date and end date. (4) Groundwater encountered: No 🗌 Yes 🔲 If yes, show depth below ground surfaceft. and attach sample results.									
(5) Attach soil sample results and a diagram of sample locations and excava-	tions.								
Additional Comments:									
See Attached Documentation									
401									
	10								
10 Policock									
1									
	1.77								
I hereby certify that the information above is true and complete to the best	of my knowledge and belief. I further certify that the	ne above-described pit or below-grade tank							
has been/will be constructed or closed according to NMOCD guidelines [2], a general permit [3], or an (attached) alternative OCD-approved plan [3].									
D LIGHTON									
Date:									
Printed Name/Title Jeffrey C. Blagg, Agent Signature July C. Slegy									
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.									
Approval: CEPUTY OIL & GAS INSPECTOR, OIST. &									
Printed Name/Title Signature Sig									

CLIENT: BP	P.O. BOX	LAGG ENGINEERING, INC. OX 87, BLOOMFIELD, NM 87413		113		: <u>B</u> 1270		
	(505) 632-1199		- CC	OCR NO:				
FIELD REPORT	: PIT CL	OSURE	VERIF	CATIC			/_ of _/_	
LOCATION: NAME: 5 CITWER						_	8/21/03	
QUAD/UNIT: M SEC: 36 TWP: 280 RNG: 9W PM: NM CNTY: 5J ST: NM				─	E FINISHED: _			
QTR/FOOTAGE:9905/99					SPE	CIALIST:	NV	
EXCAVATION APPROX	. <u>~A</u> FT. >	< <u>№A</u> FT.	x <u>NA</u> FT	. DEEP. C	UBIC YAR	DAGE:	NA.	
DISPOSAL FACILITY: DN-SITE REMEDIATION METHOD: CLOSE AS IS								
LANDUSE: RANGE - BLM LEASE: NMO79319 FORMATION: PC/MU								
FIELD NOTES & REMAR	KS: PIT LOC	CATED APPROX	CIMATELY	7 FT.	5 23 E	_ FROM	WELLHEAD.	
DEPTH TO GROUNDWATER: >1001 NEAREST WATER SOURCE: >1000 NEAREST SURFACE WATER: >1006								
NMOCD RANKING SCORE: NMOCD TPH CLOSURE STD: 5000 PPM								
					OVM CALIB. READ. = 54.0 ppm OVM CALIB. GAS = 100 ppm RF = 0.52			
							8/20/03	
SOIL TYPE: SAND SILTY SAN				ER BEORGE	CR (SANDS	rone)		
SOIL COLOR: PALE YELL OF	ANGE TO LT. C DHESIVE! SLIGHTL'	Y COHESIVE / CO	HESIVE / HIGHLY	BEONOCK -	MED. LT	. GRAT		
COHESION (ALL OTHERS): NON COHESIVE / SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVE CONSISTENCY (NON COHESIVE SOILS): LOOSE FIRM DENSE / VERY DENSE								
PLASTICITY (CLAYS): NON PLASTIC DENSITY (CORESIVE CLAYS & SILTI				HIGHLY PLAST	IC			
MOISTURE: DRY / SLIGHTLY MOIST			•			1	LOSED	
DISCOLORATION/STAINING OBSER	VED: YES (NO) EXI							
HC ODOR DETECTED: YES (NO E)								
SAMPLE TYPE: GRAB COMPOSITE . # OF PTS								
BEORDER NO THY ANALYSIS WAS CONDUCTED.								
		FIE	LD 418.1 CALC	ULATIONS				
SCALE SAMP. TIN	ME SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTIO	READING	CALC. (ppm)	
0 FT								
	·FD /			····	DIT	DDOEU		
PIT PERIMETER 10 OVM						<u>.</u> <u>L</u>		
TO WELL HEAD		1	DING					
Hen.		SAMPLE	FIELD HEADSPACE (ppm)					
1		1 @ 7.5	0.0	1				
		2 @ 3 @		-				
4@								
NOT APPLICABLE						יית נובש.		
and D. A. TANK				PPLICIT	5 G			
21 65 082 7								
TANK Y'								
I AD CAMPLEC								
SAMPLE ANALYSIS TIME - 1423								
0.0 - 0.5 0.500.500.500								
P.D. = PIT DEPRESSION; B.G. = BELOW T.H. = TEST HOLE; ~ = APPROX.; T.B. =								
TRAVEL NOTES: CALLOUT: 8/21/03-MORN. ONSITE: 8/21/03-AFTER.								