District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

Pit or Below-Grade Tank Registration or Closure

	or below-grade tank Closure of a pit or below-gra				
Operator: BP America Production Company Telephor	ne: (505)326-9200 e-mail address:				
Address: 200 Energy Ct, Farmington, NM 87401					
Facility or well name: RIDDLE C LS # Z API #: 3	30-045-1037Z U/L or Otr/Otr A	Sec 30 T 31N R 9W			
	Longitude				
Surface Owner: Federal State Private Indian					
Pit	Below-grade tank				
Type: Drilling Production Disposal	Volume:bbl Type of fluid:	Volume:bbl Type of fluid:			
Workover Emergency	Construction material:				
Lined Unlined	Double-walled, with leak detection? Yes If not, explain why not.				
Liner type: Synthetic Thicknessmil Clay _					
Pit Volumebbl					
Control of the contro	Less than 50 feet	(20 points)			
Depth to ground water (vertical distance from bottom of pit to seasonal	50 feet or more, but less than 100 feet	(10 points)			
high water elevation of ground water.)	100 feet or more	(0 points)			
	Yes	(20 points)			
Wellhead protection area: (Less than 200 feet from a private domestic	No	(0 points)			
water source, or less than 1000 feet from all other water sources.)	`				
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)			
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)			
	1000 feet or more	(0 points)			
	Ranking Score (Total Points)				
If this is a pit closure: (1) Attach a diagram of the facility showing the pit' your are burying in place) onsite offsite If offsite, name of facility_remediation start date and end date. (4) Groundwater encountered: No (5) Attach soil sample results and a diagram of sample locations and excava	Yes If yes, show depth below ground surface	description of remedial action taken including			
Additional Comments:		78 Maria - 19 Maria -			
See Attached Documentation		7062			
		400			
		·			
I hereby certify that the information above is true and complete to the best has been/will be constructed or closed according to NMOCD guideling	of my knowledge and belief. I further certify that es 🔀, a general permit 🗌, or an (attached) altern	the above-described pit or below-grade tank ative OCD-approved plan □.			
Date: 11/01/2005					
Printed Name/Title Jeffrey C. Blagg, Agent Signature July C. Slegy					
Your certification and NMOCD approval of this application/closure does otherwise endanger public health or the environment. Nor does it relieve regulations.	not relieve the operator of liability should the content	s of the pit or tank contaminate ground water or			
Approval:		Are 10 mar			
Printed Name/Title	SignatureSignature	Terribate: DEC 16 2005			

CLIENT: BP	, F	P.O. BOX	87, BLO	NEERING OMFIELD	•	413	CATION NO:	10711
			(505) 632	:-1199 ———			OCR NO:	10 , 1,
FIELD RE	PORT:	PIT CL	OSURE	VERIF	ICATIC			/ of/_
LOCATION: NAME							E STARTED:	
QUAD/UNIT: A S						<u> </u>	E FINISHED:	
QTR/FOOTAGE: 9) SPEC	TRONMENTAL CIALIST:	NV
EXCAVATION A	PPROX.	<i>∾A</i> FT. x	<u>∼A</u> FT.	x NA FT	DEEP. CI	JBIC YAR	DAGE:	NΑ
DISPOSAL FACILIT		ON-51TE						15 15
	RANGE							MU
FIELD NOTES &		FILLOCA		XIMATELY 10				4
DEPTH TO GROUNDWA		_	•	710001		SURFACE WA	ATER: _ 6</td <td>200</td>	200
NMOCD RANKING SCOP	RE: //	_ NMOCD TPH	CLOSURE STD:		<u> </u>			
SOIL AND EXC	NOITAVAC	DESCRIPT	ION:		OVM CALIB.	GAS =	52.2 ppm 700 ppm om DATE: _	RF = 0.52
SOIL TYPE: SAND			CLAY / CLAY /	GRAVEL / OTH		<u></u>	M DATE	
SOIL COLOR: COHESION (ALL OTHER			COHESIVE / CC	HESIVE / HIGHLY	COHESIVE			
CONSISTENCY (NON CO					CONESIVE			
PLASTICITY (CLAYS): N					/ HIGHLY PLAST	IC	_	
D ENSITY (COHESIVE CI MOISTURE: DRY / <u>S</u> LIG	HTLY MOIST M	OIST / WET / SAT	TURATED / SUPER	R SATURATED			C	(LOSED)
DISCOLORATION/STAIN	NING OBSERVED	D: (ES) NO EXP	LANATION - 8	ET. 3-4.5'	BEWW GRADE	E (PARREFIE	S LIKE DK. YE	u. erow/pr. cong
HC ODOR DETECTED: Y SAMPLE TYPE: GRAB	COMPOSITE - #							
ADDITIONAL COMMENTS					***			
SCALE			T	ELD 418.1 CALC	1		-	
JOALL	SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	NREADING	CALC. (ppm)
0 FT	-	,	 		 			
PIT PE	RIMETER	R N		<u> </u>	<u> </u>	PIT '	_ PROFIL	F
	1			VM			1101	
<u> </u>	21	ا	REA	ADING FIELD HEADSPACE	\dashv			
r	aram	7	1 @ 6	(ppm)	_			
1 7	BERM	٦	2 @	<u> </u>				
	<u> </u>	,	3 @ 4 @		4			
21	\ Ø \	,	5 @		_		- ADUCAS	
21 1	1	!			4	NO1	APPLICAB	ilt
	\sim	!			7			
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	-	7			_			
P.D.	1	,	LAB S	AMPLES	-			
7،3 '	T.H.		SAMPLE AN	NALYSIS TIME				
B.G.	β p.D.	TO Y WEND HEAD		(80128) 0836	<u>-</u>			
0500000N B	3 .			122.ED)	\exists			
P.D. = PIT DEPRESSION; B T.H. = TEST HOLE; ~ = APP	PROX.; T.B. = TAN	NK BOTTOM						
TRAVEL NOTES:	CALLOUT: _	4/9/03-1	FTER-	ONSITE:	4/10/03	- MORN) ,	



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 6'	Date Reported:	04-11-03
Laboratory Number:	25334	Date Sampled:	04-10-03
Chain of Custody No:	10711	Date Received:	04-10-03
Sample Matrix:	Soil	Date Extracted:	04-11-03
Preservative:	Cool	Date Analyzed:	04-11-03
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Riddle C LS #2 Blow Pit Grab Sample.

Analyst

Christin n Dacters