District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes 🔀 No 🗌 Type of action: Registration of a pit or below-grade tank \(\subseteq\) Closure of a pit or below-grade tank \(\subseteq\) Telephone: (505)326-9200 e-mail address: Operator: BP America Production Company Address: 200 Energy Ct, Farmington, NM 87401 Facility or well name: STATE GC 8Q # 1 API #: 30-045-23662 U/L or Qtr/Qtr I Sec 32 T Z9N R 13W _____Longitude ______ NAD: 1927 [] 1983 [] County: San Juan Surface Owner: Federal

State Private Indian Below-grade tank Type: Drilling Production Disposal Volume: _____bbl Type of fluid: _____ Construction material: Double-walled, with leak detection? Yes If not, explain why not. Lined Unlined Liner type: Synthetic Thickness ____mil Clay [Pit Volume _____bbl (20 points) Less than 50 feet Depth to ground water (vertical distance from bottom of pit to seasonal 50 feet or more, but less than 100 feet (10 points) high water elevation of ground water.) 100 feet or more (0 points) Yes (20 points) Wellhead protection area: (Less than 200 feet from a private domestic No (0 points) water source, or less than 1000 feet from all other water sources.) Less than 200 feet (20 points) Distance to surface water: (horizontal distance to all wetlands, playas, 200 feet or more, but less than 1000 feet (10 points) irrigation canals, ditches, and perennial and ephemeral watercourses.) 1000 feet or more (0 points) Ranking Score (Total Points) If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite offsite for If offsite, name of facility . (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No 🗌 Yes 🔲 If yes, show depth below ground surface ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations. Additional Comments: See Attached Documentation I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines 🔼, a general permit 🗌, or an (attached) alternative OCD-approved plan 🗍. Date: 11/01/2005 Printed Name/Title Jeffrey C. Blagg, Agent Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations. Approval: Signature _ DEPUTY OIL & GAS HISPECTUR, MIST. (53) Printed Name/Title

CLIENT: BP	BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199				13	ATION NO: 8/239
FIELD REPORT: PIT CLOSURE VERIFICATION						E No: of
LOCATION: NAME: STATE &C BQ WELL #: TYPE: BLOW						STARTED: 6/16/03
QUAD/UNIT: I SEC: 32 TWP: 290 RNG: 13W PM: NM CNTY: 5J ST: NM						FINISHED:
QTR/FOOTAGE: 1850 51	870'E N	ESE CONTR	ACTOR: FLIN	T (BEN)		RONMENTAL NV
EXCAVATION APPROX. NA FT. x NA FT. x NA FT. DEEP. CUBIC YARDAGE: NA						
DISPOSAL FACILITY: DN-SITE REMEDIATION METHOD: CLOSE AS 15						
LANDUSE: <u>LANGE</u>		LEASE:	STATE		FORMAT	ION: <u>OK</u>
FIELD NOTES & REMAR						
DEPTH TO GROUNDWATER: 300 NEAREST WATER SOURCE: 3/000 NEAREST SURFACE WATER: 3/000						
NMOCD RANKING SCORE: D NMOCD TPH CLOSURE STD: 5000 PPM						
					READ. = <u>5</u>	
OVINI CALIB. GAS						DATE: 6/16/03
SOIL TYPE: SAND/ SILTY SAND / SILT / SILTY CLAY / CLAY / GRAVEL / OTHER BEDROCK (SANDSTONE)						
SOIL COLOR VERY PALE TO DK. YELL DRANGE BEDROCK - VERY PALE TO DK. YELL DRANGE COHESION (ALL OTHERS): MON COHESIVE / SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVE						
CONSISTENCY (NON COHESIVE SOILS): COUSE / FIRM / DENSE / VERY DENSE						
PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC						
DENSITY (COHESIVE CLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD MOISTURE ORD / SCIGHTLY MOIST / WET / SATURATED / SUPER SATURATED CUSSED						
DISCOLORATION/STAINING OBSERVED: YES (NO EXPLANATION -						
HC ODOR DETECTED: YES / NO EXPLANATION						
ADOUTIONAL COMMENTS: COLLECTED SAMPLE FROM SOIL ABOVE BEOROCK SWEARCE & PIT BOTTOM.						
BEDROCK - SOFT TO VELY HARD PRIABLE TO COMPETENT. BEORGER BET. Z'-9' BELLW EARDE, WIND BURN SAND IN PIT. NO THY ANALYSIS WAS CONDUCTED.						
FIELD 418.1 CALCULATIONS						
SCALE SAMP. TI	ME SAMP. ID	LAB NO.	T		DILUTION	READING CALC. (ppm)
		 		<u> </u>		
0 FT						
PIT PERIMET	TER N] 0	VM		PILE	PROFILE
READING						
21		SAMPLE ID	FIELD HEADSPACE (ppm)			
		1 @ 9' 2 @	0.0			
-	1.H·	3 @				
	~Z'	4 (0)				
19 10	B.P. D .	5 @		_		_
The state of the s					VOT A	ipplicable
12/				-		
PIPE						
Erom p.O.	.0	LAB S	AMPLEŞ			
SEP N7	MEAD		NALYSIS TIME			
8.6.	A HEAT					
P.D. = PIT DEPRESSION; B.G. = BELOV		,		7		i
T.H. = TEST HOLE; ~ = APPROX.; T.B. = TANK BOTTOM TRAVEL NOTES:						
CALLOUT: 6/13/03 - AFTER. ONSITE: 6/16/03 - MORN.						