District I 1625 N. French Dr., Hobbs, NM 88240 District II
1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe

Form C-144

June 1, 2004

1220 South St. Francis Dr. office Santa Fe, NM 87505

## Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes X No Type of action: Registration of a pit or below-grade tank Closure of a pit or below-grade tank			
Operator: BP America Production Company Telephon Address: 200 Energy Ct. Farmington, NM 87401 Facility or well name: USSEL # 3 API#: 3	ne: <u>(505)326-9200</u> e-mail address:	Sec <u>25 t 28 N r 8 W</u>	
	Longitude	NAD: 1927 ☐ 1983 ☐	
Surface Owner: Federal State Private Indian			
Pit  Type: Drilling Production Disposal   Workover Emergency   Lined Unlined   Liner type: Synthetic Thicknessmil Clay   Pit Volumebbl	Below-grade tank  Volume:bbl Type of fluid:  Construction material:  Double-walled, with leak detection? Yes  If no		
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) ( 0 points)	
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) ( 0 points)	
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more	(20 points) (10 points) ( 0 points)	
	Ranking Score (Total Points)		
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's your are burying in place) onsite  offsite  If offsite, name of facility remediation start date and end date. (4) Groundwater encountered: No  \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	es If yes, show depth below ground surface	description of remedial action taken including	
See Attached Documentation			
300 - DOUGHOIMEION		2 5-4	
		- 5 O \ 1	
	· · · · · · · · · · · · · · · · · · ·		
l hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan .			
Date: 11/01/2005  Printed Name/Title Jeffrey C. Blagg, Agent Signate  Your certification and NMOCD approval of this application/closure does not	ure	of the pit or tank contaminate ground water or any other federal, state, or local laws and/or	
Approval: GAS INSPECTOR, DIST. 64  Printed Name/Title	Signature Serry Re	Date: DEC 1 4 2005	

FIELD REPORT: CLOSURE VERIFICATION PAGE NO: 1 of 1  LOCATION: NAME: RESTELL WELL #: 3 PIT PROD. TENK QUAD/UNIT: A SEC: 25 THP 280 RNG: 8w PM-NIME CNTY: ST ST NM DTR/FDDTAGE. HISD N 199'E NEWE CONTRACTOR: FLINT  EXCAVATION APPROX. AM FT. X MA FT. X MA FT. DEEP. CUBIC YARDAGE: MA DISPOSAL FACILITY: 9N 5 TT. X MA FT. X MA FT. DEEP. CUBIC YARDAGE: MA DISPOSAL FACILITY: 9N 5 TT. X MA FT. X MA FT. DEEP. CUBIC YARDAGE: MA DISPOSAL FACILITY: 9N 5 TT. X MA DISPOSAL FACILITY: 9N		AGG ENGINEERING, INC. 87, BLOOMFIELD, NM 87413 (505) 632-1199	C.O.C. NO: 8403	
DISPOSAL FACILITY: ON-SITE REMEDIATION METHOD: CLOSE AS 15  LAND USE: RANGE - BLM. LEASE: FORMATION: OK  FIELD NOTES & REMARKS: PIT LICCATED APPROXIMATELY 153 FT. 5665 FROM WELLHEAD:  DEPITH TO GROUNDWATER: 2007 NEAREST WATER SOURCE: 2/000 NEAREST SURFACE VATER 2/000 OCHECK DNE  NHOCD RANKING SCORE: ON NHOCD TPH CLOSURE STD 5000 PPH  SOUL AND EXCAVATION  DESCRIPTION:  ON SCILE AND EXCAVATION  DESCRIPTION:  ON SINCE GRAY GEORGEK (SAMPLE), FRIEND STEEL TANK INSTALLED  TIME DAY GEORGEK (SAMPLE), FRIEND STRONG STRONG HC  OOOK OFFICETO IN TEST HOLE & IN OWN SAMPLE  ON FT PERIMETERN OVM  RESULTS  SOURCE MAY SEED STRONG STRONG CALC DOM  PIT PERIMETERN OVM  RESULTS  SOURCE MAY SEED STRONG STRONG CALC DOM  PIT PERIMETERN OVM  RESULTS  SOURCE MAY SEED STRONG STRONG CALC DOM  PIT PERIMETERN OVM  RESULTS  SOURCE MAY SEED STRONG STRONG CALC DOM  PIT PERIMETERN OVM  RESULTS  SOURCE MAY SEED STRONG STRONG CALC DOM  PIT PERIMETERN OVM  RESULTS  SOURCE MAY SEED STRONG STRONG CALC DOM  PIT PERIMETERN OVM  RESULTS  SOURCE MAY SEED STRONG STRONG CALC DOM  PIT PERIMETERN OVM  RESULTS  SOURCE MAY SEED STRONG STRONG CALC DOM  PIT PERIMETERN OVM  RESULTS  SOURCE MAY SEED STRONG STRONG CALC DOM  PIT PERIMETERN OVM  RESULTS  SOURCE MAY SEED STRONG STRONG CALC DOM  PIT PERIMETERN OVM  RESULTS  SOURCE MAY SEED STRONG STRONG CALC DOM  PIT PERIMETERN OVM  RESULTS  SOURCE MAY SEED STRONG S	QUAD/UNIT: A SEC: 25 TWP: 282	WELL #: 3 PIT: PROD. TRNK  RNG: Sw PM: NM CNTY: 5J ST: NM	DATE STARTED: S/18/51 DATE FINISHED:	
NNOCD RANKING SCORE  NNOCD THE CLOSURE STD 5000 PPM  STELL TANK INSTALLED  DESCRIPTION:  OK. DAINE GRAY SERROCK (SMORE), FRIBERGLASS TANK INSTALLED  ODOR OFFECTED IN TEST HOLE & It D'UN SAMPLE  SCALE  OFT  PIT PERIMETERN  OVM  RESULTS  SAMPLE I.D. LAB NO: WEIGHT (g) I'ML FREON DILUTION READING CALC. DOM  SCALE  OFT  PIT PERIMETERN  OVM  RESULTS  SAMPLE IID. LAB NO: WEIGHT (g) I'ML FREON DILUTION READING CALC. DOM  FIELD 4181 CALCULATIONS  OFT  PIT PERIMETERN  OVM  RESULTS  SAMPLE IID. LAB NO: WEIGHT (g) I'ML FREON DILUTION READING CALC. DOM  1 8 5' 36' 36' 38' 38' 38' 38' 38' 38' 38' 38' 38' 38	EXCAVATION APPROX. NA FT. X NA FT. DEEP. CUBIC YARDAGE: NA DISPOSAL FACILITY: ON-SITE REMEDIATION METHOD: CLOSE AS IS LAND USE: RANGE - BLM LEASE: FORMATION: OR FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY 153 FT. S665 FROM WELLHEAD			
FIELD 418.1 CALCULATIONS  THE SAMPLE I.D. LAB NO: WEIGHT (g) ML. FREON DILUTION READING CALC DOM  SCALE  O FT  PIT PERIMETERN  OVM  RESULTS  SUPPLE PROPERING  1 2'  1 2'  SEP  TO SEP  PIT DEPRESSION  RPPACK, 2'  RESULTS  SUPPLE PROPERING  LAB SAMPLES  SUBJECT  ANALYSIS THE (SPOIS) 1015  RPPACK, 2'  RESULTS  SUBJECT  ANALYSIS THE (SPOIS) 1015  RESULTS  SUBJECT  RESULTS	SOIL AND EXCAVATION DESCRIPTION:	TIME: 0800 (07) pm 5/18/0/	PIT ABANDONED  STEEL TANK INSTALLED  FIBERGLASS TANK INSTALLED	
SCALE  O FT  PIT PERIMETERN  PIT PROFILE  OVM  RESULTS  SAMPLE PRO (Spm)  1 2 5 7 361  2 8 3 9 4 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	BEOROCK CLOSED	FIELD 418.1 CALCULATIONS		
RESULTS  SAMPLE PIEL MEADSPACE 10 PIEL MEADSPACE	SCALE  O FT  PIT PERIMETER N	PI		
TRAVEL NOTES: CALLOUT: 5/17/01 - MORN. ONSITE: 5/18/01 - MORN.	PIT DEPRESSION RPPROX. Z.	RESULTS  SAMPLE FIELD HEADSPACE PID (sppm)  1 @ \$ ' 36 ( 2 @ 3 @ 4 @ 5 @  LAB SAMPLES  SAMPLE ID ANALYSIS TIME () @ \$ ' TPH (8015) 1015  1 GTEX(807.) "  (/30TH PASSED)		



## EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 5'	Date Reported:	05-21-01
Laboratory Number:	19882	Date Sampled:	05-18-01
Chain of Custody No:	8404	Date Received:	05-18-01
Sample Matrix:	Soil	Date Extracted:	05-18-01
Preservative:	Cool	Date Analyzed:	05-21-01
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	140	0.2
Diesel Range (C10 - C28)	26.9	0.1
Total Petroleum Hydrocarbons	167	0.1

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Russell #3 Production Tank Pit.

Analyst C. ader

Misting Wasters
Review



## EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 5'	Date Reported:	05-21-01
Laboratory Number:	19882	Date Sampled:	05-18-01
Chain of Custody:	8404	Date Received:	05-18-01
Sample Matrix:	Soil	Date Analyzed:	05-21-01
Preservative:	Cool	Date Extracted:	05-18-01
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	289	1.8
Toluene	608	1.7
Ethylbenzene	273	1.5
p,m-Xylene	2,630	2.2
o-Xylene	1,100	1.0
Total BTEX	4,900	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	100 %
	1,4-difluorobenzene	100 %
	Bromochlorobenzene	100 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Russell #3 Production Tank Pit.

Analyst

Mister m Walters
Review