District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fa. NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

Santa Fe, NM 87505

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes X No ...

Type of action: Registration of a pit or below-grade tank 🔲 Closure of a pit or below-grade tank 🕱					
Operator: BP America Production Company Telephone: (505)326-9200 e-mail address:					
Address: 200 Energy Ct, Farmington, NM 87401					
Facility or well name: Price #38 API#3	0045 2532/ U/L or Qtr/Qtr C	Sec 15 TABN RBW			
1	Longitude	· · · · · · · · · · · · · · · · · · ·			
Surface Owner: Federal State Private Indian					
<u>Pit</u>	Below-grade tank				
Type: Drilling Production Disposal	Volume:bbl Type of fluid:				
Workover ☐ Emergency ☐	Construction material:				
Lined Unlined	Double-walled, with leak detection? Yes If not, explain why not.				
Liner type: Synthetic Thickness mil Clay					
Pit Volumebbl					
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	(20 points)			
high water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points)			
nigh water elevation of ground water.)	100 feet or more	(0 points)			
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)			
water source, or less than 1000 feet from all other water sources.)	No	(0 points)			
water source, or less than 1000 feet from an outer water sources.)	Less than 200 feet	(20 points)			
Distance to surface water: (horizontal distance to all wetlands, playas,	200 feet or more, but less than 1000 feet	(10 points)			
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	(0 points)			
	1000 feet of more	(o points)			
	Ranking Score (Total Points)				
If this is a pit closure: (1) Attach a diagram of the facility showing the pit'	s relationship to other equipment and tanks. (2) Indica	te disposal location: (check the onsite box if			
your are burying in place) onsite 🔲 offsite 🔲 If offsite, name of facility_	(3) Attach a general d	escription of remedial action taken including			
remediation start date and end date. (4) Groundwater encountered: No 🔲 🦠	Yes 🔲 If yes, show depth below ground surface	ft. and attach sample results.			
(5) Attach soil sample results and a diagram of sample locations and excava-	tions.				
Additional Comments:					
See Attached Documentation					
3014					
		/			
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan .					
Date: 11/01/2005					
Printed Name/Title Jeffrey C. Blagg, Agent Signature July C. Slegy					
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.					
Approval: Printed Name/Title PUTV On 5 GAS INSPECTOR, DIST. B Signature Signature Detty Date: DEC 1 4 2005					

BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199	C.D.C. ND: 930Z				
FIELD REPORT: CLOSURE VERIFICATION	PAGE No: of				
QUAD/UNIT: C SEC: 15 TWP: 28N RNG: 8W PM: NACHTY: SJ ST: NA QTR/FOOTAGE: 520'N 1450'W NELW CONTRACTOR: FLINT	DATE STARTED: 7-3-01 DATE FINISHED: 7-5-01 ENVIRONMENTAL SPECIALIST: JCE				
EXCAVATION APPROX. 10 FT. x 10 FT. x 3 FT. DEEP. CUBIC YARDAGE: 0					
DISPOSAL FACILITY: ON-SITE REMEDIATION METHOD: CLOSE AS 15					
LAND USE: RONGE-BLM LEASE: SF -078390 FORMATION: OK					
FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY 90 FT. DEPTH TO GROUNDWATER: >100 NEAREST WATER SOURCE: >1000 NEAREST SURFA	{				
()	CHECK ONE:				
SOIL AND EXCAVATION OVM CALIB. READ. /31.7 ppm	Y PIT ABANDONEDSTEEL TANK INSTALLED				
DESCRIPTION: TIME: 0945 6m pm					
EARTHEN PIT W/ NO FLUID OR STAINING ON SIDEWALLS OR	BOTTOM:				
SIDEWALLS 0-3' DRY SILTY SAND.					
USED BACKHUE TO DIG TEST Hole 3-6'IN PIT BOHOM - ORANGE BROWN, NO HC STAIN, NO ODOR.	MOIST SILTY SAND,				
STATING AC STATIN, NO UBOK.					
(cro2£0)					
TIME SAMPLE I.D. LAB No: WEIGHT (g) mL. FREON	DILUTION READING CALC. ppm				
	DILUTION READING CALC. ppm				
TIME SAMPLE I.D. LAB No: WEIGHT (g) mL. FREON	DILUTION READING CALC. ppm				
SCALE O FT PIT PERIMETER TIME SAMPLE I.D. LAB No: WEIGHT (g) ml. FREON (g) ml. FREO					
SCALE O FT					
SCALE O FT PIT PERIMETER OVM RESULTS SAMPLE I.D. LAB NO: WEIGHT (g) ml. FREON III OVM RESULTS SAMPLE I.D. LAB NO: WEIGHT (g) ml. FREON III OVM RESULTS SAMPLE FIELD HEADSPACE PID (ppm)					
SCALE O FT O PIT PERIMETER OVM RESULTS SAMPLE I.D. LAB No: WEIGHT (g) ml. FREON III OVM RESULTS SAMPLE I.D. LAB No: WEIGHT (g) ml. FREON III OVM RESULTS SAMPLE I.D. LAB No: WEIGHT (g) ml. FREON III OVM RESULTS SAMPLE I.D. LAB No: WEIGHT (g) ml. FREON III OVM RESULTS SAMPLE I.D. LAB No: WEIGHT (g) ml. FREON III OVM RESULTS SAMPLE I.D. LAB No: WEIGHT (g) ml. FREON III OVM RESULTS SAMPLE I.D. LAB No: WEIGHT (g) ml. FREON III OVM RESULTS SAMPLE I.D. LAB No: WEIGHT (g) ml. FREON III OVM RESULTS SAMPLE I.D. LAB No: WEIGHT (g) ml. FREON III OVM RESULTS SAMPLE I.D. LAB No: WEIGHT (g) ml. FREON III OVM RESULTS SAMPLE I.D. LAB No: WEIGHT (g) ml. FREON III OVM RESULTS	' PROFILE				
SCALE O FT PIT PERIMETER OVM RESULTS SAMPLE FIELD HEADSPACE PID (ppm) 1 @ 6 4.2 2 @ 3 @ 4.2					
SCALE O FT PIT PERIMETER OVM RESULTS SAMPLE FIELD HEADSPACE PID (ppm) 1 @ 6 4.2 2 @ 3 @ 4 @ 5 @ 4.2	' PROFILE				
SCALE O FT PIT PERIMETER OVM RESULTS SAMPLE FIELD HEADSPACE PID (ppm) 1 @ 6 4.2 2 @ 3 @ 4 @ 5 @ 4.2 3 / 10 / 6	' PROFILE				
SCALE O FT PIT PERIMETER OVM RESULTS SAMPLE FIELD HEADSPACE PID (ppm) 1 @ 6 4-2 2 @ 3 @ 4 @ 5 @ 6 & 6 & 6 & 6 & 6 & 6 & 6 & 6 & 6 & 6	' PROFILE				
SCALE O FT PIT PERIMETER OVM RESULTS SAMPLE FIELD HEADSPACE PID (ppm) 1 @ 60 4-2 2 @ 3 @ 4 @ 5 @ 4 & 2 3	' PROFILE				
SCALE O FT PIT PERIMETER OVM RESULTS SAMPLE FIELD HEADSPACE PID (ppm) 1 @ 6 4.2 2 @ 3 @ 4 @ 5 @ 4 @ 5 @ 7 3 1 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	' PROFILE				
SCALE O FT O PIT PERIMETER OVM RESULTS SAMPLE FIELD HEADSPACE PID (ppm) 1 @ 6 4.2 2 @ 3 3 @ 4 @ 5 @ 4 5 @ 5 @ 7 LAB SAMPLES SAMPLES SAMPLE FIELD HEADSPACE PID (ppm) 1 @ 6 4.2 2 @ 5 @ 7 3 / 3 / 3 / 3 / 3 / 3 / 3 / 3 / 3 / 3	' PROFILE				
SCALE O FT PIT PERIMETER OVM RESULTS SAMPLE FELD HEADSPACE PID (ppm) 1 @ (o' 4.2) 2 @ 3 @ 4 @ 5 @ 7.2 2 @ 3 @ 4 @ 5 @ 7.2 2 @ 3 @ 4 @ 5 @ 7.2 2 @ 3 @ 4 @ 5 @ 7.2 3 LAB SAMPLES SAMPLE ANALYSIS TIME COG TPH 07/5	' PROFILE				

revised: 03/12/01



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	Tank C @ 6'	Date Reported:	07-06-01
Laboratory Number:	20226	Date Sampled:	07-05-01
Chain of Custody No:	9302	Date Received:	07-05-01
Sample Matrix:	Soil	Date Extracted:	07-06-01
Preservative:	Cool	Date Analyzed:	07-06-01
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	0.3	0.2
Diesel Range (C10 - C28)	0.6	0.1
Total Petroleum Hydrocarbons	0.9	0.1

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Price 3E.

Analyst P. Caylun

Review Wasters