District IV

## State of New Mexico Energy Minerals and Natural Resources

Form C-144 June 1, 2004

District II 1301 W. Grand Avenue, Artesia, NM 88210 District III

1220 S. St. Francis Dr., Santa Fe, NM 87505

1000 Rio Brazos Road, Aztec, NM 87410

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office. For downstream facilities, submit to Santa Fe office

## Pit or Below-Grade Tank Registration or Closure Is pit or below-grade tank covered by a "general plan"? Yes 🗹 No 🗌

WFS CLOSURE Type of action: Registration of a pit or below	v-grade tank Closure of a pit or below-grade tank	<u> </u>						
Operator: <u>BURLINGTON RESOURCES OIL &amp; GAS CO</u> Telephone:								
Address: 801 CHERRY ST FORT WORTH, TX 76102								
Facility or well name: PATTERSON B COM #001E API #: 30-045-		<u>2</u> T <u>31N</u> R <u>12W</u>						
County: SAN JUAN Latitude	Longitude	NAD: 1927 🗹 1983 🗌						
Surface Owner: Federal ☐ State ☐ Private ☑ Indian ☐								
<u>Pit</u>	Below-grade tank							
Type: Drilling Production Disposal	Volume: bbl Type of fluid:							
Workover	Construction Material:  Double-walled, with leak detection? Yes If not, explain why not.							
Lined Unlined 🗹	bound wants, want said section 112	, , , , , , , , , , , , , , , , , , ,						
Liner Type: Synthetic 🖾 Thickness mil Clay 📠								
Pit Volume 51 bbl								
Depth to ground water (vertical distance from bottom of pit to seasonal high	Less than 50 feet	(20 points)						
water elevation of ground water.)	50 feet or more, but less than 100 feet 100 feet or more	(10 points) <u>0</u> (0 points)						
	100 feet or more	(U points)						
Wellhead protection area: (Less than 200 feet from a private domestic water	Yes	(20 points)						
source, or less than 1000 feet from all other water sources.)	No	$(0 \text{ points})$ $\underline{0}$						
Distance to surface water: (Horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)						
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet to 1,000 feet	(10 points) <u>0</u>						
	Greater than 1,000 feet	(0 points)						
	Ranking Score (TOTAL POINTS):	<u>0</u>						
f this is a pit closure: (1)Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the								
onsite box if your are burying in place) onsite offsite If offsite, name of facility (3)Attach a general description of remedial action taken including remediation start date and end date. (4)Groundwater encountered: No Vers If yes, show depth below ground surface fit.								
action taken including remediation start date and end date. (4)Groundwater encountered: No 🗹 Yes 🗌 If yes, show depth below ground surfaceft.  and attach sample results. (5)Attach soil sample results and a diagram of sample locations and excavations.								
Additional Comments: Meter: 34840								
FEB 2008  RECEIVED  RECEIVE  RECEIVED  RECEIVED  RECEIVED  RECEIVED  RECEIVED  RECEIVED  RECEIVE  RECEIVE  RECEIVE  RECEIVE  RECEIVE  RECEIVE  RECEIVE  RECE								
FEB ZOUG								
RECEIVE DEV.								
PRECEIVE DIN. 3								
I hereby certify that the information above is true and complete to the best of my knowledge and believe Librither certify that the prove-described pit or below-grade								
tank has been/will be constructed or closed according to NMOCD guidelines, a general permit								
Date:10/3/05								
Printed Name/Title Mark Harvey for Williams Field Services Signature								
Your certification and NMOCD approval of this application/closure does not relieve the operator of liablility should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.								
Approval:		στο Λ 9 9 <b>00</b>						
Approval:  Printed Name/Title  Printed Name/Title  Printed Name/Title								

## **ADDENDUM TO OCD FORM C-144**


Operator: BURLINGTON RESOURCES OIL & GAS COMPANY LP

Well Name: PATTERSON B COM #001E


**API** <u>30-045-23959</u>

Meter: 34840

Facility Diagram:



Sampling Diagram:



**Pit Dimensions** 

Length  $\underline{12}$  Ft.

Width 12 Ft.

Depth 2 Ft.

**Location of Pit Center** 

Latitude

Longitude

(NAD 1927)

Pit ID

<u>348401</u>

Pit Type

Glycol Dehydrator

**Date Closure Started:** 1/21/05

**Closure Method:** 

Pushed In

**Date Closure Completed:** 1/21/05

**Bedrock Encountered?** 

**Cubic Yards Excavated:** 

Vertical Extent of Equipment Reached ?  $\Box$ 

**Description Of Closure Action:** 

The pit was assessed and sampled in accordance with NMOCD guidelines. Based on assessment findings, the pit was backfilled.

Pit Closure Sampling:

Sample ID

Sample Date Head Space

l

BTEX Total

(mg/kg)

Benzene (mg/kg) TPH DRO (mg/kg) Purpose

Location

Depth

143021JAN05 1/21/05 87 0.85 0 0 ASSESS Fir 3.5



Pace Analytical Services, Inc.

9608 Loiret Blvd. Lenexa, KS 66219

Phone: 913.599.5665 Fax: 913.599.1759

Lab Project Number: 6091205

Client Project ID: N. Mex. Pit Program Winter 05

Lab Sample No: -607850377 Client Sample ID: 143021JAN05 Project Sample Number: 6091205-005

Matrix: Soil

Date Collected: 01/21/05 14:30

Date Received: 01/26/05 09:00

Circle Sample 15. 1430213/4103			Huti IX. 3011							
Parameters	Results	Units	Report Limit	DF _	Anal yzed	Ву	CAS No.	Qual	RegLmt	
GC Semivolatiles										
Total Extractable Hydrocarbons	Prep/Method:	0A2 / 0A2								
Mineral Spirits	ND	mg/kg	11.	1.1 0	2/02/05 02:55	RMN1		-		
Jet Fuel	ND	mg/kg	11.	1.1 0	2/02/05 02:55	RMN1				
Kerosene	ND	mg/kg	11.	1.1 0	2/02/05 02:55	RMN1				
Diesel Fuel	ND	mg/kg	11.	1.1 0	2/02/05 02:55	RMN1	68334-30-5			
Fuel Oil	ND	mg/kg	11.	1.1 0	2/02/05 02:55	RMN1	68334-30-5			
Motor 0il	ND	mg/kg	11.	1.1 0	2/02/05 02:55	RMN1				
n-Tetracosane (S)	99	*		1.0 0	2/02/05 02:55	RMN1	646-31-1			
p-Terphenyl (S)	106	X		1.0 0	2/02/05 02:55	RMN1	92-94-4			
Date Extracted	01/31/05		•	0	1/31/05					
Organics Prep										
Percent Moisture	Method: SM 2	540G								
Percent Moisture	11.5	*	•	1.0 0	1/31/05	ALJ1				
GC Volatiles										
Aromatic Volatile Organics	Prep/Method:	EPA 5030 I	dedium Soil / E	PA 8021						
Benzene	ND	ug/kg	56.		1/28/05 18:58	,	71-43-2			
Ethylbenzene	ND	ug/kg	56.	1.1 0	1/28/05 18:58	}	100-41-4			
Toluene	360	ug/kg	56.	1.1 0	1/28/05 18:58	}	108-88-3		*	
Xylene (Total)	490	ug/kg	150	1.1 0	1/28/05 18:58	}	1330-20-7			
a,a,a-Trifluorotoluene (S)	99	*		1.0 0	1/28/05 18:58		98-08-8			

Date: 02/02/05

Page: 5 of 12

## **REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.

