

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Form C-144
June 1, 2004

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

WFS CLOSURE

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: BURLINGTON RESOURCES OIL & GAS CO Telephone: _____ e-mail address: _____
Address: 801 CHERRY ST FORT WORTH, TX 76102
Facility or well name: SAN JUAN 27.5 UNIT #165M API #: 30-039-23903 U/L or Qtr/Qtr C SEC 29 T 27N R 5W
County: RIO ARRIBA Latitude 36 33.002 N Longitude 107 23.159 W NAD: 1927 ☒ 1983 ☐
Surface Owner: Federal ☒ State ☐ Private ☐ Indian ☐

Pit

Type: Drilling ☐ Production ☒ Disposal ☐

Workover ☐ Emergency ☐

Lined ☐ Unlined ☒

Liner Type: Synthetic ☒ Thickness _____ mil Clay ☐

Pit Volume 51 bbl

Below-grade tank

Volume: _____ bbl Type of fluid: _____

Construction Material: _____

Double-walled, with leak detection? Yes ☒ If not, explain why not.

Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)

Less than 50 feet
50 feet or more, but less than 100 feet
100 feet or more

(20 points)
(10 points)
(0 points)

0

Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)

Yes
No

(20 points)
(0 points)

0

Distance to surface water: (Horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)

Less than 200 feet
200 feet to 1,000 feet
Greater than 1,000 feet

(20 points)
(10 points)
(0 points)

0


Ranking Score (TOTAL POINTS):

0

If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☒ offsite ☐ If offsite, name of facility _____. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface _____. ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments:

Meter: 85914



I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐, a general permit ☒, or an (attached) alternative OCD-approved plan ☒

Date: 10/3/05

Printed Name/Title Mark Harvey for Williams Field Services Signature Mark Harvey

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval:

Printed Name/Title

DEPUTY OIL & GAS INSPECTOR, DIST. 3

Signature

Wendy Scott

Date:

FEB 02 2006

ADDENDUM TO OCD FORM C-144


Operator: BURLINGTON RESOURCES OIL & GAS COMPANY LP

API 30-039-23903


Well Name: SAN JUAN 27 5 UNIT #165M

Meter: 85914

Facility Diagram:



Sampling Diagram:



Pit Dimensions

Length 12 Ft.

Width 12 Ft.

Depth 2 Ft.

Location of Pit Center

Latitude 36 33.005 N

Longitude 07 23.137 W

(NAD 1927)

Pit ID

859141

Pit Type

Glycol Dehydrator

Date Closure Started: 5/26/05

Date Closure Completed: 5/26/05

Closure Method: Excavated, Blended, Treated Soil Returned

Bedrock Encountered ? ☒

Cubic Yards Excavated: 67

Vertical Extent of Equipment Reached ? ☐

Description Of Closure Action:

Contaminated soil was removed and treated then returned to the excavation following sampling of the walls and floor.

BEDROCK limited vertical excavation and/or prevented sampling. This condition limits deleterious environmental effects.

Pit Closure Sampling:

Sample ID	Sample Date	Head Space	BTEX Total (mg/kg)	Benzene (mg/kg)	TPH DRO (mg/kg)	Purpose	Location	Depth	
132426MAY05	5/26/05	138	50	0	500	EX Confirm	Flr	6	See Risk Analysis
133426MAY05	5/26/05	117	459.7	4.7	670	EX Confirm	Flr	8	See Risk Analysis
145801APR05	4/1/05		1440	39	1200	ASSESS	Flr	3.5	

Lab Project Number: 6093805

Client Project ID: N. Mex Pit Program Spring 2005

Lab Sample No: 608058640
Client Sample ID: 145801APR05

Project Sample Number: 6093805-004
Matrix: Soil

Date Collected: 04/01/05 14:58
Date Received: 04/12/05 09:20

Parameters	Results	Units	Report Limit	DF	Analyzed	By	CAS No.	Qual	ReqLmt
------------	---------	-------	--------------	----	----------	----	---------	------	--------

GC Semivolatiles

Total Extractable Hydrocarbons Prep/Method: OA2 / OA2

Mineral Spirits	ND	mg/kg	11.	1.1	04/15/05 12:59	RMN1			
Jet Fuel	ND	mg/kg	11.	1.1	04/15/05 12:59	RMN1			
Kerosene	ND	mg/kg	11.	1.1	04/15/05 12:59	RMN1			
Diesel Fuel	ND	mg/kg	11.	1.1	04/15/05 12:59	RMN1	68334-30-5		
Fuel Oil	ND	mg/kg	11.	1.1	04/15/05 12:59	RMN1	68334-30-5		
Motor Oil	ND	mg/kg	11.	1.1	04/15/05 12:59	RMN1			
Total Petroleum Hydrocarbons	1200	mg/kg	11.	1.1	04/15/05 12:59	RMN1		1	
n-Tetracosane (S)	94	%		1.0	04/15/05 12:59	RMN1	646-31-1		
p-Terphenyl (S)	86	%		1.0	04/15/05 12:59	RMN1	92-94-4		
Date Extracted	04/14/05				04/14/05				

Organics Prep

Percent Moisture	Method: SM 2540G								
Percent Moisture	10.8	%		1.0	04/13/05	ALJ1			

GC Volatiles

Aromatic Volatile Organics Prep/Method: EPA 5030 Medium Soil / EPA 8021

Benzene	39000	ug/kg	5400	108	04/14/05 02:51	SHF	71-43-2		
Ethylbenzene	71000	ug/kg	5400	108	04/14/05 02:51	SHF	100-41-4		
Toluene	610000	ug/kg	5400	108	04/14/05 02:51	SHF	108-88-3		
Xylene (Total)	720000	ug/kg	14000	108	04/14/05 02:51	SHF	1330-20-7		
a,a,a-Trifluorotoluene (S)	101	%		1.0	04/14/05 02:51	SHF	98-08-8		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Lab Project Number: 6096223

Client Project ID: N. Mex Pit Program Spring 2005

Lab Sample No: 608256236
Client Sample ID: 132426MAY05

Project Sample Number: 6096223-007
Matrix: Soil

Date Collected: 05/26/05 13:24
Date Received: 06/15/05 09:10

Parameters	Results	Units	Report Limit	DF	Analyzed	By	CAS No.	Qual	ReqLmt
------------	---------	-------	--------------	----	----------	----	---------	------	--------

GC Semivolatiles

Total Extractable Hydrocarbons Prep/Method: OA2 / OA2

Mineral Spirits	ND	mg/kg	12.	1.2	06/18/05 06:07	RMN1			
Jet Fuel	ND	mg/kg	12.	1.2	06/18/05 06:07	RMN1			
Kerosene	ND	mg/kg	12.	1.2	06/18/05 06:07	RMN1			
Diesel Fuel	ND	mg/kg	12.	1.2	06/18/05 06:07	RMN1	68334-30-5		
Fuel Oil	ND	mg/kg	12.	1.2	06/18/05 06:07	RMN1	68334-30-5		
Motor Oil	ND	mg/kg	12.	1.2	06/18/05 06:07	RMN1			
Total Petroleum Hydrocarbons	500	mg/kg	12.	1.2	06/18/05 06:07	RMN1		1	
n-Tetracosane (S)	104	%		1.0	06/18/05 06:07	RMN1	646-31-1		
p-Terphenyl (S)	98	%		1.0	06/18/05 06:07	RMN1	92-94-4		
Date Extracted	06/15/05				06/15/05				

Organics Prep

Percent Moisture	Method: SM 2540G								
Percent Moisture	14.0	%		1.0	06/16/05	CPR			

GC/MS Volatiles

UST VOCs in Soil Prep/Method: EPA 5030 Medium Soil / EPA 8260

Benzene	ND	ug/kg	290	5.8	06/20/05 17:40	JKL	71-43-2		
Toluene	ND	ug/kg	290	5.8	06/20/05 17:40	JKL	108-88-3		
Ethylbenzene	ND	ug/kg	290	5.8	06/20/05 17:40	JKL	100-41-4		
Xylene (Total)	50000	ug/kg	870	5.8	06/20/05 17:40	JKL	1330-20-7		
Dibromofluoromethane (S)	100	%		1.0	06/20/05 17:40	JKL	1868-53-7		
1,2-Dichloroethane-d4 (S)	103	%		1.0	06/20/05 17:40	JKL	17060-07-0		
Toluene-d8 (S)	109	%		1.0	06/20/05 17:40	JKL	2037-26-5		
4-Bromofluorobenzene (S)	108	%		1.0	06/20/05 17:40	JKL	460-00-4		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Lab Sample No: 608256244 Project Sample Number: 6096223-008 Date Collected: 05/26/05 13:34
Client Sample ID: 133426MAY05 Matrix: Soil Date Received: 06/15/05 09:10

Parameters	Results	Units	Report Limit	DF	Analyzed	By	CAS No.	Qual	ReqLmt
------------	---------	-------	--------------	----	----------	----	---------	------	--------

GC Semivolatiles

Total Extractable Hydrocarbons Prep/Method: OA2 / OA2									
Mineral Spirits	ND	mg/kg	11.	1.1	06/18/05 06:26	RMN1			
Jet Fuel	ND	mg/kg	11.	1.1	06/18/05 06:26	RMN1			
Kerosene	ND	mg/kg	11.	1.1	06/18/05 06:26	RMN1			
Diesel Fuel	ND	mg/kg	11.	1.1	06/18/05 06:26	RMN1	68334-30-5		
Fuel Oil	ND	mg/kg	11.	1.1	06/18/05 06:26	RMN1	68334-30-5		
Motor Oil	ND	mg/kg	11.	1.1	06/18/05 06:26	RMN1			
Total Petroleum Hydrocarbons	670	mg/kg	11.	1.1	06/18/05 06:26	RMN1		1	
n-Tetracosane (S)	99	%		1.0	06/18/05 06:26	RMN1	646-31-1		
p-Terphenyl (S)	93	%		1.0	06/18/05 06:26	RMN1	92-94-4		
Date Extracted	06/15/05				06/15/05				

Organics Prep

Percent Moisture Method: SM 2540G									
Percent Moisture	12.4	%		1.0	06/16/05	CPR			

GC/MS Volatiles

UST VOCs in Soil Prep/Method: EPA 5030 Medium Soil / EPA 8260									
Benzene	4700	ug/kg	570	11.4	06/20/05 17:58	JKL	71-43-2		
Toluene	170000	ug/kg	570	11.4	06/20/05 17:58	JKL	108-88-3		
Ethylbenzene	25000	ug/kg	570	11.4	06/20/05 17:58	JKL	100-41-4		
Xylene (Total)	260000	ug/kg	1700	11.4	06/20/05 17:58	JKL	1330-20-7		
Dibromofluoromethane (S)	104	%		1.0	06/20/05 17:58	JKL	1868-53-7		
1,2-Dichloroethane-d4 (S)	108	%		1.0	06/20/05 17:58	JKL	17060-07-0		
Toluene-d8 (S)	117	%		1.0	06/20/05 17:58	JKL	2037-26-5		
4-Bromofluorobenzene (S)	127	%		1.0	06/20/05 17:58	JKL	460-00-4	3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

