1625 N. French Dr., Hobbs, NM 88240

District II 1301 W. Grand Avenue, Artesia, NM 88210

District III 1000 Rio Brazos Road, Aztec, NM 87410

1220 S. St. Francis Dr., Santa Fe, NM 87505

District IV

State of New Mexico **Energy Minerals and Natural Resources**

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office. For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

Pit or Below-Grade Tank Registration or Closure Is pit or below-grade tank covered by a "general plan"? Yes V No

WFS CLOSINE Type of action: Registration of a pit or below	· · ·	•					
Operator: BURLINGTON RESOURCES OIL & GAS CO Telephone:	e-mail address:						
Address: 801 CHERRY ST FORT WORTH, TX 76102							
Facility or well name: ALBINO CANYON #001 API #: 30-045-2	20506 U/L or Qtr/Qtr <u>M</u> SEC	<u>36</u> T <u>32N</u> R <u>8W</u>					
County: SAN JUAN Latitude 36.935	2 Longitude -107.6328	NAD: 1927 🗹 1983 🗌					
Surface Owner: Federal State Private Indian		211/12/20 1 11/20 A					
<u>Pit</u>	Below-grade tank	A 15 A					
Type: Drilling ☐ Production ✔ Disposal ☐	Volume: bbl Type of fluid:	FEB 2006					
Workover	Construction Material: Double-walled, with leak detection? Yes If not ex						
Lined Unlined 🗹	Double-walled, with leak detection: 165 🕮 II not can	plain why not. DIV.					
Liner Type: Synthetic Hickness mil Clay	E.	C DIST.3					
Pit Volume 26 bbl	¥						
Depth to ground water (vertical distance from bottom of pit to seasonal high	Less than 50 feet	(20 points) [1]					
water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points) 0					
	100 feet or more	(0 points)					
Wellhead protection area: (Less than 200 feet from a private domestic water	Yes	(20 points)					
source, or less than 1000 feet from all other water sources.)	No	0 points) 0					
Distance to surface water: (Horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)					
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet to 1,000 feet	(10 points) <u>0</u>					
	Greater than 1,000 feet	(0 points)					
	Ranking Score (TOTAL POINTS):	<u>0</u>					
	ationship to other equipment and tanks. (2) Indicate disposal						
onsite box if your are burying in place) onsite offsite If offsite, name action taken including remediation start date and end date. (4)Groundwater encount		eneral description of remedial ound surface ft.					
and attach sample results. (5)Attach soil sample results and a diagram of sample lo		ound surfaceit.					
Additional Comments: Meter: 87135							
	•	<u>07133</u>					
I hereby certify that the information above is true and complete to the best of my k tank has been/will be constructed or closed according to NMOCD guidelines							
Date:							
Printed Name/Title Mark Harvey for Williams Field Services Sig	nature						
Your certification and NMOCD approval of this application/closure does not relieve the operator of liablility should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.							
Approval:	Ç -7	FEB 0 2 2006					
Printed Name/Title ISUN CO. & GAS INSTECTION, CIST. (1) Signal	ature Denny feel	Date:					
	*						

ADDENDUM TO OCD FORM C-144


Operator: BURLINGTON RESOURCES OIL & GAS COMPANY LP

Well Name: ALBINO CANYON #001


API 30-045-20506

Meter: 87135

Facility Diagram:



Sampling Diagram:



Pit Dimensions

Length 12 Ft.

Width 12 Ft.

1 Ft. Depth

Location of Pit Center

36.93488 Latitude

Longitude -107.63286

(NAD 1927)

Pit ID

871351

Pit Type

Calcium Salt Tower

Date Closure Started: 11/2/05

Closure Method:

Pushed In

Date Closure Completed: 11/2/05

Bedrock Encountered?

Cubic Yards Excavated:

Vertical Extent of Equipment Reached?

Description Of Closure Action:

The pit was assessed and sampled in accordance with NMOCD guidelines. Based on assessment findings, the pit was backfilled.

Pit Closure Sampling:

Sample ID

Sample Date

Head

Space

BTEX Total

Benzene (mg/kg) TPH DRO Purpose

Location Depth

(mg/kg) (mg/kg)

142609JUL04

7/9/04

0

ASSESS

Flr

3.5



Pace Analytical Services, Inc.

9608 Loiret Blvd. Leпеха, КS 66219

Phone: 913.599.5665 Fax: 913.599.1759

Lab Project Number: 6084738 Client Project ID: NM PITS

Lab Sample No: 607299302

Project Sample Number: 6084738-008

Date Collected: 07/09/04 02:26

Client Sample ID: 142609JUL04

Matrix: Soil

Date Received: 07/16/04 12:10

i da									
Parameters	Results	<u>Units</u>	Report Limit	_DF	Analyzed	Ву	CAS No.	Qual R	RegLmt
GC Semivolatiles		-							
Total Extractable Hydrocarbons	Prep/Method:	0A2 / 0A2							
Mineral Spirits	ND	mg/kg	12.	1.2	07/21/04 03:44	RMN1			
Jet Fuel	ND	mg/kg	12.	. 1.2	07/21/04 03:44	RMN1			
Kerosene ()	ND	mg/kg	12.	1.2	07/21/04 03:44	RMN1			
Diesel Fuel	ND	mg/kg	12.	1.2	07/21/04 03:44	RMN1	68334-30-5		
Fuel 011	ND	mg/kg 🖯	12.	1.2	07/21/04 03:44	RMN1	68334-30-5	•	
Motor 0i1	ND	mg/kg	12.	1.2	07/21/04 03:44	RMN1			
n-Tetracosane (S)	104	%		1.0	07/21/04 03:44	RMN1	646-31-1		
p-Terphenyl (S)	121	*		1.0	07/21/04 03:44	RMN1	92-94-4		
Date Extracted	07/19/04			٠	07/19/04				
Organics Prep									
Percent Moisture	Method: SM 2	2540G							
Percent Moisture	17.1	%		1.0	07/19/04	DPB			
GC Volatiles									
TPH Gas/BTEX	Prep/Method:	TPH GRO/BT	EX / EPA 8021/0	DA1					
Benzene	ND	ug/kg	60.	1.2	07/20/04 13:14		71-43-2		
Toluene	ND	ug/kg	60.	1.2	07/20/04 13:14		108-88-3		
Ethylbenzene	ND	ug/kg	60.	1.2	07/20/04 13:14		100-41-4		
Xylene (Total)	ND	ug/kg	160	1.2	07/20/04 13:14		1330-20-7		
a,a,a-Trifluorotoluene (S)	97	%		1.0	07/20/04 13:14		98-08-8		
4-Bromofluorobenzene (S)	92	%		1.0	07/20/04 13:14		460-00-4		

Comments : No times on samples.

Date: 07/30/04

Page: 8 of 56

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.

