District I 1625 Novement Dr., Hobbs, NM 88240 District II

1301 W. Grand Ayenue, Artesia, NM 88210

District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

office

Form C-144

June 1, 2004

Pit or Below-Grade Tanl	Registration or Closure
Is pit or below-grade tank covered	by a "general plan"? Yes ☒ No ☐

Type of action: Registration of a pit	or below-grade tank 🔲 Closure of a pit or below-grade	de tank ⊠			
Operator: Burlington Resources Telephone:	(505) 326-9841 e-mail address: <u>LH</u>	Jaselv@hr-inc.com			
Address: 3401 East 30 th Street, Farmington, New Mexico, 87402	<u> </u>	nasorye, or me. com			
	045271520000 U/L or Qtr/Qtr	C Sec 22 T 29N R 8W			
	36.715600 Longitude -107.667383				
Surface Owner: Federal State Private Indian	30.713000 Longitude -107.007303	NAD. 1927 & 1965			
	Dalom one de tendi				
Pit	Below-grade tank	on and Englidental Oil			
Type: Drilling Production Disposal	Volume: 40 bbl Type of fluid: Produced Water	er and incidental Oil			
Workover ☐ Emergency ☐	Construction material: Fiberglass				
Lined Unlined	Double-walled, with leak detection? Yes If not, explain why not.				
Liner type: Synthetic Thicknessmil Clay					
Pit Volumebbl		T-00			
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	(20 points)			
high water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points)			
	100 feet or more	(0 points) 0			
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)			
water source, or less than 1000 feet from all other water sources.)	No	(0 points) 0			
water source, or less train 1000 feet from all other water sources.)	T 4 200 C 4	(20 :)			
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)			
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)			
	1000 feet or more	(0 points) 10			
	Ranking Score (Total Points)	10			
If this is a pit closure: (1) Attach a diagram of the facility showing the pit	's relationship to other equipment and tanks. (2) Indica	ate disposal location: (check the onsite box if			
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite offsite first, name of facility					
date. (4) Groundwater encountered: No 🛮 Yes 🔲 If yes, show depth belo					
		19 70 21 22 23			
(5) Attach soil sample results and a diagram of sample locations and excava	itions.	£ 23			
Additional Comments:					
(BGT B		\(\sigma\) \(\frac{\text{FEB 2006}}{\text{2006}}\)			
The soils tested clean and no soil remediation was required.	· · · · · · · · · · · · · · · · · · ·	[22]			
		D MM B			
		Vez.			
		C o. 21.9			
		9912			
I hereby certify that the information above is true and complete to the best has been/will be constructed or closed according to NMOCD guideline					
	es Ka, a general permit , or all (attached) afterna	uve OCD-approved plan			
Date: 2/10/00	1 ODI B				
Printed Name/Title Mr. Ed Hasely, Environmental Advisor	Signature SHASS				
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.					
Approval:	FEB 2 1 200	8			

5 ਦ									
CLIENT: Belington	Envirotech Inc.				LOCATION NO:				
Resources	·	5796 FARMIN	NTAL SCIENTISTS U.S. HIGHWAY IGTON, NEW MEX ONE: (505) 632-	64-3014 ICO 87401		Ì]:	
FIELD REPOR	T:	CLOSU	RE VI	ERIFIC.	ATION	PAGE	No:	of	
LOCATION: <u>NAME: Roclofs</u> QUAD/UNIT: C SEC:						- DATE CI		2/15/04	
QTR/FDDTAGE:			RACTOR:				IMENTAL IST:	MPM/GWG	
EXCAVATION APPROX DISPOSAL FACILITY: LAND USE:	h)A	R	EMEDIATIO		OD:		1	
FIELD NOTES & REMARI DEPTH TO GROUNDWATER: > 102									
NMOCD RANKING SCORE: 10	NMO	CD TPH CLOSUR	E STD:	00 PPM		£ Decision of	CHECK ONE:		
SOIL AND EXCAVATION DESCRIPTION:			_	_PIT ABANDONED _STEEL TANK INSTALLED					
BGT B	, ·-		*.	t.	ـــــ				
Soil tester c	le an	, no soil	remedia	ation ray	uireo				
*			FIEL	.D 418.1 CAL	CULATIONS				
,	TIME	SAMPLE I.D.	LAB No:	WEIGHT (g)					
SCALE	1030	Discret L potton		5,0	20	4	2	8	
O FT									
PIT PERIME	TER		OVM	~	PIT	PRC	FILE		
		SAMPI	RESULT:	EADSPACE (ppm)					
75	•	1 hotton		(,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,					
		3					_	~~	
7	T A)	5			}			3'	
101 17 Daly	Ъ				Į	والمعالى المستحدد والمستحدد والمستحد والمستحدد والمستحد والمستحدد والمستحد والمستحدد والمستحد والمستحدد والمستحدد والمستحدد والمستحدد والمستحدد والمستحدد وا		1	
105 Dahy (80	,				1 1	3			
						X			
0/ [[szp (BGT 3)		SAMPLE ID	AB SAMPL ANALYSIS	TIME					
TRAVEL NOTES: CALLOUT:		,	0I	NSITE:					



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:

Burlington Resources

Project #:

92115-046-118

Sample No.:

1

Date Reported:

2/15/2006

Sample ID:

Discrete sample 3' below BGT

Date Sampled:

2/15/2006

Sample Matrix:

Soil

Date Analyzed:

2/15/2006

Preservative:

Cool

Analysis Needed:

TPH-418.1

Condition:

Cool and Intact

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons

8.0

5.0

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

Roelofs E No. 202, BGT B

Instrument calibration checked against 200 ppm standard. Zeroed before each sample

Analyst

Review